

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021023\
 Data File : PL080875.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Feb 2023 21:03
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 10 22:07:37 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Sun Jan 22 23:56:48 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.688	108.2E6	109.8E6	50.428	49.969
2)	SA Decachlor...	8.788	7.833	82704405	102.0E6	47.239	42.821
Target Compounds							
2)	A alpha-BHC	3.799	3.188	166.7E6	161.0E6	52.606	50.610
3)	MA gamma-BHC...	4.128	3.517	154.8E6	150.3E6	52.668	50.323
4)	MA Heptachlor	4.712	3.857	150.5E6	151.9E6	50.933	47.723
5)	MB Aldrin	5.050	4.136	139.0E6	143.5E6	50.826	48.642
6)	B beta-BHC	4.324	3.813	67861686	65142289	49.715	48.809
7)	B delta-BHC	4.567	4.042	153.3E6	145.4E6	52.971	50.394
8)	B Heptachlo...	5.474	4.638	128.7E6	132.5E6	49.751	47.635
9)	A Endosulfan I	5.856	5.007	117.3E6	121.0E6	49.668	46.496
10)	B gamma-Chl...	5.729	4.889	127.5E6	127.5E6	50.492	44.996
11)	B alpha-Chl...	5.808	4.953	125.8E6	131.3E6	49.856	45.849
12)	B 4,4'-DDE	5.986	5.145	111.1E6	111.1E6	49.893	47.084
13)	MA Dieldrin	6.131	5.272	119.7E6	123.5E6	50.014	45.654
14)	MA Endrin	6.358	5.547	109.9E6	108.4E6	50.813	46.680
15)	B Endosulfa...	6.576	5.841	98516915	102.4E6	42.977	49.145
16)	A 4,4'-DDD	6.500	5.699	95398288	97272086	52.074	51.762
17)	MA 4,4'-DDT	6.813	5.951	90806615	92935674	43.706	44.224
18)	B Endrin al...	6.706	6.021	77943834	81174270	46.858	44.452
19)	B Endosulfa...	6.940	6.244	101.5E6	108.3E6	49.037	46.566
20)	A Methoxychlor	7.291	6.529	48140373	51082789	43.634	42.097
21)	B Endrin ke...	7.419	6.749	107.7E6	120.1E6	48.822	47.046
22)	Mirex	7.890	6.931	83155630	99444305	48.352	43.679
23)	Chlordane-1	0.000	3.688	0	3045	N.D.	0.037 #
24)	Chlordane-2	5.050f	4.269	139.0E6	977642	1441.685	10.844 #
25)	Chlordane-3	5.729	4.889	127.5E6	127.5E6	377.405	483.531 #
26)	Chlordane-4	5.808	4.953	125.8E6	131.3E6	291.712	487.720 #
27)	Chlordane-5	0.000	5.649f	0	277751	N.D.	3.903 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012023\
Data File : PL080875.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Feb 2023 21:03
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 10 22:07:37 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
Quant Title : GC Extractables
QLast Update : Sun Jan 22 23:56:48 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 108158883
Conc: 50.43 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.688 min
Delta R.T.: -0.002 min
Response: 109753757
Conc: 49.97 ng/ml




#2 alpha-BHC

R.T.: 3.799 min
Delta R.T.: -0.001 min
Response: 166656499
Conc: 52.61 ng/ml



#2 alpha-BHC


R.T.: 3.188 min
Delta R.T.: -0.003 min
Response: 160959644
Conc: 50.61 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.128 min
Delta R.T.: -0.001 min
Response: 154832347
Conc: 52.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.517 min
Delta R.T.: -0.004 min
Response: 150330134
Conc: 50.32 ng/ml




#4 Heptachlor

R.T.: 4.712 min
Delta R.T.: -0.002 min
Response: 150517061
Conc: 50.93 ng/ml



#4 Heptachlor


R.T.: 3.857 min
Delta R.T.: -0.005 min
Response: 151871128
Conc: 47.72 ng/ml



#5 Aldrin


R.T.: 5.050 min
Delta R.T.: -0.002 min
Response: 139049724
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.136 min
Delta R.T.: -0.005 min
Response: 143472608
Conc: 48.64 ng/ml




#6 beta-BHC

R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 67861686
Conc: 49.71 ng/ml



#6 beta-BHC


R.T.: 3.813 min
Delta R.T.: -0.004 min
Response: 65142289
Conc: 48.81 ng/ml



#7 delta-BHC


R.T.: 4.567 min
Delta R.T.: -0.001 min
Response: 153349767
Conc: 52.97 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.042 min
Delta R.T.: -0.004 min
Response: 145358842
Conc: 50.39 ng/ml




#8 Heptachlor epoxide

R.T.: 5.474 min
Delta R.T.: -0.003 min
Response: 128708608
Conc: 49.75 ng/ml



#8 Heptachlor epoxide


R.T.: 4.638 min
Delta R.T.: -0.006 min
Response: 132537636
Conc: 47.64 ng/ml



#9 Endosulfan I


R.T.: 5.856 min
Delta R.T.: -0.003 min
Response: 117290239
Conc: 49.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.007 min
Delta R.T.: -0.006 min
Response: 120951454
Conc: 46.50 ng/ml




#10 gamma-Chlordane

R.T.: 5.729 min
Delta R.T.: -0.003 min
Response: 127529458
Conc: 50.49 ng/ml



#10 gamma-Chlordane


R.T.: 4.889 min
Delta R.T.: -0.006 min
Response: 127528908
Conc: 45.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.808 min
Delta R.T.: -0.002 min
Response: 125849162
Conc: 49.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.953 min
Delta R.T.: -0.006 min
Response: 131341924
Conc: 45.85 ng/ml




#12 4,4'-DDE

R.T.: 5.986 min
Delta R.T.: -0.003 min
Response: 111128461
Conc: 49.89 ng/ml



#12 4,4'-DDE


R.T.: 5.145 min
Delta R.T.: -0.006 min
Response: 111063155
Conc: 47.08 ng/ml



#13 Dieldrin


R.T.: 6.131 min
Delta R.T.: -0.003 min
Response: 119702731
Conc: 50.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.272 min
Delta R.T.: -0.007 min
Response: 123492377
Conc: 45.65 ng/ml




#14 Endrin

R.T.: 6.358 min
Delta R.T.: -0.004 min
Response: 109893319
Conc: 50.81 ng/ml



#14 Endrin


R.T.: 5.547 min
Delta R.T.: -0.007 min
Response: 108352657
Conc: 46.68 ng/ml



#15 Endosulfan II


R.T.: 6.576 min
Delta R.T.: -0.004 min
Response: 98516915
Conc: 42.98 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.841 min
Delta R.T.: -0.007 min
Response: 102404050
Conc: 49.14 ng/ml




#16 4,4'-DDD

R.T.: 6.500 min
Delta R.T.: -0.004 min
Response: 95398288
Conc: 52.07 ng/ml



#16 4,4'-DDD


R.T.: 5.699 min
Delta R.T.: -0.007 min
Response: 97272086
Conc: 51.76 ng/ml



#17 4,4'-DDT


R.T.: 6.813 min
Delta R.T.: -0.003 min
Response: 90806615
Conc: 43.71 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.951 min
Delta R.T.: -0.008 min
Response: 92935674
Conc: 44.22 ng/ml




#18 Endrin aldehyde

R.T.: 6.706 min
Delta R.T.: -0.004 min
Response: 77943834
Conc: 46.86 ng/ml



#18 Endrin aldehyde


R.T.: 6.021 min
Delta R.T.: -0.007 min
Response: 81174270
Conc: 44.45 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.940 min
Delta R.T.: -0.003 min
Response: 101502040
Conc: 49.04 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.244 min
Delta R.T.: -0.007 min
Response: 108297495
Conc: 46.57 ng/ml




#20 Methoxychlor

R.T.: 7.291 min
Delta R.T.: -0.003 min
Response: 48140373
Conc: 43.63 ng/ml



#20 Methoxychlor


R.T.: 6.529 min
Delta R.T.: -0.007 min
Response: 51082789
Conc: 42.10 ng/ml



#21 Endrin ketone


R.T.: 7.419 min
Delta R.T.: -0.005 min
Response: 107718820
Conc: 48.82 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.749 min
Delta R.T.: -0.007 min
Response: 120120332
Conc: 47.05 ng/ml




#22 Mirex

R.T.: 7.890 min
Delta R.T.: -0.006 min
Response: 83155630
Conc: 48.35 ng/ml



#22 Mirex


R.T.: 6.931 min
Delta R.T.: -0.009 min
Response: 99444305
Conc: 43.68 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.500 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.688 min
Delta R.T.: 0.001 min
Response: 3045
Conc: 0.04 ng/ml




#24 Chlordane-2

R.T.: 5.050 min
Delta R.T.: 0.024 min
Response: 139049724
Conc: 1441.69 ng/ml



#24 Chlordane-2


R.T.: 4.269 min
Delta R.T.: 0.005 min
Response: 977642
Conc: 10.84 ng/ml



#25 Chlordane-3


R.T.: 5.729 min
Delta R.T.: -0.003 min
Response: 127529458
Conc: 377.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.889 min
Delta R.T.: -0.006 min
Response: 127528908
Conc: 483.53 ng/ml




#26 Chlordane-4

R.T.: 5.808 min
Delta R.T.: -0.007 min
Response: 125849162
Conc: 291.71 ng/ml



#26 Chlordane-4


R.T.: 4.953 min
Delta R.T.: -0.004 min
Response: 131341924
Conc: 487.72 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.656 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.649 min
Delta R.T.: 0.024 min
Response: 277751
Conc: 3.90 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.788 min
Delta R.T.: -0.005 min
Response: 82704405
Conc: 47.24 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.833 min
Delta R.T.: -0.009 min
Response: 102023761
Conc: 42.82 ng/ml