

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021319\
 Data File : PL044778.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Feb 2019 23:55
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 14 00:22:57 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
 Quant Title : GC Extractables
 QLast Update : Thu Feb 07 01:39:50 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.365	3.985	372.9E6	120.2E6	52.402	51.174
28)	SA Decachlor...	8.051	9.045	359.9E6	108.8E6	49.348	49.104
Target Compounds							
2)	A alpha-BHC	3.796	4.375	578.4E6	162.7E6	54.156	53.428
3)	MA gamma-BHC...	4.073	4.660	533.2E6	152.8E6	54.196	52.740
4)	MA Heptachlor	4.361	5.167	543.3E6	154.0E6	52.737	50.571
5)	MB Aldrin	4.602	5.472	516.1E6	142.4E6	53.621	51.380
6)	B beta-BHC	4.326	4.831	222.1E6	68543638	52.563	51.731
7)	B delta-BHC	4.522	5.048	448.6E6	108.5E6	55.733	59.357
8)	B Heptachlo...	5.040	5.858	483.6E6	128.9E6	51.978	51.530
9)	A Endosulfan I	5.372	6.215	454.1E6	126.9E6	52.030	50.152
10)	B gamma-Chl...	5.263	6.092	501.9E6	139.4E6	52.007	50.219
11)	B alpha-Chl...	5.319	6.165	492.4E6	138.2E6	51.495	49.895
12)	B 4,4'-DDE	5.487	6.323	459.2E6	123.3E6	52.957	51.661
13)	MA Dieldrin	5.612	6.472	494.7E6	132.2E6	52.707	51.259
14)	MA Endrin	5.865	6.689	454.1E6	113.1E6	51.835	50.336
15)	B Endosulfa...	6.140	6.899	434.2E6	116.8E6	51.354	50.704
16)	A 4,4'-DDD	5.998	6.813	409.2E6	106.4E6	56.559	55.436
17)	MA 4,4'-DDT	6.234	7.111	338.1E6	88911310	47.141	45.321
18)	B Endrin al...	6.306	7.023	357.6E6	98703950	51.005	48.649
19)	B Endosulfa...	6.518	7.245	378.0E6	103.7E6	52.012	49.171
20)	A Methoxychlor	6.779	7.569	187.7E6	53832940	46.777	45.059
21)	B Endrin ke...	7.002	7.715	436.3E6	116.6E6	52.436	51.370


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021319\
Data File : PL044778.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Feb 2019 23:55
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 14 00:22:57 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
Quant Title : GC Extractables
QLast Update : Thu Feb 07 01:39:50 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.365 min
Delta R.T.: 0.000 min
Response: 372886793
Conc: 52.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.985 min
Delta R.T.: 0.000 min
Response: 120217151
Conc: 51.17 ng/ml




#2 alpha-BHC

R.T.: 3.796 min
Delta R.T.: 0.000 min
Response: 578395698
Conc: 54.16 ng/ml



#2 alpha-BHC


R.T.: 4.375 min
Delta R.T.: 0.001 min
Response: 162748262
Conc: 53.43 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.073 min
Delta R.T.: 0.000 min
Response: 533215708
Conc: 54.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.660 min
Delta R.T.: 0.000 min
Response: 152795380
Conc: 52.74 ng/ml




#4 Heptachlor

R.T.: 4.361 min
Delta R.T.: 0.000 min
Response: 543275417
Conc: 52.74 ng/ml



#4 Heptachlor


R.T.: 5.167 min
Delta R.T.: 0.001 min
Response: 154041573
Conc: 50.57 ng/ml



#5 Aldrin


R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 516143170
Conc: 53.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.472 min
Delta R.T.: 0.000 min
Response: 142378156
Conc: 51.38 ng/ml




#6 beta-BHC

R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 222108309
Conc: 52.56 ng/ml



#6 beta-BHC


R.T.: 4.831 min
Delta R.T.: 0.000 min
Response: 68543638
Conc: 51.73 ng/ml



#7 delta-BHC


R.T.: 4.522 min
Delta R.T.: 0.000 min
Response: 448649485
Conc: 55.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.048 min
Delta R.T.: 0.000 min
Response: 108537874
Conc: 59.36 ng/ml




#8 Heptachlor epoxide

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 483647042
Conc: 51.98 ng/ml



#8 Heptachlor epoxide


R.T.: 5.858 min
Delta R.T.: 0.001 min
Response: 128853666
Conc: 51.53 ng/ml



#9 Endosulfan I


R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 454063712
Conc: 52.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.215 min
Delta R.T.: 0.002 min
Response: 126876558
Conc: 50.15 ng/ml




#10 gamma-Chlordane

R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 501922261
Conc: 52.01 ng/ml



#10 gamma-Chlordane


R.T.: 6.092 min
Delta R.T.: 0.001 min
Response: 139411958
Conc: 50.22 ng/ml



#11 alpha-Chlordane


R.T.: 5.319 min
Delta R.T.: 0.000 min
Response: 492362410
Conc: 51.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.165 min
Delta R.T.: 0.000 min
Response: 138249742
Conc: 49.89 ng/ml




#12 4,4'-DDE

R.T.: 5.487 min
Delta R.T.: 0.000 min
Response: 459248580
Conc: 52.96 ng/ml



#12 4,4'-DDE


R.T.: 6.323 min
Delta R.T.: 0.002 min
Response: 123349630
Conc: 51.66 ng/ml



#13 Dieldrin


R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 494694099
Conc: 52.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.472 min
Delta R.T.: 0.002 min
Response: 132243183
Conc: 51.26 ng/ml




#14 Endrin

R.T.: 5.865 min
Delta R.T.: 0.000 min
Response: 454088736
Conc: 51.84 ng/ml



#14 Endrin


R.T.: 6.689 min
Delta R.T.: 0.002 min
Response: 113101644
Conc: 50.34 ng/ml



#15 Endosulfan II


R.T.: 6.140 min
Delta R.T.: 0.000 min
Response: 434227687
Conc: 51.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.899 min
Delta R.T.: 0.002 min
Response: 116782840
Conc: 50.70 ng/ml




#16 4,4'-DDD

R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 409158313
Conc: 56.56 ng/ml



#16 4,4'-DDD


R.T.: 6.813 min
Delta R.T.: 0.002 min
Response: 106445478
Conc: 55.44 ng/ml



#17 4,4'-DDT


R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 338062107
Conc: 47.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.111 min
Delta R.T.: 0.002 min
Response: 88911310
Conc: 45.32 ng/ml




#18 Endrin aldehyde

R.T.: 6.306 min
Delta R.T.: 0.000 min
Response: 357570074
Conc: 51.01 ng/ml



#18 Endrin aldehyde


R.T.: 7.023 min
Delta R.T.: 0.002 min
Response: 98703950
Conc: 48.65 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.518 min
Delta R.T.: 0.001 min
Response: 378019468
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.245 min
Delta R.T.: 0.002 min
Response: 103748439
Conc: 49.17 ng/ml




#20 Methoxychlor

R.T.: 6.779 min
Delta R.T.: 0.000 min
Response: 187718741
Conc: 46.78 ng/ml



#20 Methoxychlor


R.T.: 7.569 min
Delta R.T.: 0.002 min
Response: 53832940
Conc: 45.06 ng/ml



#21 Endrin ketone


R.T.: 7.002 min
Delta R.T.: 0.001 min
Response: 436274414
Conc: 52.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.715 min
Delta R.T.: 0.000 min
Response: 116587661
Conc: 51.37 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.051 min
Delta R.T.: 0.002 min
Response: 359920096
Conc: 49.35 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.045 min
Delta R.T.: 0.002 min
Response: 108757866
Conc: 49.10 ng/ml