

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021425\
 Data File : PL094187.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2025 10:14
 Operator : AR\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 15 02:18:53 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 14:58:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	0.000	2.783	0	170496	N.D.	0.052 #
2)	SA Decachlor...	0.000	7.913	0	1364037	N.D.	0.389 #
Target Compounds							
2)	A alpha-BHC	0.000	3.284	0	37013	N.D.	0.008 #
4)	MA Heptachlor	0.000	3.947	0	508207	N.D.	0.109 #
5)	MB Aldrin	0.000	4.239	0	1007588	N.D.	0.221 #
7)	B delta-BHC	0.000	4.141	0	650952	N.D.	0.137 #
8)	B Heptachlo...	5.688	4.733	8072886	254340	2.715	0.061 #
10)	B gamma-Chl...	0.000	4.985	0	14674315	N.D.	3.463 #
11)	B alpha-Chl...	0.000	5.043	0	41414897	N.D.	9.892 #
12)	B 4,4'-DDE	0.000	5.219	0	2124905	N.D.	0.530 #
13)	MA Dieldrin	0.000	5.372	0	1422715	N.D.	0.331 #
14)	MA Endrin	0.000	5.656f	0	6293544	N.D.	1.704 #
15)	B Endosulfa...	0.000	5.926	0	603390	N.D.	0.163 #
16)	A 4,4'-DDD	0.000	5.766f	0	49508	N.D.	0.016 #
17)	MA 4,4'-DDT	0.000	6.030	0	247859	N.D.	0.076 #
18)	B Endrin al...	0.000	6.113	0	471105	N.D.	0.155 #
19)	B Endosulfa...	0.000	6.321	0	100193	N.D.	0.028 #
23)	Chlordane-1	0.000	3.768	0	165182	N.D.	1.324 #
24)	Chlordane-2	0.000	4.362	0	16901556	N.D.	115.195 #
25)	Chlordane-3	0.000	4.985	0	14674315	N.D.	33.748 #
26)	Chlordane-4	0.000	5.043	0	41414897	N.D.	97.753 #
27)	Chlordane-5	0.000	5.926	0	603390	N.D.	3.940 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021425\
Data File : PL094187.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Feb 2025 10:14
Operator : AR\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 15 02:18:53 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 14:58:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T.: 3.539 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 2.783 min
Delta R.T.: 0.009 min
Response: 170496
Conc: 0.05 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T.: 3.995 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: 0.007 min
Response: 37013
Conc: 0.01 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 4.914 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#4 Heptachlor

R.T.: 3.947 min
Delta R.T.: 0.002 min
Response: 508207
Conc: 0.11 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 5.256 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.239 min
Delta R.T.: 0.014 min
Response: 1007588
Conc: 0.22 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.772 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#7 delta-BHC

R.T.: 4.141 min
Delta R.T.: 0.005 min
Response: 650952
Conc: 0.14 ng/ml




#8 Heptachlor epoxide

R.T.: 5.688 min
Delta R.T.: 0.006 min
Response: 8072886
Conc: 2.71 ng/ml



#8 Heptachlor epoxide


R.T.: 4.733 min
Delta R.T.: 0.006 min
Response: 254340
Conc: 0.06 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.938 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#10 gamma-Chlordane

R.T.: 4.985 min
Delta R.T.: 0.008 min
Response: 14674315
Conc: 3.46 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 6.017 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.043 min
Delta R.T.: 0.002 min
Response: 41414897
Conc: 9.89 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 6.191 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#12 4,4'-DDE

R.T.: 5.219 min
Delta R.T.: -0.011 min
Response: 2124905
Conc: 0.53 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.343 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.372 min
Delta R.T.: 0.012 min
Response: 1422715
Conc: 0.33 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.572 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#14 Endrin

R.T.: 5.656 min
Delta R.T.: 0.019 min
Response: 6293544
Conc: 1.70 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 6.792 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 5.926 min
Delta R.T.: -0.006 min
Response: 603390
Conc: 0.16 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.708 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#16 4,4'-DDD

R.T.: 5.766 min
Delta R.T.: -0.018 min
Response: 49508
Conc: 0.02 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 7.022 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.030 min
Delta R.T.: -0.005 min
Response: 247859
Conc: 0.08 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.923 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#18 Endrin aldehyde

R.T.: 6.113 min
Delta R.T.: 0.003 min
Response: 471105
Conc: 0.15 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.157 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.321 min
Delta R.T.: -0.013 min
Response: 100193
Conc: 0.03 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.700 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#23 Chlordane-1

R.T.: 3.768 min
Delta R.T.: -0.003 min
Response: 165182
Conc: 1.32 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.229 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.362 min
Delta R.T.: 0.015 min
Response: 16901556
Conc: 115.19 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.939 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#25 Chlordane-3

R.T.: 4.985 min
Delta R.T.: 0.008 min
Response: 14674315
Conc: 33.75 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.021 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.043 min
Delta R.T.: 0.003 min
Response: 41414897
Conc: 97.75 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.870 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HEXANE




#27 Chlordane-5

R.T.: 5.926 min
Delta R.T.: -0.009 min
Response: 603390
Conc: 3.94 ng/ml



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T.: 9.053 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.913 min
Delta R.T.: 0.003 min
Response: 1364037
Conc: 0.39 ng/ml