

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021425\
 Data File : PL094201.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2025 16:36
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 15 02:22:10 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 14:58:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.773	46143823	52516810	17.136	16.089
28)	SA Decachlor...	9.057	7.908	41250796	68621496	19.719	19.583
Target Compounds							
2)	A alpha-BHC	0.000	3.278	0	295176	N.D.	0.060 #
4)	MA Heptachlor	4.909	3.941	2710862	313010	0.827	0.067 #
5)	MB Aldrin	0.000	4.231	0	4823161	N.D.	1.057 #
6)	B beta-BHC	0.000	3.913	0	1450967	N.D.	0.726 #
7)	B delta-BHC	4.767	4.136	13579157	65422	3.874	0.014 #
8)	B Heptachlo...	5.685	4.749f	3181120	786643	1.070	0.188 #
10)	B gamma-Chl...	0.000	4.993f	0	9748600	N.D.	2.300 #
11)	B alpha-Chl...	0.000	5.040	0	10667676	N.D.	2.548 #
12)	B 4,4'-DDE	0.000	5.229	0	2007729	N.D.	0.501 #
13)	MA Dieldrin	0.000	5.378f	0	283715	N.D.	0.066 #
14)	MA Endrin	0.000	5.654f	0	4541811	N.D.	1.230 #
17)	MA 4,4'-DDT	0.000	6.033	0	454339	N.D.	0.140 #
18)	B Endrin al...	0.000	6.123	0	571426	N.D.	0.188 #
20)	A Methoxychlor	0.000	6.603	0	506345	N.D.	0.283 #
23)	Chlordane-1	0.000	3.763	0	1388474	N.D.	11.126 #
25)	Chlordane-3	0.000	4.993	0	9748600	N.D.	22.420 #
26)	Chlordane-4	0.000	5.040	0	10667676	N.D.	25.179 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021425\
Data File : PL094201.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Feb 2025 16:36
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 15 02:22:10 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 14:58:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.004 min
Response: 46143823
Conc: 17.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.773 min
Delta R.T.: -0.002 min
Response: 52516810
Conc: 16.09 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.995 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.278 min
Delta R.T.: 0.002 min
Response: 295176
Conc: 0.06 ng/ml



#4 Heptachlor


R.T.: 4.909 min
Delta R.T.: -0.005 min
Response: 2710862
Conc: 0.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#4 Heptachlor

R.T.: 3.941 min
Delta R.T.: -0.004 min
Response: 313010
Conc: 0.07 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 5.256 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.231 min
Delta R.T.: 0.007 min
Response: 4823161
Conc: 1.06 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.525 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 3.913 min
Delta R.T.: 0.006 min
Response: 1450967
Conc: 0.73 ng/ml




#7 delta-BHC

R.T.: 4.767 min
Delta R.T.: -0.005 min
Response: 13579157
Conc: 3.87 ng/ml



#7 delta-BHC


R.T.: 4.136 min
Delta R.T.: 0.000 min
Response: 65422
Conc: 0.01 ng/ml



#8 Heptachlor epoxide


R.T.: 5.685 min
Delta R.T.: 0.002 min
Response: 3181120
Conc: 1.07 ng/ml

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 4.749 min
Delta R.T.: 0.022 min
Response: 786643
Conc: 0.19 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T. : 5.938 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.993 min
Delta R.T.: 0.016 min
Response: 9748600
Conc: 2.30 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.017 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 10667676
Conc: 2.55 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.191 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.229 min
Delta R.T.: 0.000 min
Response: 2007729
Conc: 0.50 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.343 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.378 min
Delta R.T.: 0.017 min
Response: 283715
Conc: 0.07 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.572 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.654 min
Delta R.T.: 0.018 min
Response: 4541811
Conc: 1.23 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.033 min
Delta R.T.: -0.001 min
Response: 454339
Conc: 0.14 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.923 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: 0.013 min
Response: 571426
Conc: 0.19 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.498 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 6.603 min
Delta R.T.: -0.007 min
Response: 506345
Conc: 0.28 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.700 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.763 min
Delta R.T.: -0.008 min
Response: 1388474
Conc: 11.13 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.939 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.993 min
Delta R.T.: 0.016 min
Response: 9748600
Conc: 22.42 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.021 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 10667676
Conc: 25.18 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.004 min
Response: 41250796
Conc: 19.72 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.908 min
Delta R.T.: -0.002 min
Response: 68621496
Conc: 19.58 ng/ml