

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021425\
 Data File : PL094208.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Feb 2025 18:11
 Operator : AR\AJ
 Sample : Q1366-01 10X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 HD-01-2132025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 15 02:23:43 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 14:58:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.772	24512097	8543613	9.103	2.617 #
28)	SA Decachlor...	9.048	7.905	5444501	8208317	2.603	2.343
Target Compounds							
2)	A alpha-BHC	0.000	3.285	0	11419	N.D.	0.002 #
3)	MA gamma-BHC...	0.000	3.588f	0	33742	N.D.	0.007 #
4)	MA Heptachlor	0.000	3.940	0	99378	N.D.	0.021 #
5)	MB Aldrin	0.000	4.219	0	191777	N.D.	0.042 #
6)	B beta-BHC	0.000	3.911	0	210107	N.D.	0.105 #
7)	B delta-BHC	0.000	4.133	0	97940	N.D.	0.021 #
8)	B Heptachlo...	0.000	4.730	0	107171	N.D.	0.026 #
9)	A Endosulfan I	0.000	5.126f	0	692989	N.D.	0.179 #
10)	B gamma-Chl...	0.000	4.998f	0	1784269	N.D.	0.421 #
11)	B alpha-Chl...	0.000	5.055	0	1912953	N.D.	0.457 #
12)	B 4,4'-DDE	0.000	5.235	0	517132	N.D.	0.129 #
13)	MA Dieldrin	0.000	5.371	0	388149	N.D.	0.090 #
14)	MA Endrin	0.000	5.652f	0	1698564	N.D.	0.460 #
15)	B Endosulfa...	0.000	5.925	0	186194	N.D.	0.050 #
16)	A 4,4'-DDD	0.000	5.785	0	56820	N.D.	0.018 #
17)	MA 4,4'-DDT	0.000	6.034	0	265708	N.D.	0.082 #
18)	B Endrin al...	0.000	6.111	0	332608	N.D.	0.109 #
20)	A Methoxychlor	0.000	6.585f	0	46522	N.D.	0.026 #
22)	Mirex	0.000	7.042f	0	71900	N.D.	0.021 #
23)	Chlordane-1	0.000	3.764	0	129607	N.D.	1.039 #
24)	Chlordane-2	0.000	4.326f	0	1192733	N.D.	8.129 #
25)	Chlordane-3	0.000	4.998f	0	1784269	N.D.	4.103 #
26)	Chlordane-4	0.000	5.055	0	1912953	N.D.	4.515 #
27)	Chlordane-5	0.000	5.925	0	186194	N.D.	1.216 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021425\
Data File : PL094208.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Feb 2025 18:11
Operator : AR\AJ
Sample : Q1366-01 10X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 15 02:23:43 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 14:58:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: -0.002 min
Response: 24512097
Conc: 9.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#1 Tetrachloro-m-xylene

R.T.: 2.772 min
Delta R.T.: -0.003 min
Response: 8543613
Conc: 2.62 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.995 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.285 min
Delta R.T.: 0.008 min
Response: 11419
Conc: 0.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.327 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#3 gamma-BHC (Lindane)

R.T.: 3.588 min
Delta R.T.: -0.019 min
Response: 33742
Conc: 0.01 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.914 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.940 min
Delta R.T.: -0.005 min
Response: 99378
Conc: 0.02 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.256 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: -0.005 min
Response: 191777
Conc: 0.04 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.525 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.004 min
Response: 210107
Conc: 0.11 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.772 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#7 delta-BHC

R.T.: 4.133 min
Delta R.T.: -0.003 min
Response: 97940
Conc: 0.02 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.682 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.730 min
Delta R.T.: 0.003 min
Response: 107171
Conc: 0.03 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.067 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#9 Endosulfan I

R.T.: 5.126 min
Delta R.T.: 0.030 min
Response: 692989
Conc: 0.18 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.938 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.998 min
Delta R.T.: 0.021 min
Response: 1784269
Conc: 0.42 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.017 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#11 alpha-Chlordane

R.T.: 5.055 min
Delta R.T.: 0.014 min
Response: 1912953
Conc: 0.46 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.191 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.005 min
Response: 517132
Conc: 0.13 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.343 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: 0.011 min
Response: 388149
Conc: 0.09 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.572 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.652 min
Delta R.T.: 0.016 min
Response: 1698564
Conc: 0.46 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.792 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#15 Endosulfan II

R.T.: 5.925 min
Delta R.T.: -0.006 min
Response: 186194
Conc: 0.05 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.708 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.785 min
Delta R.T.: 0.001 min
Response: 56820
Conc: 0.02 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#17 4,4'-DDT

R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 265708
Conc: 0.08 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.923 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde

R.T.: 6.111 min
Delta R.T.: 0.001 min
Response: 332608
Conc: 0.11 ng/ml



#20 Methoxychlor

R.T.: 0.000 min
Exp R.T.: 7.498 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025

#20 Methoxychlor


R.T.: 6.585 min
Delta R.T.: -0.024 min
Response: 46522
Conc: 0.03 ng/ml

#22 Mirex

R.T.: 0.000 min
Exp R.T.: 8.115 min
Response: 0
Conc: N.D.

#22 Mirex


R.T.: 7.042 min
Delta R.T.: 0.024 min
Response: 71900
Conc: 0.02 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.700 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#23 Chlordane-1

R.T.: 3.764 min
Delta R.T.: -0.007 min
Response: 129607
Conc: 1.04 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.229 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.326 min
Delta R.T.: -0.022 min
Response: 1192733
Conc: 8.13 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.939 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#25 Chlordane-3

R.T.: 4.998 min
Delta R.T.: 0.021 min
Response: 1784269
Conc: 4.10 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.021 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.055 min
Delta R.T.: 0.015 min
Response: 1912953
Conc: 4.52 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.870 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
HD-01-2132025




#27 Chlordane-5

R.T.: 5.925 min
Delta R.T.: -0.009 min
Response: 186194
Conc: 1.22 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.048 min
Delta R.T.: -0.005 min
Response: 5444501
Conc: 2.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.905 min
Delta R.T.: -0.005 min
Response: 8208317
Conc: 2.34 ng/ml