

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021524\
 Data File : PL088101.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Feb 2024 20:04
 Operator : AR\AJ
 Sample : PSTDIC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 16 11:19:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 16 11:18:07 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.635	2.854	137.8E6	69865297	50.000	50.000
28)	SA Decachlor...	9.304	8.085	103.8E6	63641545	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.100	3.369	214.4E6	106.1E6	50.000	50.000
3)	MA gamma-BHC...	4.438	3.706	206.4E6	102.1E6	50.000	50.000
4)	MA Heptachlor	5.038	4.054	193.2E6	91850754	50.000	50.000
5)	MB Aldrin	5.386	4.340	193.3E6	98515759	50.000	50.000
6)	B beta-BHC	4.635	4.007	86625959	43714801	50.000	50.000
7)	B delta-BHC	4.887	4.242	196.1E6	102.2E6	50.000	50.000
8)	B Heptachlo...	5.818	4.851	171.1E6	87333727	50.000	50.000
9)	A Endosulfan I	6.209	5.226	155.8E6	80776764	50.000	50.000
10)	B gamma-Chl...	6.077	5.105	170.3E6	89240458	50.000	50.000
11)	B alpha-Chl...	6.158	5.170	169.9E6	89115272	50.000	50.000
12)	B 4,4'-DDE	6.332	5.363	154.1E6	81229335	50.000	50.000
13)	MA Dieldrin	6.488	5.496	165.4E6	87650357	50.000	50.000
14)	MA Endrin	6.720	5.775	131.5E6	74930479	50.000	50.000
15)	B Endosulfa...	6.941	6.073	141.3E6	75859675	50.000	50.000
16)	A 4,4'-DDD	6.855	5.925	127.4E6	69288333	50.000	50.000
17)	MA 4,4'-DDT	7.174	6.180	131.1E6	69281597	50.000	50.000
18)	B Endrin al...	7.072	6.255	103.4E6	54800206	50.000	50.000
19)	B Endosulfa...	7.309	6.480	130.3E6	70667083	50.000	50.000
20)	A Methoxychlor	7.653	6.764	65423963	38815223	50.000	50.000
21)	B Endrin ke...	7.800	6.994	141.6E6	83921719	50.000	50.000
22)	Mirex	8.283	7.180	115.8E6	65024336	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021524\
Data File : PL088101.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Feb 2024 20:04
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 16 11:19:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
Quant Title : GC Extractables
QLast Update : Fri Feb 16 11:18:07 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.635 min
Delta R.T.: 0.000 min
Response: 137819694
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.854 min
Delta R.T.: 0.000 min
Response: 69865297
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.100 min
Delta R.T.: 0.000 min
Response: 214446972
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.369 min
Delta R.T.: 0.000 min
Response: 106113670
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 206374142
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.706 min
Delta R.T.: 0.000 min
Response: 102104651
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 5.038 min
Delta R.T.: 0.000 min
Response: 193245041
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 4.054 min
Delta R.T.: 0.000 min
Response: 91850754
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 193251845
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.340 min
Delta R.T.: 0.000 min
Response: 98515759
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 86625959
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 43714801
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.887 min
Delta R.T.: 0.000 min
Response: 196120693
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.242 min
Delta R.T.: 0.000 min
Response: 102216696
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.818 min
Delta R.T.: 0.000 min
Response: 171144089
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.851 min
Delta R.T.: 0.000 min
Response: 87333727
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.209 min
Delta R.T.: 0.000 min
Response: 155793929
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.226 min
Delta R.T.: 0.000 min
Response: 80776764
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 170295614
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.105 min
Delta R.T.: 0.000 min
Response: 89240458
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.158 min
Delta R.T.: 0.000 min
Response: 169855465
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 89115272
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.332 min
Delta R.T.: 0.000 min
Response: 154082129
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.363 min
Delta R.T.: 0.000 min
Response: 81229335
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.488 min
Delta R.T.: 0.000 min
Response: 165356131
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.496 min
Delta R.T.: 0.000 min
Response: 87650357
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.720 min
Delta R.T.: 0.000 min
Response: 131500337
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.775 min
Delta R.T.: 0.000 min
Response: 74930479
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.941 min
Delta R.T.: 0.000 min
Response: 141276211
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.073 min
Delta R.T.: 0.000 min
Response: 75859675
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.855 min
Delta R.T.: 0.000 min
Response: 127438451
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.925 min
Delta R.T.: 0.000 min
Response: 69288333
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 131070044
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.180 min
Delta R.T.: 0.000 min
Response: 69281597
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 103386506
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.255 min
Delta R.T.: 0.000 min
Response: 54800206
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.309 min
Delta R.T.: 0.000 min
Response: 130250110
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.480 min
Delta R.T.: 0.000 min
Response: 70667083
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.653 min
Delta R.T.: 0.000 min
Response: 65423963
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.764 min
Delta R.T.: 0.000 min
Response: 38815223
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 141574839
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.994 min
Delta R.T.: 0.000 min
Response: 83921719
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.283 min
Delta R.T.: 0.000 min
Response: 115774458
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 65024336
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.304 min
Delta R.T.: 0.000 min
Response: 103766736
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.085 min
Delta R.T.: 0.000 min
Response: 63641545
Conc: 50.00 ng/ml