

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021623\
 Data File : PL080972.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Feb 2023 11:10
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 16 20:34:00 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Sun Jan 22 23:56:48 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.688	111.2E6	109.7E6	51.828	49.956
2)	SA Decachlor...	8.790	7.834	83455064	106.5E6	47.668	44.711
Target Compounds							
2)	A alpha-BHC	3.801	3.189	170.3E6	161.2E6	53.745	50.687
3)	MA gamma-BHC...	4.129	3.517	158.6E6	151.1E6	53.943	50.597
4)	MA Heptachlor	4.713	3.858	155.6E6	155.4E6	52.644	48.842
5)	MB Aldrin	5.051	4.137	142.1E6	144.9E6	51.933	49.128
6)	B beta-BHC	4.325	3.813	69479624	66313097	50.900	49.687
7)	B delta-BHC	4.568	4.043	156.4E6	147.0E6	54.013	50.977
8)	B Heptachlo...	5.476	4.639	131.9E6	134.7E6	50.973	48.401
9)	A Endosulfan I	5.857	5.008	121.8E6	123.6E6	51.574	47.520
10)	B gamma-Chl...	5.731	4.890	132.0E6	132.1E6	52.273	46.620
11)	B alpha-Chl...	5.810	4.954	130.6E6	134.1E6	51.733	46.801
12)	B 4,4'-DDE	5.987	5.146	116.1E6	114.2E6	52.105	48.430
13)	MA Dieldrin	6.132	5.273	124.5E6	127.6E6	52.006	47.168
14)	MA Endrin	6.359	5.548	110.3E6	112.9E6	51.006	48.647
15)	B Endosulfa...	6.578	5.842	102.0E6	106.6E6	44.504	51.168
16)	A 4,4'-DDD	6.502	5.700	96087946	98217815	52.450	52.266
17)	MA 4,4'-DDT	6.815	5.951	99685346	103.6E6	47.979	49.312
18)	B Endrin al...	6.707	6.022	81621813	86436154	49.069	47.333
19)	B Endosulfa...	6.941	6.245	105.3E6	112.6E6	50.872	48.425
20)	A Methoxychlor	7.293	6.529	53885855	56919226	48.841	46.906
21)	B Endrin ke...	7.422	6.749	112.8E6	126.0E6	51.110	49.359
22)	Mirex	7.894	6.932	85744176	103.6E6	49.857	45.485
23)	Chlordane-1	0.000	3.678	0	4158	N.D.	0.051 #
24)	Chlordane-2	5.051f	4.269	142.1E6	185796	1473.070	2.061 #
25)	Chlordane-3	5.731	4.890	132.0E6	132.1E6	390.716	500.989 #
26)	Chlordane-4	5.810	4.954	130.6E6	134.1E6	302.695	497.851 #
27)	Chlordane-5	0.000	5.621	0	71966	N.D.	1.011 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 111161767
Conc: 51.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.688 min
Delta R.T.: -0.002 min
Response: 109726726
Conc: 49.96 ng/ml




#2 alpha-BHC

R.T.: 3.801 min
Delta R.T.: 0.000 min
Response: 170266813
Conc: 53.75 ng/ml



#2 alpha-BHC


R.T.: 3.189 min
Delta R.T.: -0.002 min
Response: 161206688
Conc: 50.69 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.129 min
Delta R.T.: 0.000 min
Response: 158580865
Conc: 53.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.517 min
Delta R.T.: -0.003 min
Response: 151148775
Conc: 50.60 ng/ml




#4 Heptachlor

R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 155573987
Conc: 52.64 ng/ml



#4 Heptachlor


R.T.: 3.858 min
Delta R.T.: -0.004 min
Response: 155434092
Conc: 48.84 ng/ml



#5 Aldrin


R.T.: 5.051 min
Delta R.T.: -0.001 min
Response: 142076823
Conc: 51.93 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.137 min
Delta R.T.: -0.004 min
Response: 144907100
Conc: 49.13 ng/ml




#6 beta-BHC

R.T.: 4.325 min
Delta R.T.: 0.000 min
Response: 69479624
Conc: 50.90 ng/ml



#6 beta-BHC


R.T.: 3.813 min
Delta R.T.: -0.003 min
Response: 66313097
Conc: 49.69 ng/ml



#7 delta-BHC


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 156366972
Conc: 54.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.043 min
Delta R.T.: -0.003 min
Response: 147039391
Conc: 50.98 ng/ml




#8 Heptachlor epoxide

R.T.: 5.476 min
Delta R.T.: -0.001 min
Response: 131870438
Conc: 50.97 ng/ml



#8 Heptachlor epoxide


R.T.: 4.639 min
Delta R.T.: -0.005 min
Response: 134669437
Conc: 48.40 ng/ml



#9 Endosulfan I


R.T.: 5.857 min
Delta R.T.: -0.002 min
Response: 121790341
Conc: 51.57 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.008 min
Delta R.T.: -0.005 min
Response: 123616179
Conc: 47.52 ng/ml




#10 gamma-Chlordane

R.T.: 5.731 min
Delta R.T.: 0.000 min
Response: 132027193
Conc: 52.27 ng/ml



#10 gamma-Chlordane


R.T.: 4.890 min
Delta R.T.: -0.005 min
Response: 132133391
Conc: 46.62 ng/ml



#11 alpha-Chlordane


R.T.: 5.810 min
Delta R.T.: -0.001 min
Response: 130587382
Conc: 51.73 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.954 min
Delta R.T.: -0.005 min
Response: 134070181
Conc: 46.80 ng/ml




#12 4,4'-DDE

R.T.: 5.987 min
Delta R.T.: -0.001 min
Response: 116055786
Conc: 52.10 ng/ml



#12 4,4'-DDE


R.T.: 5.146 min
Delta R.T.: -0.005 min
Response: 114237868
Conc: 48.43 ng/ml



#13 Dieldrin


R.T.: 6.132 min
Delta R.T.: -0.002 min
Response: 124468324
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.273 min
Delta R.T.: -0.006 min
Response: 127587469
Conc: 47.17 ng/ml




#14 Endrin

R.T.: 6.359 min
Delta R.T.: -0.002 min
Response: 110309535
Conc: 51.01 ng/ml



#14 Endrin


R.T.: 5.548 min
Delta R.T.: -0.006 min
Response: 112917889
Conc: 48.65 ng/ml



#15 Endosulfan II


R.T.: 6.578 min
Delta R.T.: -0.002 min
Response: 102017291
Conc: 44.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.842 min
Delta R.T.: -0.006 min
Response: 106620728
Conc: 51.17 ng/ml




#16 4,4'-DDD

R.T.: 6.502 min
Delta R.T.: -0.002 min
Response: 96087946
Conc: 52.45 ng/ml



#16 4,4'-DDD


R.T.: 5.700 min
Delta R.T.: -0.006 min
Response: 98217815
Conc: 52.27 ng/ml



#17 4,4'-DDT


R.T.: 6.815 min
Delta R.T.: -0.001 min
Response: 99685346
Conc: 47.98 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.951 min
Delta R.T.: -0.007 min
Response: 103628746
Conc: 49.31 ng/ml




#18 Endrin aldehyde

R.T.: 6.707 min
Delta R.T.: -0.002 min
Response: 81621813
Conc: 49.07 ng/ml



#18 Endrin aldehyde


R.T.: 6.022 min
Delta R.T.: -0.006 min
Response: 86436154
Conc: 47.33 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.941 min
Delta R.T.: -0.001 min
Response: 105299727
Conc: 50.87 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.245 min
Delta R.T.: -0.007 min
Response: 112619580
Conc: 48.42 ng/ml




#20 Methoxychlor

R.T.: 7.293 min
Delta R.T.: -0.001 min
Response: 53885855
Conc: 48.84 ng/ml



#20 Methoxychlor


R.T.: 6.529 min
Delta R.T.: -0.008 min
Response: 56919226
Conc: 46.91 ng/ml



#21 Endrin ketone


R.T.: 7.422 min
Delta R.T.: -0.002 min
Response: 112765730
Conc: 51.11 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.749 min
Delta R.T.: -0.007 min
Response: 126025462
Conc: 49.36 ng/ml




#22 Mirex

R.T.: 7.894 min
Delta R.T.: -0.002 min
Response: 85744176
Conc: 49.86 ng/ml



#22 Mirex


R.T.: 6.932 min
Delta R.T.: -0.008 min
Response: 103557897
Conc: 45.49 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.500 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.678 min
Delta R.T.: -0.009 min
Response: 4158
Conc: 0.05 ng/ml




#24 Chlordane-2

R.T.: 5.051 min
Delta R.T.: 0.024 min
Response: 142076823
Conc: 1473.07 ng/ml



#24 Chlordane-2


R.T.: 4.269 min
Delta R.T.: 0.005 min
Response: 185796
Conc: 2.06 ng/ml



#25 Chlordane-3


R.T.: 5.731 min
Delta R.T.: -0.002 min
Response: 132027193
Conc: 390.72 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.890 min
Delta R.T.: -0.005 min
Response: 132133391
Conc: 500.99 ng/ml




#26 Chlordane-4

R.T.: 5.810 min
Delta R.T.: -0.005 min
Response: 130587382
Conc: 302.70 ng/ml



#26 Chlordane-4


R.T.: 4.954 min
Delta R.T.: -0.003 min
Response: 134070181
Conc: 497.85 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.656 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.621 min
Delta R.T.: -0.004 min
Response: 71966
Conc: 1.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.790 min
Delta R.T.: -0.003 min
Response: 83455064
Conc: 47.67 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.834 min
Delta R.T.: -0.008 min
Response: 106526084
Conc: 44.71 ng/ml