

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021623\
 Data File : PL080988.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Feb 2023 16:23
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 16 20:51:41 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Sun Jan 22 23:56:48 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.689	109.3E6	110.1E6	50.971	50.104
28)	SA Decachlor...	8.789	7.833	79333325	100.9E6	45.314	42.360
Target Compounds							
2)	A alpha-BHC	3.800	3.189	167.7E6	161.2E6	52.937	50.691
3)	MA gamma-BHC...	4.129	3.517	155.8E6	150.4E6	53.004	50.346
4)	MA Heptachlor	4.712	3.857	149.1E6	151.8E6	50.445	47.694
5)	MB Aldrin	5.050	4.136	138.4E6	143.2E6	50.580	48.544
6)	B beta-BHC	4.325	3.813	68304896	66351971	50.039	49.716
7)	B delta-BHC	4.568	4.043	153.2E6	146.2E6	52.923	50.689
8)	B Heptachlo...	5.475	4.639	128.6E6	133.1E6	49.718	47.849
9)	A Endosulfan I	5.857	5.008	118.6E6	121.7E6	50.230	46.773
10)	B gamma-Chl...	5.730	4.890	129.3E6	129.8E6	51.177	45.806
11)	B alpha-Chl...	5.809	4.954	127.7E6	131.9E6	50.588	46.038
12)	B 4,4'-DDE	5.987	5.146	113.7E6	112.8E6	51.060	47.816
13)	MA Dieldrin	6.131	5.273	121.2E6	124.1E6	50.633	45.866
14)	MA Endrin	6.359	5.548	106.5E6	110.4E6	49.246	47.583
15)	B Endosulfa...	6.578	5.842	98911214	103.3E6	43.149	49.577
16)	A 4,4'-DDD	6.502	5.700	96500723	100.4E6	52.675	53.410
17)	MA 4,4'-DDT	6.814	5.952	89179829	91691312	42.923	43.632
18)	B Endrin al...	6.707	6.022	78504620	81222839	47.195	44.479
19)	B Endosulfa...	6.941	6.244	101.5E6	107.1E6	49.031	46.054
20)	A Methoxychlor	7.292	6.529	48062533	51906193	43.563	42.775
21)	B Endrin ke...	7.422	6.749	106.2E6	119.8E6	48.124	46.926
22)	Mirex	7.892	6.932	80243095	98417744	46.659	43.228
23)	Chlordane-1	0.000	3.689	0	18386	N.D.	0.226 #
24)	Chlordane-2	5.050f	4.268	138.4E6	149029	1434.706	1.653 #
25)	Chlordane-3	5.730	4.890	129.3E6	129.8E6	382.525	492.234 #
26)	Chlordane-4	5.809	4.954	127.7E6	131.9E6	295.996	489.736 #
27)	Chlordane-5	0.000	5.653f	0	190305	N.D.	2.674 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021623\
Data File : PL080988.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Feb 2023 16:23
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 16 20:51:41 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
Quant Title : GC Extractables
QLast Update : Sun Jan 22 23:56:48 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 109323440
Conc: 50.97 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.689 min
Delta R.T.: 0.000 min
Response: 110051780
Conc: 50.10 ng/ml




#2 alpha-BHC

R.T.: 3.800 min
Delta R.T.: 0.000 min
Response: 167706994
Conc: 52.94 ng/ml



#2 alpha-BHC


R.T.: 3.189 min
Delta R.T.: -0.003 min
Response: 161219133
Conc: 50.69 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.129 min
Delta R.T.: 0.000 min
Response: 155819970
Conc: 53.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.517 min
Delta R.T.: -0.003 min
Response: 150398937
Conc: 50.35 ng/ml




#4 Heptachlor

R.T.: 4.712 min
Delta R.T.: 0.000 min
Response: 149075157
Conc: 50.44 ng/ml



#4 Heptachlor


R.T.: 3.857 min
Delta R.T.: -0.004 min
Response: 151778247
Conc: 47.69 ng/ml



#5 Aldrin


R.T.: 5.050 min
Delta R.T.: -0.002 min
Response: 138376603
Conc: 50.58 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.136 min
Delta R.T.: -0.005 min
Response: 143184167
Conc: 48.54 ng/ml




#6 beta-BHC

R.T.: 4.325 min
Delta R.T.: 0.000 min
Response: 68304896
Conc: 50.04 ng/ml



#6 beta-BHC


R.T.: 3.813 min
Delta R.T.: -0.003 min
Response: 66351971
Conc: 49.72 ng/ml



#7 delta-BHC


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 153212157
Conc: 52.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.043 min
Delta R.T.: -0.003 min
Response: 146208778
Conc: 50.69 ng/ml




#8 Heptachlor epoxide

R.T.: 5.475 min
Delta R.T.: -0.002 min
Response: 128622339
Conc: 49.72 ng/ml



#8 Heptachlor epoxide


R.T.: 4.639 min
Delta R.T.: -0.005 min
Response: 133132407
Conc: 47.85 ng/ml



#9 Endosulfan I


R.T.: 5.857 min
Delta R.T.: -0.002 min
Response: 118616592
Conc: 50.23 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.008 min
Delta R.T.: -0.006 min
Response: 121672233
Conc: 46.77 ng/ml




#10 gamma-Chlordane

R.T.: 5.730 min
Delta R.T.: -0.002 min
Response: 129259623
Conc: 51.18 ng/ml



#10 gamma-Chlordane


R.T.: 4.890 min
Delta R.T.: -0.005 min
Response: 129824352
Conc: 45.81 ng/ml



#11 alpha-Chlordane


R.T.: 5.809 min
Delta R.T.: -0.002 min
Response: 127697215
Conc: 50.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.954 min
Delta R.T.: -0.005 min
Response: 131884973
Conc: 46.04 ng/ml




#12 4,4'-DDE

R.T.: 5.987 min
Delta R.T.: -0.002 min
Response: 113728679
Conc: 51.06 ng/ml



#12 4,4'-DDE


R.T.: 5.146 min
Delta R.T.: -0.006 min
Response: 112790027
Conc: 47.82 ng/ml



#13 Dieldrin


R.T.: 6.131 min
Delta R.T.: -0.002 min
Response: 121184212
Conc: 50.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.273 min
Delta R.T.: -0.006 min
Response: 124066440
Conc: 45.87 ng/ml




#14 Endrin

R.T.: 6.359 min
Delta R.T.: -0.002 min
Response: 106505274
Conc: 49.25 ng/ml



#14 Endrin


R.T.: 5.548 min
Delta R.T.: -0.006 min
Response: 110446997
Conc: 47.58 ng/ml



#15 Endosulfan II


R.T.: 6.578 min
Delta R.T.: -0.002 min
Response: 98911214
Conc: 43.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.842 min
Delta R.T.: -0.006 min
Response: 103304009
Conc: 49.58 ng/ml




#16 4,4'-DDD

R.T.: 6.502 min
Delta R.T.: -0.002 min
Response: 96500723
Conc: 52.68 ng/ml



#16 4,4'-DDD


R.T.: 5.700 min
Delta R.T.: -0.006 min
Response: 100368100
Conc: 53.41 ng/ml



#17 4,4'-DDT


R.T.: 6.814 min
Delta R.T.: -0.003 min
Response: 89179829
Conc: 42.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.952 min
Delta R.T.: -0.007 min
Response: 91691312
Conc: 43.63 ng/ml




#18 Endrin aldehyde

R.T.: 6.707 min
Delta R.T.: -0.003 min
Response: 78504620
Conc: 47.20 ng/ml



#18 Endrin aldehyde


R.T.: 6.022 min
Delta R.T.: -0.006 min
Response: 81222839
Conc: 44.48 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.941 min
Delta R.T.: -0.001 min
Response: 101489195
Conc: 49.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.244 min
Delta R.T.: -0.007 min
Response: 107105616
Conc: 46.05 ng/ml




#20 Methoxychlor

R.T.: 7.292 min
Delta R.T.: -0.002 min
Response: 48062533
Conc: 43.56 ng/ml



#20 Methoxychlor


R.T.: 6.529 min
Delta R.T.: -0.007 min
Response: 51906193
Conc: 42.78 ng/ml



#21 Endrin ketone


R.T.: 7.422 min
Delta R.T.: -0.002 min
Response: 106177783
Conc: 48.12 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.749 min
Delta R.T.: -0.007 min
Response: 119812044
Conc: 46.93 ng/ml




#22 Mirex

R.T.: 7.892 min
Delta R.T.: -0.003 min
Response: 80243095
Conc: 46.66 ng/ml



#22 Mirex


R.T.: 6.932 min
Delta R.T.: -0.008 min
Response: 98417744
Conc: 43.23 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.500 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.689 min
Delta R.T.: 0.002 min
Response: 18386
Conc: 0.23 ng/ml




#24 Chlordane-2

R.T.: 5.050 min
Delta R.T.: 0.024 min
Response: 138376603
Conc: 1434.71 ng/ml



#24 Chlordane-2


R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 149029
Conc: 1.65 ng/ml



#25 Chlordane-3


R.T.: 5.730 min
Delta R.T.: -0.002 min
Response: 129259623
Conc: 382.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.890 min
Delta R.T.: -0.005 min
Response: 129824352
Conc: 492.23 ng/ml




#26 Chlordane-4

R.T.: 5.809 min
Delta R.T.: -0.006 min
Response: 127697215
Conc: 296.00 ng/ml



#26 Chlordane-4


R.T.: 4.954 min
Delta R.T.: -0.004 min
Response: 131884973
Conc: 489.74 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.656 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.653 min
Delta R.T.: 0.028 min
Response: 190305
Conc: 2.67 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.789 min
Delta R.T.: -0.004 min
Response: 79333325
Conc: 45.31 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.833 min
Delta R.T.: -0.009 min
Response: 100923717
Conc: 42.36 ng/ml