

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL022224\
 Data File : PL088236.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Feb 2024 19:55
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 22 21:08:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 16 21:46:54 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.635	2.854	132.8E6	67382503	48.332	48.044
2)	SA Decachlor...	9.304	8.086	115.6E6	68329827	60.028	53.664
Target Compounds							
2)	A alpha-BHC	4.100	3.368	205.1E6	103.2E6	49.146	50.200
3)	MA gamma-BHC...	4.438	3.705	197.7E6	99436988	48.821	49.656
4)	MA Heptachlor	5.038	4.054	191.9E6	94868354	49.873	52.075
5)	MB Aldrin	5.385	4.339	186.4E6	96707459	48.828	49.863
6)	B beta-BHC	4.635	4.007	86434342	43230387	49.628	48.569
7)	B delta-BHC	4.887	4.242	200.9E6	101.4E6	52.808	50.854
8)	B Heptachlo...	5.817	4.850	175.8E6	86174942	50.174	49.675
9)	A Endosulfan I	6.209	5.227	151.7E6	78222839	48.470	48.614
10)	B gamma-Chl...	6.076	5.105	166.5E6	87416596	48.993	49.006
11)	B alpha-Chl...	6.157	5.170	165.7E6	87275305	48.546	48.991
12)	B 4,4'-DDE	6.332	5.363	150.1E6	79379254	49.483	49.943
13)	MA Dieldrin	6.488	5.496	161.8E6	86272462	49.199	50.002
14)	MA Endrin	6.719	5.775	140.2E6	75586761	53.919	50.555
15)	B Endosulfa...	6.940	6.073	145.0E6	74668512	50.615	49.014
16)	A 4,4'-DDD	6.854	5.925	129.9E6	67089229	50.074	49.106
17)	MA 4,4'-DDT	7.173	6.181	129.0E6	70609426	49.058	51.720
18)	B Endrin al...	7.072	6.255	108.7E6	58324424	52.585	53.402
19)	B Endosulfa...	7.309	6.481	135.1E6	72379083	51.846	51.536
20)	A Methoxychlor	7.654	6.764	72286087	40927056	54.609	52.219
21)	B Endrin ke...	7.800	6.994	146.2E6	84661036	52.182	50.568
22)	Mirex	8.282	7.180	113.2E6	69057108	48.839	52.711
23)	Chlordane-1	0.000	3.884	0	67595	N.D.	1.313 #
24)	Chlordane-2	5.385f	4.478	186.4E6	431907	1389.071	6.798 #
25)	Chlordane-3	6.076	5.105	166.5E6	87416596	329.645	469.485 #
26)	Chlordane-4	6.157	5.170	165.7E6	87275305	269.850	504.705 #
27)	Chlordane-5	7.019	5.870f	334902	100529	3.309	1.900 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.635 min
Delta R.T.: 0.000 min
Response: 132753891
Conc: 48.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.854 min
Delta R.T.: 0.000 min
Response: 67382503
Conc: 48.04 ng/ml




#2 alpha-BHC

R.T.: 4.100 min
Delta R.T.: 0.000 min
Response: 205146544
Conc: 49.15 ng/ml



#2 alpha-BHC


R.T.: 3.368 min
Delta R.T.: 0.000 min
Response: 103151185
Conc: 50.20 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 197702774
Conc: 48.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.705 min
Delta R.T.: 0.000 min
Response: 99436988
Conc: 49.66 ng/ml




#4 Heptachlor

R.T.: 5.038 min
Delta R.T.: 0.000 min
Response: 191926223
Conc: 49.87 ng/ml



#4 Heptachlor


R.T.: 4.054 min
Delta R.T.: 0.000 min
Response: 94868354
Conc: 52.08 ng/ml



#5 Aldrin


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 186440653
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.339 min
Delta R.T.: 0.000 min
Response: 96707459
Conc: 49.86 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 86434342
Conc: 49.63 ng/ml



#6 beta-BHC


R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 43230387
Conc: 48.57 ng/ml



#7 delta-BHC


R.T.: 4.887 min
Delta R.T.: 0.000 min
Response: 200921455
Conc: 52.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.242 min
Delta R.T.: 0.000 min
Response: 101443671
Conc: 50.85 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 175792877
Conc: 50.17 ng/ml



#8 Heptachlor epoxide


R.T.: 4.850 min
Delta R.T.: 0.000 min
Response: 86174942
Conc: 49.68 ng/ml



#9 Endosulfan I


R.T.: 6.209 min
Delta R.T.: 0.000 min
Response: 151704976
Conc: 48.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.227 min
Delta R.T.: 0.000 min
Response: 78222839
Conc: 48.61 ng/ml




#10 gamma-Chlordane

R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 166494546
Conc: 48.99 ng/ml



#10 gamma-Chlordane


R.T.: 5.105 min
Delta R.T.: 0.000 min
Response: 87416596
Conc: 49.01 ng/ml



#11 alpha-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 165676662
Conc: 48.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 87275305
Conc: 48.99 ng/ml




#12 4,4'-DDE

R.T.: 6.332 min
Delta R.T.: 0.000 min
Response: 150072533
Conc: 49.48 ng/ml



#12 4,4'-DDE


R.T.: 5.363 min
Delta R.T.: 0.000 min
Response: 79379254
Conc: 49.94 ng/ml



#13 Dieldrin


R.T.: 6.488 min
Delta R.T.: 0.000 min
Response: 161773037
Conc: 49.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.496 min
Delta R.T.: 0.000 min
Response: 86272462
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 140222097
Conc: 53.92 ng/ml



#14 Endrin


R.T.: 5.775 min
Delta R.T.: 0.000 min
Response: 75586761
Conc: 50.56 ng/ml



#15 Endosulfan II


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 144957388
Conc: 50.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.073 min
Delta R.T.: 0.000 min
Response: 74668512
Conc: 49.01 ng/ml




#16 4,4'-DDD

R.T.: 6.854 min
Delta R.T.: 0.000 min
Response: 129876913
Conc: 50.07 ng/ml



#16 4,4'-DDD


R.T.: 5.925 min
Delta R.T.: 0.000 min
Response: 67089229
Conc: 49.11 ng/ml



#17 4,4'-DDT


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 128983092
Conc: 49.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.181 min
Delta R.T.: 0.000 min
Response: 70609426
Conc: 51.72 ng/ml




#18 Endrin aldehyde

R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 108727825
Conc: 52.58 ng/ml



#18 Endrin aldehyde


R.T.: 6.255 min
Delta R.T.: 0.000 min
Response: 58324424
Conc: 53.40 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.309 min
Delta R.T.: 0.000 min
Response: 135067862
Conc: 51.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.481 min
Delta R.T.: 0.000 min
Response: 72379083
Conc: 51.54 ng/ml




#20 Methoxychlor

R.T.: 7.654 min
Delta R.T.: 0.000 min
Response: 72286087
Conc: 54.61 ng/ml



#20 Methoxychlor


R.T.: 6.764 min
Delta R.T.: 0.000 min
Response: 40927056
Conc: 52.22 ng/ml



#21 Endrin ketone


R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 146168892
Conc: 52.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.994 min
Delta R.T.: 0.000 min
Response: 84661036
Conc: 50.57 ng/ml




#22 Mirex

R.T.: 8.282 min
Delta R.T.: 0.000 min
Response: 113169694
Conc: 48.84 ng/ml



#22 Mirex


R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 69057108
Conc: 52.71 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.820 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.884 min
Delta R.T.: 0.007 min
Response: 67595
Conc: 1.31 ng/ml




#24 Chlordane-2

R.T.: 5.385 min
Delta R.T.: 0.029 min
Response: 186440653
Conc: 1389.07 ng/ml



#24 Chlordane-2


R.T.: 4.478 min
Delta R.T.: 0.014 min
Response: 431907
Conc: 6.80 ng/ml



#25 Chlordane-3


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 166494546
Conc: 329.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.105 min
Delta R.T.: 0.000 min
Response: 87416596
Conc: 469.48 ng/ml




#26 Chlordane-4

R.T.: 6.157 min
Delta R.T.: -0.004 min
Response: 165676662
Conc: 269.85 ng/ml



#26 Chlordane-4


R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 87275305
Conc: 504.71 ng/ml



#27 Chlordane-5


R.T.: 7.019 min
Delta R.T.: -0.002 min
Response: 334902
Conc: 3.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.870 min
Delta R.T.: 0.024 min
Response: 100529
Conc: 1.90 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.304 min
Delta R.T.: 0.000 min
Response: 115609648
Conc: 60.03 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.086 min
Delta R.T.: 0.000 min
Response: 68329827
Conc: 53.66 ng/ml