

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL022719\
 Data File : PL045148.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Feb 2019 12:54
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 27 13:20:16 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 13:19:46 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.363	3.982	355.5E6	109.8E6	50.000	50.000
28)	SA Decachlor...	8.047	9.039	417.2E6	114.6E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.794	4.371	586.5E6	160.5E6	50.000	50.000
3)	MA gamma-BHC...	4.071	4.656	538.9E6	148.6E6	50.000	50.000
4)	MA Heptachlor	4.358	5.163	551.5E6	152.2E6	50.000	50.000
5)	MB Aldrin	4.599	5.468	516.5E6	140.1E6	50.000	50.000
6)	B beta-BHC	4.324	4.828	218.0E6	66824104	50.000	50.000
7)	B delta-BHC	4.520	5.044	516.0E6	115.1E6	50.000	50.000
8)	B Heptachlo...	5.037	5.854	479.4E6	125.4E6	50.000	50.000
9)	A Endosulfan I	5.369	6.210	466.4E6	127.0E6	50.000	50.000
10)	B gamma-Chl...	5.261	6.088	509.2E6	137.3E6	50.000	50.000
11)	B alpha-Chl...	5.317	6.160	503.1E6	137.3E6	50.000	50.000
12)	B 4,4'-DDE	5.484	6.318	467.1E6	121.4E6	50.000	50.000
13)	MA Dieldrin	5.609	6.467	504.1E6	132.4E6	50.000	50.000
14)	MA Endrin	5.862	6.684	473.8E6	117.4E6	50.000	50.000
15)	B Endosulfa...	6.137	6.894	450.1E6	119.4E6	50.000	50.000
16)	A 4,4'-DDD	5.996	6.808	386.6E6	99941077	50.000	50.000
17)	MA 4,4'-DDT	6.231	7.106	403.9E6	103.6E6	50.000	50.000
18)	B Endrin al...	6.304	7.017	376.7E6	103.4E6	50.000	50.000
19)	B Endosulfa...	6.515	7.241	412.2E6	114.5E6	50.000	50.000
20)	A Methoxychlor	6.776	7.564	226.7E6	63046805	50.000	50.000
21)	B Endrin ke...	6.999	7.710	482.7E6	123.0E6	50.000	50.000
22)	Mirex	7.176	8.163	368.6E6	99242858	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL022719\
Data File : PL045148.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Feb 2019 12:54
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 27 13:20:16 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 13:19:46 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.363 min
Delta R.T.: 0.000 min
Response: 355485362
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 109784648
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.794 min
Delta R.T.: 0.000 min
Response: 586450606
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 160466093
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.071 min
Delta R.T.: 0.000 min
Response: 538929595
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.656 min
Delta R.T.: 0.000 min
Response: 148645492
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 551481304
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 152152997
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.599 min
Delta R.T.: 0.000 min
Response: 516493103
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 140095812
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 217998538
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.828 min
Delta R.T.: 0.000 min
Response: 66824104
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.520 min
Delta R.T.: 0.000 min
Response: 515970094
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 115058929
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.037 min
Delta R.T.: 0.000 min
Response: 479364848
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 125419897
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.369 min
Delta R.T.: 0.000 min
Response: 466414250
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 126957146
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.261 min
Delta R.T.: 0.000 min
Response: 509186925
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 137306842
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.317 min
Delta R.T.: 0.000 min
Response: 503074350
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 137266268
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.484 min
Delta R.T.: 0.000 min
Response: 467124785
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 121427431
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.609 min
Delta R.T.: 0.000 min
Response: 504115099
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 132357260
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.862 min
Delta R.T.: 0.000 min
Response: 473812103
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 117444012
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.137 min
Delta R.T.: 0.000 min
Response: 450056272
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 119373468
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.996 min
Delta R.T.: 0.000 min
Response: 386637886
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.808 min
Delta R.T.: 0.000 min
Response: 99941077
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.231 min
Delta R.T.: 0.000 min
Response: 403912153
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.106 min
Delta R.T.: 0.000 min
Response: 103563970
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.304 min
Delta R.T.: 0.000 min
Response: 376694415
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 103402966
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.515 min
Delta R.T.: 0.000 min
Response: 412232514
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.241 min
Delta R.T.: 0.000 min
Response: 114475404
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.776 min
Delta R.T.: 0.000 min
Response: 226669554
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.564 min
Delta R.T.: 0.000 min
Response: 63046805
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.999 min
Delta R.T.: 0.000 min
Response: 482722167
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 122950398
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 368581581
Conc: 50.00 ng/ml



#22 Mirex

R.T.: 8.163 min
Delta R.T.: 0.000 min
Response: 99242858
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl


R.T.: 8.047 min

Delta R.T.: 0.000 min

Response: 417193038

Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.039 min

Delta R.T.: 0.000 min

Response: 114626121

Conc: 50.00 ng/ml