

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL022924\
 Data File : PL088347.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Feb 2024 09:40
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 01 00:40:25 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 16 21:46:54 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.636	2.854	134.1E6	65667214	48.815	46.821
28)	SA Decachlor...	9.300	8.083	107.4E6	61575767	55.777	48.360
Target Compounds							
2)	A alpha-BHC	4.100	3.369	204.9E6	99963289	49.093	48.648
3)	MA gamma-BHC...	4.439	3.705	198.2E6	96093430	48.939	47.986
4)	MA Heptachlor	5.039	4.053	189.8E6	90485952	49.330	49.669
5)	MB Aldrin	5.386	4.339	185.5E6	91983624	48.586	47.427
6)	B beta-BHC	4.636	4.007	85883564	41725949	49.312	46.879
7)	B delta-BHC	4.887	4.242	198.7E6	96117597	52.232	48.184
8)	B Heptachlo...	5.817	4.849	168.9E6	83012672	48.215	47.852
9)	A Endosulfan I	6.208	5.225	149.4E6	76502093	47.724	47.544
10)	B gamma-Chl...	6.076	5.104	164.2E6	84125953	48.313	47.161
11)	B alpha-Chl...	6.157	5.169	164.0E6	84226012	48.060	47.279
12)	B 4,4'-DDE	6.331	5.362	146.3E6	76518750	48.242	48.143
13)	MA Dieldrin	6.486	5.495	159.1E6	82568749	48.399	47.856
14)	MA Endrin	6.719	5.774	125.7E6	69644433	48.326	46.581
15)	B Endosulfa...	6.939	6.071	133.4E6	71260821	46.570	46.777
16)	A 4,4'-DDD	6.853	5.924	119.3E6	65660806	45.980	48.060
17)	MA 4,4'-DDT	7.172	6.178	118.6E6	65149532	45.102	47.720
18)	B Endrin al...	7.070	6.253	103.8E6	55052666	50.188	50.407
19)	B Endosulfa...	7.308	6.478	126.8E6	68058347	48.674	48.460
20)	A Methoxychlor	7.652	6.762	64764294	36651128	48.926	46.763
21)	B Endrin ke...	7.799	6.991	142.3E6	80808894	50.816	48.267
22)	Mirex	8.280	7.178	107.3E6	63665566	46.303	48.595
23)	Chlordane-1	0.000	3.884	0	39606	N.D.	0.769 #
24)	Chlordane-2	5.386f	4.477	185.5E6	291880	1382.187	4.594 #
25)	Chlordane-3	6.076	5.104	164.2E6	84125953	325.068	451.812 #
26)	Chlordane-4	6.157	5.169	164.0E6	84226012	267.145	487.071 #
27)	Chlordane-5	0.000	5.873f	0	193732	N.D.	3.662 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL022924\
Data File : PL088347.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Feb 2024 09:40
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 01 00:40:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
Quant Title : GC Extractables
QLast Update : Fri Feb 16 21:46:54 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.636 min
Delta R.T.: 0.000 min
Response: 134081577
Conc: 48.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.854 min
Delta R.T.: 0.000 min
Response: 65667214
Conc: 46.82 ng/ml




#2 alpha-BHC

R.T.: 4.100 min
Delta R.T.: 0.000 min
Response: 204925315
Conc: 49.09 ng/ml



#2 alpha-BHC


R.T.: 3.369 min
Delta R.T.: 0.000 min
Response: 99963289
Conc: 48.65 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.439 min
Delta R.T.: 0.000 min
Response: 198179571
Conc: 48.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.705 min
Delta R.T.: 0.000 min
Response: 96093430
Conc: 47.99 ng/ml




#4 Heptachlor

R.T.: 5.039 min
Delta R.T.: 0.000 min
Response: 189835873
Conc: 49.33 ng/ml



#4 Heptachlor


R.T.: 4.053 min
Delta R.T.: 0.000 min
Response: 90485952
Conc: 49.67 ng/ml



#5 Aldrin


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 185516715
Conc: 48.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.339 min
Delta R.T.: -0.001 min
Response: 91983624
Conc: 47.43 ng/ml




#6 beta-BHC

R.T.: 4.636 min
Delta R.T.: 0.000 min
Response: 85883564
Conc: 49.31 ng/ml



#6 beta-BHC


R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 41725949
Conc: 46.88 ng/ml



#7 delta-BHC


R.T.: 4.887 min
Delta R.T.: 0.000 min
Response: 198728855
Conc: 52.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.242 min
Delta R.T.: 0.000 min
Response: 96117597
Conc: 48.18 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 168928671
Conc: 48.22 ng/ml



#8 Heptachlor epoxide


R.T.: 4.849 min
Delta R.T.: -0.001 min
Response: 83012672
Conc: 47.85 ng/ml



#9 Endosulfan I


R.T.: 6.208 min
Delta R.T.: 0.000 min
Response: 149369463
Conc: 47.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.225 min
Delta R.T.: -0.002 min
Response: 76502093
Conc: 47.54 ng/ml




#10 gamma-Chlordane

R.T.: 6.076 min
Delta R.T.: -0.001 min
Response: 164182957
Conc: 48.31 ng/ml



#10 gamma-Chlordane


R.T.: 5.104 min
Delta R.T.: -0.001 min
Response: 84125953
Conc: 47.16 ng/ml



#11 alpha-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 164015695
Conc: 48.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.169 min
Delta R.T.: -0.001 min
Response: 84226012
Conc: 47.28 ng/ml




#12 4,4'-DDE

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 146310743
Conc: 48.24 ng/ml



#12 4,4'-DDE


R.T.: 5.362 min
Delta R.T.: -0.001 min
Response: 76518750
Conc: 48.14 ng/ml



#13 Dieldrin


R.T.: 6.486 min
Delta R.T.: -0.001 min
Response: 159143855
Conc: 48.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.495 min
Delta R.T.: -0.001 min
Response: 82568749
Conc: 47.86 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 125678708
Conc: 48.33 ng/ml



#14 Endrin


R.T.: 5.774 min
Delta R.T.: 0.000 min
Response: 69644433
Conc: 46.58 ng/ml



#15 Endosulfan II


R.T.: 6.939 min
Delta R.T.: -0.001 min
Response: 133371137
Conc: 46.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.071 min
Delta R.T.: -0.002 min
Response: 71260821
Conc: 46.78 ng/ml




#16 4,4'-DDD

R.T.: 6.853 min
Delta R.T.: -0.001 min
Response: 119257633
Conc: 45.98 ng/ml



#16 4,4'-DDD


R.T.: 5.924 min
Delta R.T.: -0.001 min
Response: 65660806
Conc: 48.06 ng/ml



#17 4,4'-DDT


R.T.: 7.172 min
Delta R.T.: -0.001 min
Response: 118582596
Conc: 45.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.178 min
Delta R.T.: -0.002 min
Response: 65149532
Conc: 47.72 ng/ml




#18 Endrin aldehyde

R.T.: 7.070 min
Delta R.T.: -0.002 min
Response: 103772547
Conc: 50.19 ng/ml



#18 Endrin aldehyde


R.T.: 6.253 min
Delta R.T.: -0.002 min
Response: 55052666
Conc: 50.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.308 min
Delta R.T.: -0.001 min
Response: 126804290
Conc: 48.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.478 min
Delta R.T.: -0.002 min
Response: 68058347
Conc: 48.46 ng/ml




#20 Methoxychlor

R.T.: 7.652 min
Delta R.T.: 0.000 min
Response: 64764294
Conc: 48.93 ng/ml



#20 Methoxychlor


R.T.: 6.762 min
Delta R.T.: -0.002 min
Response: 36651128
Conc: 46.76 ng/ml



#21 Endrin ketone


R.T.: 7.799 min
Delta R.T.: -0.001 min
Response: 142343236
Conc: 50.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.991 min
Delta R.T.: -0.003 min
Response: 80808894
Conc: 48.27 ng/ml




#22 Mirex

R.T.: 8.280 min
Delta R.T.: -0.003 min
Response: 107293302
Conc: 46.30 ng/ml



#22 Mirex


R.T.: 7.178 min
Delta R.T.: -0.003 min
Response: 63665566
Conc: 48.60 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.820 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.884 min
Delta R.T.: 0.008 min
Response: 39606
Conc: 0.77 ng/ml




#24 Chlordane-2

R.T.: 5.386 min
Delta R.T.: 0.029 min
Response: 185516715
Conc: 1382.19 ng/ml



#24 Chlordane-2


R.T.: 4.477 min
Delta R.T.: 0.013 min
Response: 291880
Conc: 4.59 ng/ml



#25 Chlordane-3


R.T.: 6.076 min
Delta R.T.: -0.001 min
Response: 164182957
Conc: 325.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.104 min
Delta R.T.: -0.002 min
Response: 84125953
Conc: 451.81 ng/ml




#26 Chlordane-4

R.T.: 6.157 min
Delta R.T.: -0.005 min
Response: 164015695
Conc: 267.15 ng/ml



#26 Chlordane-4


R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 84226012
Conc: 487.07 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.873 min
Delta R.T.: 0.026 min
Response: 193732
Conc: 3.66 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.300 min
Delta R.T.: -0.004 min
Response: 107422674
Conc: 55.78 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.083 min
Delta R.T.: -0.002 min
Response: 61575767
Conc: 48.36 ng/ml