

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030425\
 Data File : PL094492.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Mar 2025 18:42
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 05 01:34:36 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022125.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 21 14:52:19 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.771	117.3E6	150.0E6	46.199	47.001
28)	SA Decachlor...	9.051	7.904	93702492	168.3E6	44.048	43.775
Target Compounds							
2)	A alpha-BHC	3.993	3.273	170.8E6	228.3E6	45.161	46.444
3)	MA gamma-BHC...	4.325	3.603	167.0E6	221.9E6	45.190	47.121
4)	MA Heptachlor	4.913	3.941	155.4E6	220.3E6	45.842	46.662
5)	MB Aldrin	5.255	4.220	155.2E6	215.3E6	45.220	46.591
6)	B beta-BHC	4.524	3.903	73033605	93139988	45.735	46.829
7)	B delta-BHC	4.771	4.132	162.1E6	222.4E6	45.820	46.957
8)	B Heptachlo...	5.681	4.723	138.8E6	197.2E6	46.060	46.345
9)	A Endosulfan I	6.067	5.092	123.5E6	174.1E6	44.930	43.672
10)	B gamma-Chl...	5.937	4.973	132.1E6	199.9E6	44.987	46.067
11)	B alpha-Chl...	6.016	5.036	131.7E6	198.0E6	45.468	45.858
12)	B 4,4'-DDE	6.190	5.225	124.1E6	202.7E6	47.512	48.254
13)	MA Dieldrin	6.341	5.357	130.3E6	204.1E6	45.725	46.587
14)	MA Endrin	6.571	5.632	114.1E6	180.6E6	44.715	53.046
15)	B Endosulfa...	6.791	5.927	112.3E6	177.6E6	44.616	47.504
16)	A 4,4'-DDD	6.707	5.780	93809181	156.8E6	50.714	49.223
17)	MA 4,4'-DDT	7.021	6.030	99217002	171.3E6	47.246	48.170
18)	B Endrin al...	6.922	6.106	88709125	145.4E6	45.567	45.995
19)	B Endosulfa...	7.155	6.329	100.9E6	170.0E6	44.571	46.035
20)	A Methoxychlor	7.497	6.605	53008358	94233977	47.710	48.300
21)	B Endrin ke...	7.641	6.834	112.4E6	198.7E6	44.823	46.571
22)	Mirex	8.114	7.013	89489602	161.8E6	43.372	46.397
23)	Chlordane-1	0.000	3.755	0	78860	N.D.	0.581 #
24)	Chlordane-2	5.255f	4.360	155.2E6	6185249	1237.410	39.228 #
25)	Chlordane-3	5.937	4.973	132.1E6	199.9E6	301.671	420.728 #
26)	Chlordane-4	6.016	5.036	131.7E6	198.0E6	248.526	421.220 #
27)	Chlordane-5	0.000	5.927	0	177.6E6	N.D.	1085.000 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030425\
Data File : PL094492.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Mar 2025 18:42
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 05 01:34:36 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022125.M
Quant Title : GC Extractables
QLast Update : Fri Feb 21 14:52:19 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.002 min
Response: 117304146
Conc: 46.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: 0.000 min
Response: 149989586
Conc: 47.00 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.001 min
Response: 170827106
Conc: 45.16 ng/ml



#2 alpha-BHC


R.T.: 3.273 min
Delta R.T.: 0.000 min
Response: 228264290
Conc: 46.44 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: 0.002 min
Response: 166963236
Conc: 45.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.603 min
Delta R.T.: 0.001 min
Response: 221935965
Conc: 47.12 ng/ml




#4 Heptachlor

R.T.: 4.913 min
Delta R.T.: 0.001 min
Response: 155421966
Conc: 45.84 ng/ml



#4 Heptachlor


R.T.: 3.941 min
Delta R.T.: 0.001 min
Response: 220261282
Conc: 46.66 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: 0.002 min
Response: 155182359
Conc: 45.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.220 min
Delta R.T.: 0.001 min
Response: 215265808
Conc: 46.59 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: 0.002 min
Response: 73033605
Conc: 45.73 ng/ml



#6 beta-BHC


R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 93139988
Conc: 46.83 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: 0.002 min
Response: 162124004
Conc: 45.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.132 min
Delta R.T.: 0.002 min
Response: 222374747
Conc: 46.96 ng/ml




#8 Heptachlor epoxide

R.T.: 5.681 min
Delta R.T.: 0.002 min
Response: 138796020
Conc: 46.06 ng/ml



#8 Heptachlor epoxide


R.T.: 4.723 min
Delta R.T.: 0.000 min
Response: 197216922
Conc: 46.35 ng/ml



#9 Endosulfan I


R.T.: 6.067 min
Delta R.T.: 0.002 min
Response: 123495843
Conc: 44.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.092 min
Delta R.T.: 0.001 min
Response: 174103336
Conc: 43.67 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: 0.002 min
Response: 132088521
Conc: 44.99 ng/ml



#10 gamma-Chlordane


R.T.: 4.973 min
Delta R.T.: 0.000 min
Response: 199877497
Conc: 46.07 ng/ml



#11 alpha-Chlordane


R.T.: 6.016 min
Delta R.T.: 0.002 min
Response: 131726047
Conc: 45.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.036 min
Delta R.T.: 0.001 min
Response: 197996839
Conc: 45.86 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: 0.002 min
Response: 124088047
Conc: 47.51 ng/ml



#12 4,4'-DDE


R.T.: 5.225 min
Delta R.T.: 0.001 min
Response: 202668088
Conc: 48.25 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: 0.001 min
Response: 130270660
Conc: 45.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.357 min
Delta R.T.: 0.000 min
Response: 204135386
Conc: 46.59 ng/ml




#14 Endrin

R.T.: 6.571 min
Delta R.T.: 0.002 min
Response: 114125441
Conc: 44.72 ng/ml



#14 Endrin


R.T.: 5.632 min
Delta R.T.: 0.000 min
Response: 180607976
Conc: 53.05 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: 0.002 min
Response: 112309783
Conc: 44.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.927 min
Delta R.T.: 0.000 min
Response: 177643093
Conc: 47.50 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: 0.001 min
Response: 93809181
Conc: 50.71 ng/ml



#16 4,4'-DDD


R.T.: 5.780 min
Delta R.T.: 0.000 min
Response: 156792227
Conc: 49.22 ng/ml



#17 4,4'-DDT


R.T.: 7.021 min
Delta R.T.: 0.002 min
Response: 99217002
Conc: 47.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 171340205
Conc: 48.17 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: 0.002 min
Response: 88709125
Conc: 45.57 ng/ml



#18 Endrin aldehyde


R.T.: 6.106 min
Delta R.T.: 0.000 min
Response: 145364699
Conc: 46.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.155 min
Delta R.T.: 0.001 min
Response: 100901107
Conc: 44.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.329 min
Delta R.T.: 0.000 min
Response: 170037989
Conc: 46.04 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: 0.002 min
Response: 53008358
Conc: 47.71 ng/ml



#20 Methoxychlor


R.T.: 6.605 min
Delta R.T.: 0.000 min
Response: 94233977
Conc: 48.30 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: 0.001 min
Response: 112368266
Conc: 44.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.834 min
Delta R.T.: 0.000 min
Response: 198743115
Conc: 46.57 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: 0.002 min
Response: 89489602
Conc: 43.37 ng/ml



#22 Mirex


R.T.: 7.013 min
Delta R.T.: 0.000 min
Response: 161789011
Conc: 46.40 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.698 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.755 min
Delta R.T.: -0.012 min
Response: 78860
Conc: 0.58 ng/ml




#24 Chlordane-2

R.T.: 5.255 min
Delta R.T.: 0.028 min
Response: 155182359
Conc: 1237.41 ng/ml



#24 Chlordane-2


R.T.: 4.360 min
Delta R.T.: 0.017 min
Response: 6185249
Conc: 39.23 ng/ml



#25 Chlordane-3


R.T.: 5.937 min
Delta R.T.: 0.000 min
Response: 132088521
Conc: 301.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.973 min
Delta R.T.: 0.000 min
Response: 199877497
Conc: 420.73 ng/ml




#26 Chlordane-4

R.T.: 6.016 min
Delta R.T.: -0.003 min
Response: 131726047
Conc: 248.53 ng/ml



#26 Chlordane-4


R.T.: 5.036 min
Delta R.T.: 0.000 min
Response: 197996839
Conc: 421.22 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.868 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.927 min
Delta R.T.: -0.004 min
Response: 177643093
Conc: 1085.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.051 min
Delta R.T.: 0.002 min
Response: 93702492
Conc: 44.05 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.904 min
Delta R.T.: 0.000 min
Response: 168343518
Conc: 43.78 ng/ml