

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030521\
 Data File : PL065067.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Mar 2021 20:26
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 05 01:00:46 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL030521.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 05 01:00:01 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.423	4.098	146.2E6	126.1E6	50.000	50.000
28)	SA Decachlor...	8.142	9.256	137.0E6	110.2E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.855	4.501	238.5E6	177.3E6	50.000	50.000
3)	MA gamma-BHC...	4.135	4.793	219.3E6	163.7E6	50.000	50.000
4)	MA Heptachlor	4.432	5.304	222.8E6	171.0E6	50.000	50.000
5)	MB Aldrin	4.677	5.614	206.7E6	150.4E6	50.000	50.000
6)	B beta-BHC	4.386	4.972	92035745	79663712	50.000	50.000
7)	B delta-BHC	4.587	5.193	221.3E6	154.8E6	50.000	50.000
8)	B Heptachlo...	5.117	6.009	190.7E6	124.6E6	50.000	50.000
9)	A Endosulfan I	5.453	6.371	178.7E6	128.4E6	50.000	50.000
10)	B gamma-Chl...	5.343	6.245	195.2E6	140.6E6	50.000	50.000
11)	B alpha-Chl...	5.400	6.317	190.8E6	139.3E6	50.000	50.000
12)	B 4,4'-DDE	5.566	6.474	180.6E6	127.6E6	50.000	50.000
13)	MA Dieldrin	5.694	6.632	186.7E6	129.6E6	50.000	50.000
14)	MA Endrin	5.949	6.853	169.8E6	108.3E6	50.000	50.000
15)	B Endosulfa...	6.223	7.069	157.1E6	106.6E6	50.000	50.000
16)	A 4,4'-DDD	6.079	6.973	150.5E6	102.9E6	50.000	50.000
17)	MA 4,4'-DDT	6.317	7.273	145.2E6	101.5E6	50.000	50.000
18)	B Endrin al...	6.390	7.194	126.6E6	89028096	50.000	50.000
19)	B Endosulfa...	6.603	7.418	167.1E6	109.3E6	50.000	50.000
20)	A Methoxychlor	6.866	7.734	80644249	56407801	50.000	50.000
21)	B Endrin ke...	7.089	7.897	174.5E6	108.1E6	50.000	50.000
22)	Mirex	7.272	8.347	132.5E6	85823757	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030521\
Data File : PL065067.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Mar 2021 20:26
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 05 01:00:46 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL030521.M
Quant Title : GC Extractables
QLast Update : Fri Mar 05 01:00:01 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.423 min
Delta R.T.: 0.000 min
Response: 146153739
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.098 min
Delta R.T.: 0.000 min
Response: 126071865
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.855 min
Delta R.T.: 0.000 min
Response: 238548943
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.501 min
Delta R.T.: 0.000 min
Response: 177309353
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.135 min
Delta R.T.: 0.000 min
Response: 219341309
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.793 min
Delta R.T.: 0.000 min
Response: 163693346
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.432 min
Delta R.T.: 0.000 min
Response: 222810803
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 170953931
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.677 min
Delta R.T.: 0.000 min
Response: 206696115
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.614 min
Delta R.T.: 0.000 min
Response: 150372705
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.386 min
Delta R.T.: 0.000 min
Response: 92035745
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.972 min
Delta R.T.: 0.000 min
Response: 79663712
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.587 min
Delta R.T.: 0.000 min
Response: 221311752
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 154752070
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.117 min
Delta R.T.: 0.000 min
Response: 190690632
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 6.009 min
Delta R.T.: 0.000 min
Response: 124619446
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.453 min
Delta R.T.: 0.000 min
Response: 178683454
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.371 min
Delta R.T.: 0.000 min
Response: 128425025
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.343 min
Delta R.T.: 0.000 min
Response: 195162681
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 140637348
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.400 min
Delta R.T.: 0.000 min
Response: 190849660
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 139254488
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.566 min
Delta R.T.: 0.000 min
Response: 180575882
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.474 min
Delta R.T.: 0.000 min
Response: 127582618
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.694 min
Delta R.T.: 0.000 min
Response: 186696291
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.632 min
Delta R.T.: 0.000 min
Response: 129614136
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.949 min
Delta R.T.: 0.000 min
Response: 169799612
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 108325658
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.223 min
Delta R.T.: 0.000 min
Response: 157083327
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 7.069 min
Delta R.T.: 0.000 min
Response: 106595302
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 150533985
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.973 min
Delta R.T.: 0.000 min
Response: 102856122
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 145224119
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.273 min
Delta R.T.: 0.000 min
Response: 101494092
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.390 min
Delta R.T.: 0.000 min
Response: 126577553
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.194 min
Delta R.T.: 0.000 min
Response: 89028096
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.603 min
Delta R.T.: 0.000 min
Response: 167106789
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.418 min
Delta R.T.: 0.000 min
Response: 109302615
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.866 min
Delta R.T.: 0.000 min
Response: 80644249
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.734 min
Delta R.T.: 0.000 min
Response: 56407801
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.089 min
Delta R.T.: 0.000 min
Response: 174539977
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.897 min
Delta R.T.: 0.000 min
Response: 108075840
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.272 min
Delta R.T.: 0.000 min
Response: 132530285
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.347 min
Delta R.T.: 0.000 min
Response: 85823757
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.142 min
Delta R.T.: 0.000 min
Response: 136970006
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.256 min
Delta R.T.: 0.000 min
Response: 110230765
Conc: 50.00 ng/ml