

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030619\
 Data File : PL045527.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Mar 2019 09:22
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 06 23:50:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 17:00:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.363	3.982	323.4E6	98719221	47.009	46.097
28)	SA Decachlor...	8.047	9.040	378.6E6	105.1E6	45.248	45.988
Target Compounds							
2)	A alpha-BHC	3.793	4.372	530.2E6	143.0E6	47.731	47.054
3)	MA gamma-BHC...	4.071	4.656	486.0E6	133.5E6	48.084	47.262
4)	MA Heptachlor	4.359	5.163	500.6E6	138.2E6	47.436	46.441
5)	MB Aldrin	4.599	5.467	471.8E6	127.7E6	48.503	47.261
6)	B beta-BHC	4.324	4.828	200.7E6	60690939	46.821	47.790
7)	B delta-BHC	4.520	5.044	466.6E6	119.3E6	48.813	55.482
8)	B Heptachlor...	5.037	5.854	447.6E6	123.7E6	47.962	51.487
9)	A Endosulfan I	5.369	6.210	425.3E6	115.7E6	47.579	46.475
10)	B gamma-Chl...	5.260	6.088	462.6E6	125.7E6	47.271	46.857
11)	B alpha-Chl...	5.317	6.160	455.7E6	125.0E6	46.999	46.351
12)	B 4,4'-DDE	5.484	6.318	426.6E6	110.6E6	48.597	47.347
13)	MA Dieldrin	5.609	6.467	460.2E6	120.3E6	48.148	46.811
14)	MA Endrin	5.863	6.685	402.4E6	98911639	44.688	43.472
15)	B Endosulfa...	6.137	6.895	407.9E6	108.2E6	47.053	46.032
16)	A 4,4'-DDD	5.996	6.809	361.4E6	93957990	49.355	48.858
17)	MA 4,4'-DDT	6.231	7.107	341.7E6	89008694	45.562	45.103
18)	B Endrin al...	6.304	7.018	340.8E6	93765995	46.629	45.869
19)	B Endosulfa...	6.516	7.242	381.5E6	103.5E6	46.932	46.027
20)	A Methoxychlor	6.775	7.565	190.6E6	53641319	43.406	43.703
21)	B Endrin ke...	6.999	7.711	450.8E6	114.5E6	48.927	48.160
22)	Mirex	7.176	8.164	340.0E6	92525998	45.703	46.456
24)	Chlordane-2	0.000	5.467f	0	127.7E6	N.D.	1056.449 #
25)	Chlordane-3	5.260	6.088	462.6E6	125.7E6	403.344	322.648
26)	Chlordane-4	5.317	6.160	455.7E6	125.0E6	429.926	267.281 #
27)	Chlordane-5	6.137	0.000	407.9E6	0	1181.081	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030619\
Data File : PL045527.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Mar 2019 09:22
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 06 23:50:19 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 17:00:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.363 min
Delta R.T.: 0.000 min
Response: 323385434
Conc: 47.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 98719221
Conc: 46.10 ng/ml




#2 alpha-BHC

R.T.: 3.793 min
Delta R.T.: 0.000 min
Response: 530167722
Conc: 47.73 ng/ml



#2 alpha-BHC


R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 142981588
Conc: 47.05 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.071 min
Delta R.T.: 0.000 min
Response: 485990980
Conc: 48.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.656 min
Delta R.T.: 0.000 min
Response: 133495797
Conc: 47.26 ng/ml




#4 Heptachlor

R.T.: 4.359 min
Delta R.T.: 0.000 min
Response: 500553218
Conc: 47.44 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 138160808
Conc: 46.44 ng/ml



#5 Aldrin


R.T.: 4.599 min
Delta R.T.: 0.000 min
Response: 471759806
Conc: 48.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 127650965
Conc: 47.26 ng/ml




#6 beta-BHC

R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 200676002
Conc: 46.82 ng/ml



#6 beta-BHC


R.T.: 4.828 min
Delta R.T.: 0.000 min
Response: 60690939
Conc: 47.79 ng/ml



#7 delta-BHC


R.T.: 4.520 min
Delta R.T.: 0.000 min
Response: 466553232
Conc: 48.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 119335557
Conc: 55.48 ng/ml




#8 Heptachlor epoxide

R.T.: 5.037 min
Delta R.T.: 0.000 min
Response: 447635788
Conc: 47.96 ng/ml



#8 Heptachlor epoxide


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 123668982
Conc: 51.49 ng/ml



#9 Endosulfan I


R.T.: 5.369 min
Delta R.T.: 0.000 min
Response: 425282170
Conc: 47.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 115736249
Conc: 46.48 ng/ml




#10 gamma-Chlordane

R.T.: 5.260 min
Delta R.T.: 0.000 min
Response: 462644672
Conc: 47.27 ng/ml



#10 gamma-Chlordane


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 125713307
Conc: 46.86 ng/ml



#11 alpha-Chlordane


R.T.: 5.317 min
Delta R.T.: 0.000 min
Response: 455744282
Conc: 47.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 125040687
Conc: 46.35 ng/ml




#12 4,4'-DDE

R.T.: 5.484 min
Delta R.T.: 0.000 min
Response: 426590550
Conc: 48.60 ng/ml



#12 4,4'-DDE


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 110597053
Conc: 47.35 ng/ml



#13 Dieldrin


R.T.: 5.609 min
Delta R.T.: 0.000 min
Response: 460191978
Conc: 48.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 120290799
Conc: 46.81 ng/ml




#14 Endrin

R.T.: 5.863 min
Delta R.T.: 0.000 min
Response: 402447203
Conc: 44.69 ng/ml



#14 Endrin


R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 98911639
Conc: 43.47 ng/ml



#15 Endosulfan II


R.T.: 6.137 min
Delta R.T.: 0.000 min
Response: 407882302
Conc: 47.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.895 min
Delta R.T.: 0.000 min
Response: 108249985
Conc: 46.03 ng/ml




#16 4,4'-DDD

R.T.: 5.996 min
Delta R.T.: 0.000 min
Response: 361366527
Conc: 49.35 ng/ml



#16 4,4'-DDD


R.T.: 6.809 min
Delta R.T.: 0.000 min
Response: 93957990
Conc: 48.86 ng/ml



#17 4,4'-DDT


R.T.: 6.231 min
Delta R.T.: 0.000 min
Response: 341718285
Conc: 45.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.107 min
Delta R.T.: 0.000 min
Response: 89008694
Conc: 45.10 ng/ml




#18 Endrin aldehyde

R.T.: 6.304 min
Delta R.T.: 0.000 min
Response: 340841688
Conc: 46.63 ng/ml



#18 Endrin aldehyde


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 93765995
Conc: 45.87 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.516 min
Delta R.T.: 0.000 min
Response: 381467327
Conc: 46.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.242 min
Delta R.T.: 0.000 min
Response: 103537486
Conc: 46.03 ng/ml




#20 Methoxychlor

R.T.: 6.775 min
Delta R.T.: 0.000 min
Response: 190625869
Conc: 43.41 ng/ml



#20 Methoxychlor


R.T.: 7.565 min
Delta R.T.: 0.000 min
Response: 53641319
Conc: 43.70 ng/ml



#21 Endrin ketone


R.T.: 6.999 min
Delta R.T.: 0.000 min
Response: 450758173
Conc: 48.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.711 min
Delta R.T.: 0.001 min
Response: 114545081
Conc: 48.16 ng/ml




#22 Mirex

R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 340034278
Conc: 45.70 ng/ml



#22 Mirex


R.T.: 8.164 min
Delta R.T.: 0.000 min
Response: 92525998
Conc: 46.46 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.704 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.467 min
Delta R.T.: 0.024 min
Response: 127650965
Conc: 1056.45 ng/ml




#25 Chlordane-3

R.T.: 5.260 min
Delta R.T.: -0.001 min
Response: 462644672
Conc: 403.34 ng/ml



#25 Chlordane-3


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 125713307
Conc: 322.65 ng/ml



#26 Chlordane-4


R.T.: 5.317 min
Delta R.T.: 0.000 min
Response: 455744282
Conc: 429.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.160 min
Delta R.T.: -0.002 min
Response: 125040687
Conc: 267.28 ng/ml




#27 Chlordane-5

R.T.: 6.137 min
Delta R.T.: -0.005 min
Response: 407882302
Conc: 1181.08 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.966 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.047 min
Delta R.T.: 0.000 min
Response: 378613521
Conc: 45.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.040 min
Delta R.T.: 0.001 min
Response: 105078765
Conc: 45.99 ng/ml