

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030619\
 Data File : PL045552.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Mar 2019 18:14
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 06 23:56:09 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 17:00:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.363	3.982	324.2E6	103.1E6	47.127	48.135
28)	SA Decachlor...	8.046	9.039	375.9E6	105.7E6	44.929	46.250
Target Compounds							
2)	A alpha-BHC	3.793	4.372	534.0E6	151.0E6	48.076	49.707
3)	MA gamma-BHC...	4.070	4.656	489.7E6	139.2E6	48.454	49.286
4)	MA Heptachlor	4.358	5.163	496.4E6	142.5E6	47.038	47.891
5)	MB Aldrin	4.599	5.467	473.1E6	132.8E6	48.645	49.172
6)	B beta-BHC	4.323	4.828	201.1E6	62721181	46.921	49.388
7)	B delta-BHC	4.519	5.044	470.6E6	122.3E6	49.239	56.847
8)	B Heptachlo...	5.036	5.854	449.4E6	127.0E6	48.149	52.884
9)	A Endosulfan I	5.368	6.210	425.6E6	119.6E6	47.611	48.022
10)	B gamma-Chl...	5.260	6.088	463.8E6	130.4E6	47.386	48.595
11)	B alpha-Chl...	5.316	6.160	456.9E6	129.4E6	47.120	47.951
12)	B 4,4'-DDE	5.483	6.318	426.7E6	113.9E6	48.604	48.772
13)	MA Dieldrin	5.608	6.467	460.7E6	124.0E6	48.201	48.240
14)	MA Endrin	5.862	6.684	389.6E6	98384197	43.259	43.240
15)	B Endosulfa...	6.136	6.894	407.9E6	110.9E6	47.054	47.172
16)	A 4,4'-DDD	5.995	6.808	366.4E6	98109128	50.049	51.016
17)	MA 4,4'-DDT	6.230	7.106	321.8E6	87043901	42.912	44.108
18)	B Endrin al...	6.303	7.018	342.3E6	96972963	46.835	47.438
19)	B Endosulfa...	6.514	7.241	381.0E6	105.8E6	46.879	47.012
20)	A Methoxychlor	6.775	7.565	179.0E6	52071579	40.763	42.424
21)	B Endrin ke...	6.998	7.710	456.5E6	118.7E6	49.551	49.912
22)	Mirex	7.175	8.164	335.0E6	93555344	45.024	46.973



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030619\
Data File : PL045552.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Mar 2019 18:14
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 06 23:56:09 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 17:00:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.363 min
Delta R.T.: 0.000 min
Response: 324202652
Conc: 47.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 103082702
Conc: 48.13 ng/ml




#2 alpha-BHC

R.T.: 3.793 min
Delta R.T.: 0.000 min
Response: 533989669
Conc: 48.08 ng/ml



#2 alpha-BHC


R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 151042367
Conc: 49.71 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.070 min
Delta R.T.: 0.000 min
Response: 489736349
Conc: 48.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.656 min
Delta R.T.: 0.000 min
Response: 139214566
Conc: 49.29 ng/ml




#4 Heptachlor

R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 496357281
Conc: 47.04 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 142472521
Conc: 47.89 ng/ml



#5 Aldrin


R.T.: 4.599 min
Delta R.T.: 0.000 min
Response: 473135858
Conc: 48.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 132811899
Conc: 49.17 ng/ml




#6 beta-BHC

R.T.: 4.323 min
Delta R.T.: 0.000 min
Response: 201106198
Conc: 46.92 ng/ml



#6 beta-BHC


R.T.: 4.828 min
Delta R.T.: 0.000 min
Response: 62721181
Conc: 49.39 ng/ml



#7 delta-BHC


R.T.: 4.519 min
Delta R.T.: 0.000 min
Response: 470626100
Conc: 49.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 122271610
Conc: 56.85 ng/ml




#8 Heptachlor epoxide

R.T.: 5.036 min
Delta R.T.: 0.000 min
Response: 449380816
Conc: 48.15 ng/ml



#8 Heptachlor epoxide


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 127023170
Conc: 52.88 ng/ml



#9 Endosulfan I


R.T.: 5.368 min
Delta R.T.: -0.001 min
Response: 425560032
Conc: 47.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 119587770
Conc: 48.02 ng/ml




#10 gamma-Chlordane

R.T.: 5.260 min
Delta R.T.: -0.001 min
Response: 463760630
Conc: 47.39 ng/ml



#10 gamma-Chlordane


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 130375897
Conc: 48.59 ng/ml



#11 alpha-Chlordane


R.T.: 5.316 min
Delta R.T.: 0.000 min
Response: 456924005
Conc: 47.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 129357656
Conc: 47.95 ng/ml




#12 4,4'-DDE

R.T.: 5.483 min
Delta R.T.: 0.000 min
Response: 426655419
Conc: 48.60 ng/ml



#12 4,4'-DDE


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 113926294
Conc: 48.77 ng/ml



#13 Dieldrin


R.T.: 5.608 min
Delta R.T.: -0.001 min
Response: 460699744
Conc: 48.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 123962513
Conc: 48.24 ng/ml




#14 Endrin

R.T.: 5.862 min
Delta R.T.: 0.000 min
Response: 389575564
Conc: 43.26 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 98384197
Conc: 43.24 ng/ml



#15 Endosulfan II


R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 407894398
Conc: 47.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 110931046
Conc: 47.17 ng/ml




#16 4,4'-DDD

R.T.: 5.995 min
Delta R.T.: 0.000 min
Response: 366447236
Conc: 50.05 ng/ml



#16 4,4'-DDD


R.T.: 6.808 min
Delta R.T.: 0.000 min
Response: 98109128
Conc: 51.02 ng/ml



#17 4,4'-DDT


R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 321843396
Conc: 42.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.106 min
Delta R.T.: 0.000 min
Response: 87043901
Conc: 44.11 ng/ml




#18 Endrin aldehyde

R.T.: 6.303 min
Delta R.T.: 0.000 min
Response: 342346374
Conc: 46.84 ng/ml



#18 Endrin aldehyde


R.T.: 7.018 min
Delta R.T.: 0.001 min
Response: 96972963
Conc: 47.44 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.514 min
Delta R.T.: 0.000 min
Response: 381035715
Conc: 46.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.241 min
Delta R.T.: 0.000 min
Response: 105754758
Conc: 47.01 ng/ml




#20 Methoxychlor

R.T.: 6.775 min
Delta R.T.: -0.001 min
Response: 179018384
Conc: 40.76 ng/ml



#20 Methoxychlor


R.T.: 7.565 min
Delta R.T.: 0.000 min
Response: 52071579
Conc: 42.42 ng/ml



#21 Endrin ketone


R.T.: 6.998 min
Delta R.T.: -0.002 min
Response: 456506170
Conc: 49.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 118711779
Conc: 49.91 ng/ml




#22 Mirex

R.T.: 7.175 min
Delta R.T.: -0.001 min
Response: 334984436
Conc: 45.02 ng/ml



#22 Mirex


R.T.: 8.164 min
Delta R.T.: 0.000 min
Response: 93555344
Conc: 46.97 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.046 min
Delta R.T.: -0.001 min
Response: 375941385
Conc: 44.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 105677065
Conc: 46.25 ng/ml