

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030624\
 Data File : PL088422.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Mar 2024 11:01
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 07 00:21:13 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 16 21:46:54 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.636	2.853	130.0E6	67750291	47.325	48.306
28)	SA Decachlor...	9.302	8.082	105.5E6	62997633	54.788	49.476
Target Compounds							
2)	A alpha-BHC	4.100	3.367	198.8E6	103.2E6	47.619	50.230
3)	MA gamma-BHC...	4.439	3.704	191.8E6	99850729	47.364	49.862
4)	MA Heptachlor	5.039	4.053	184.9E6	95084791	48.055	52.194
5)	MB Aldrin	5.386	4.338	179.3E6	96609279	46.964	49.813
6)	B beta-BHC	4.635	4.006	83596113	43585211	47.999	48.968
7)	B delta-BHC	4.887	4.241	193.4E6	100.5E6	50.844	50.385
8)	B Heptachlo...	5.817	4.849	168.3E6	86113274	48.038	49.640
9)	A Endosulfan I	6.208	5.225	144.0E6	78499835	46.010	48.786
10)	B gamma-Chl...	6.077	5.103	158.0E6	87563675	46.499	49.088
11)	B alpha-Chl...	6.158	5.168	157.6E6	87602905	46.166	49.175
12)	B 4,4'-DDE	6.331	5.361	140.4E6	79270424	46.298	49.874
13)	MA Dieldrin	6.487	5.493	152.7E6	85994455	46.450	49.841
14)	MA Endrin	6.719	5.773	127.9E6	75878866	49.170	50.750
15)	B Endosulfa...	6.940	6.071	131.6E6	74812467	45.958	49.108
16)	A 4,4'-DDD	6.854	5.923	119.3E6	67091248	46.009	49.107
17)	MA 4,4'-DDT	7.173	6.178	120.0E6	71193113	45.637	52.147
18)	B Endrin al...	7.071	6.252	96169708	55766501	46.511	51.060
19)	B Endosulfa...	7.308	6.478	125.9E6	71230692	48.309	50.718
20)	A Methoxychlor	7.653	6.761	67533489	39891587	51.018	50.898
21)	B Endrin ke...	7.799	6.990	131.8E6	82441264	47.037	49.242
22)	Mirex	8.281	7.177	106.2E6	66731034	45.831	50.935
23)	Chlordane-1	0.000	3.876	0	55005	N.D.	1.069 #
24)	Chlordane-2	5.386f	4.476	179.3E6	420325	1336.043	6.616 #
25)	Chlordane-3	6.077	5.103	158.0E6	87563675	312.865	470.275 #
26)	Chlordane-4	6.158	5.168	157.6E6	87602905	256.617	506.600 #
27)	Chlordane-5	0.000	5.871f	0	99248	N.D.	1.876 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL030624\
Data File : PL088422.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Mar 2024 11:01
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 07 00:21:13 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL021524.M
Quant Title : GC Extractables
QLast Update : Fri Feb 16 21:46:54 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.636 min
Delta R.T.: 0.000 min
Response: 129989142
Conc: 47.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.853 min
Delta R.T.: 0.000 min
Response: 67750291
Conc: 48.31 ng/ml




#2 alpha-BHC

R.T.: 4.100 min
Delta R.T.: 0.000 min
Response: 198772616
Conc: 47.62 ng/ml



#2 alpha-BHC


R.T.: 3.367 min
Delta R.T.: -0.002 min
Response: 103214328
Conc: 50.23 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.439 min
Delta R.T.: 0.000 min
Response: 191804341
Conc: 47.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.704 min
Delta R.T.: -0.002 min
Response: 99850729
Conc: 49.86 ng/ml




#4 Heptachlor

R.T.: 5.039 min
Delta R.T.: 0.000 min
Response: 184926816
Conc: 48.05 ng/ml



#4 Heptachlor


R.T.: 4.053 min
Delta R.T.: -0.001 min
Response: 95084791
Conc: 52.19 ng/ml



#5 Aldrin


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 179323291
Conc: 46.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.338 min
Delta R.T.: -0.002 min
Response: 96609279
Conc: 49.81 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 83596113
Conc: 48.00 ng/ml



#6 beta-BHC


R.T.: 4.006 min
Delta R.T.: -0.001 min
Response: 43585211
Conc: 48.97 ng/ml



#7 delta-BHC


R.T.: 4.887 min
Delta R.T.: 0.000 min
Response: 193447339
Conc: 50.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.241 min
Delta R.T.: -0.001 min
Response: 100507223
Conc: 50.38 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 168308462
Conc: 48.04 ng/ml



#8 Heptachlor epoxide


R.T.: 4.849 min
Delta R.T.: -0.002 min
Response: 86113274
Conc: 49.64 ng/ml



#9 Endosulfan I


R.T.: 6.208 min
Delta R.T.: 0.000 min
Response: 144005409
Conc: 46.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.225 min
Delta R.T.: -0.002 min
Response: 78499835
Conc: 48.79 ng/ml




#10 gamma-Chlordane

R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 158019263
Conc: 46.50 ng/ml



#10 gamma-Chlordane


R.T.: 5.103 min
Delta R.T.: -0.002 min
Response: 87563675
Conc: 49.09 ng/ml



#11 alpha-Chlordane


R.T.: 6.158 min
Delta R.T.: 0.000 min
Response: 157551876
Conc: 46.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.168 min
Delta R.T.: -0.002 min
Response: 87602905
Conc: 49.17 ng/ml




#12 4,4'-DDE

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 140413070
Conc: 46.30 ng/ml



#12 4,4'-DDE


R.T.: 5.361 min
Delta R.T.: -0.002 min
Response: 79270424
Conc: 49.87 ng/ml



#13 Dieldrin


R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 152734660
Conc: 46.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.493 min
Delta R.T.: -0.003 min
Response: 85994455
Conc: 49.84 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 127872209
Conc: 49.17 ng/ml



#14 Endrin


R.T.: 5.773 min
Delta R.T.: -0.002 min
Response: 75878866
Conc: 50.75 ng/ml



#15 Endosulfan II


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 131618179
Conc: 45.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.071 min
Delta R.T.: -0.002 min
Response: 74812467
Conc: 49.11 ng/ml




#16 4,4'-DDD

R.T.: 6.854 min
Delta R.T.: 0.000 min
Response: 119333086
Conc: 46.01 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: -0.002 min
Response: 67091248
Conc: 49.11 ng/ml



#17 4,4'-DDT


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 119990048
Conc: 45.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.178 min
Delta R.T.: -0.003 min
Response: 71193113
Conc: 52.15 ng/ml




#18 Endrin aldehyde

R.T.: 7.071 min
Delta R.T.: -0.001 min
Response: 96169708
Conc: 46.51 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: -0.003 min
Response: 55766501
Conc: 51.06 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.308 min
Delta R.T.: 0.000 min
Response: 125853042
Conc: 48.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.478 min
Delta R.T.: -0.003 min
Response: 71230692
Conc: 50.72 ng/ml




#20 Methoxychlor

R.T.: 7.653 min
Delta R.T.: 0.000 min
Response: 67533489
Conc: 51.02 ng/ml



#20 Methoxychlor


R.T.: 6.761 min
Delta R.T.: -0.003 min
Response: 39891587
Conc: 50.90 ng/ml



#21 Endrin ketone


R.T.: 7.799 min
Delta R.T.: 0.000 min
Response: 131757329
Conc: 47.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.990 min
Delta R.T.: -0.003 min
Response: 82441264
Conc: 49.24 ng/ml




#22 Mirex

R.T.: 8.281 min
Delta R.T.: -0.002 min
Response: 106199926
Conc: 45.83 ng/ml



#22 Mirex


R.T.: 7.177 min
Delta R.T.: -0.003 min
Response: 66731034
Conc: 50.94 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.820 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.876 min
Delta R.T.: 0.000 min
Response: 55005
Conc: 1.07 ng/ml




#24 Chlordane-2

R.T.: 5.386 min
Delta R.T.: 0.029 min
Response: 179323291
Conc: 1336.04 ng/ml



#24 Chlordane-2


R.T.: 4.476 min
Delta R.T.: 0.012 min
Response: 420325
Conc: 6.62 ng/ml



#25 Chlordane-3


R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 158019263
Conc: 312.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.103 min
Delta R.T.: -0.003 min
Response: 87563675
Conc: 470.27 ng/ml




#26 Chlordane-4

R.T.: 6.158 min
Delta R.T.: -0.004 min
Response: 157551876
Conc: 256.62 ng/ml



#26 Chlordane-4


R.T.: 5.168 min
Delta R.T.: -0.001 min
Response: 87602905
Conc: 506.60 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.871 min
Delta R.T.: 0.024 min
Response: 99248
Conc: 1.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.302 min
Delta R.T.: -0.001 min
Response: 105518446
Conc: 54.79 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.082 min
Delta R.T.: -0.003 min
Response: 62997633
Conc: 49.48 ng/ml