

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031125\
 Data File : PL094589.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Mar 2025 17:43
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 12 02:03:48 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.772	143.0E6	184.1E6	50.532	51.591
28)	SA Decachlor...	9.056	7.907	108.4E6	213.9E6	51.438	52.965
Target Compounds							
2)	A alpha-BHC	3.995	3.274	211.1E6	285.9E6	50.828	53.030
3)	MA gamma-BHC...	4.327	3.604	201.8E6	272.1E6	50.567	52.944
4)	MA Heptachlor	4.915	3.942	194.1E6	273.9E6	50.014	51.993
5)	MB Aldrin	5.256	4.221	185.7E6	256.1E6	50.298	52.528
6)	B beta-BHC	4.526	3.904	92000495	114.4E6	49.859	51.499
7)	B delta-BHC	4.773	4.132	194.9E6	264.9E6	50.045	52.965
8)	B Heptachlo...	5.683	4.724	168.0E6	239.2E6	50.219	52.247
9)	A Endosulfan I	6.069	5.093	154.5E6	229.1E6	50.323	52.213
10)	B gamma-Chl...	5.939	4.973	169.4E6	254.0E6	50.279	52.612
11)	B alpha-Chl...	6.018	5.037	165.5E6	250.7E6	50.190	52.522
12)	B 4,4'-DDE	6.192	5.226	151.3E6	253.5E6	51.436	54.543
13)	MA Dieldrin	6.344	5.358	160.6E6	259.7E6	50.222	53.530
14)	MA Endrin	6.574	5.633	138.7E6	225.4E6	50.046	51.660
15)	B Endosulfa...	6.794	5.928	137.6E6	225.7E6	50.692	52.146
16)	A 4,4'-DDD	6.709	5.781	114.5E6	191.4E6	52.853	53.240
17)	MA 4,4'-DDT	7.024	6.031	121.6E6	213.6E6	51.139	52.983
18)	B Endrin al...	6.924	6.107	106.2E6	174.0E6	50.320	51.702
19)	B Endosulfa...	7.159	6.330	122.6E6	214.6E6	50.397	52.695
20)	A Methoxychlor	7.500	6.606	63083896	111.5E6	52.698	52.548
21)	B Endrin ke...	7.644	6.835	136.1E6	258.0E6	51.482	54.056
22)	Mirex	8.116	7.015	104.3E6	197.0E6	50.490	51.896
24)	Chlordane-2	5.256f	0.000	185.7E6	0	1227.407	N.D. #
25)	Chlordane-3	5.939	4.973	169.4E6	254.0E6	338.941	477.511 #
26)	Chlordane-4	6.018	5.037	165.5E6	250.7E6	280.887	481.552 #
27)	Chlordane-5	0.000	5.928	0	225.7E6	N.D.	1176.544 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031125\
Data File : PL094589.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Mar 2025 17:43
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 12 02:03:48 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 143039985
Conc: 50.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.772 min
Delta R.T.: 0.000 min
Response: 184142800
Conc: 51.59 ng/ml




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: 0.000 min
Response: 211055444
Conc: 50.83 ng/ml



#2 alpha-BHC


R.T.: 3.274 min
Delta R.T.: 0.000 min
Response: 285902773
Conc: 53.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: 0.000 min
Response: 201775197
Conc: 50.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.604 min
Delta R.T.: 0.000 min
Response: 272104263
Conc: 52.94 ng/ml




#4 Heptachlor

R.T.: 4.915 min
Delta R.T.: 0.000 min
Response: 194133868
Conc: 50.01 ng/ml



#4 Heptachlor


R.T.: 3.942 min
Delta R.T.: 0.000 min
Response: 273930204
Conc: 51.99 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: 0.000 min
Response: 185712995
Conc: 50.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.221 min
Delta R.T.: 0.000 min
Response: 256144763
Conc: 52.53 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: 0.000 min
Response: 92000495
Conc: 49.86 ng/ml



#6 beta-BHC


R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 114394982
Conc: 51.50 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: 0.000 min
Response: 194891787
Conc: 50.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.132 min
Delta R.T.: 0.000 min
Response: 264928622
Conc: 52.96 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: 0.000 min
Response: 167993388
Conc: 50.22 ng/ml



#8 Heptachlor epoxide


R.T.: 4.724 min
Delta R.T.: 0.000 min
Response: 239219032
Conc: 52.25 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 154501053
Conc: 50.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.093 min
Delta R.T.: 0.000 min
Response: 229149171
Conc: 52.21 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 169409793
Conc: 50.28 ng/ml



#10 gamma-Chlordane


R.T.: 4.973 min
Delta R.T.: 0.000 min
Response: 254035053
Conc: 52.61 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 165468571
Conc: 50.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.037 min
Delta R.T.: 0.000 min
Response: 250676876
Conc: 52.52 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: -0.001 min
Response: 151327693
Conc: 51.44 ng/ml



#12 4,4'-DDE


R.T.: 5.226 min
Delta R.T.: 0.000 min
Response: 253546447
Conc: 54.54 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 160615341
Conc: 50.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.358 min
Delta R.T.: 0.000 min
Response: 259717715
Conc: 53.53 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 138732470
Conc: 50.05 ng/ml



#14 Endrin


R.T.: 5.633 min
Delta R.T.: 0.000 min
Response: 225424129
Conc: 51.66 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 137615495
Conc: 50.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.928 min
Delta R.T.: 0.000 min
Response: 225703532
Conc: 52.15 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 114483211
Conc: 52.85 ng/ml



#16 4,4'-DDD


R.T.: 5.781 min
Delta R.T.: -0.001 min
Response: 191445867
Conc: 53.24 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 121635448
Conc: 51.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.031 min
Delta R.T.: 0.000 min
Response: 213633169
Conc: 52.98 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 106225343
Conc: 50.32 ng/ml



#18 Endrin aldehyde


R.T.: 6.107 min
Delta R.T.: -0.001 min
Response: 173996280
Conc: 51.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 122566347
Conc: 50.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.330 min
Delta R.T.: 0.000 min
Response: 214649898
Conc: 52.70 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 63083896
Conc: 52.70 ng/ml



#20 Methoxychlor


R.T.: 6.606 min
Delta R.T.: 0.000 min
Response: 111457023
Conc: 52.55 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 136081156
Conc: 51.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.835 min
Delta R.T.: 0.000 min
Response: 257985630
Conc: 54.06 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 104326388
Conc: 50.49 ng/ml



#22 Mirex


R.T.: 7.015 min
Delta R.T.: 0.000 min
Response: 196961592
Conc: 51.90 ng/ml



#24 Chlordane-2


R.T.: 5.256 min
Delta R.T.: 0.026 min
Response: 185712995
Conc: 1227.41 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 169409793
Conc: 338.94 ng/ml



#25 Chlordane-3


R.T.: 4.973 min
Delta R.T.: -0.002 min
Response: 254035053
Conc: 477.51 ng/ml



#26 Chlordane-4


R.T.: 6.018 min
Delta R.T.: -0.004 min
Response: 165468571
Conc: 280.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.037 min
Delta R.T.: 0.000 min
Response: 250676876
Conc: 481.55 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.928 min
Delta R.T.: -0.005 min
Response: 225703532
Conc: 1176.54 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 108404235
Conc: 51.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.907 min
Delta R.T.: 0.000 min
Response: 213944453
Conc: 52.96 ng/ml