

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031125\
 Data File : PL094607.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Mar 2025 22:23
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Reviewed By :Abdul Mirza 03/12/2025
 Supervised By :Ankita Jodhani 03/12/2025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 12 02:05:39 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.537	2.771	142.5E6	185.7E6	50.327	52.034
2) SA Decachlor...	9.052	7.905	109.8E6	218.4E6	52.118	54.065
Target Compounds						
2) A alpha-BHC	3.993	3.273	209.0E6	286.1E6	50.342	53.069
3) MA gamma-BHC...	4.324	3.603	200.7E6	271.6E6	50.307m	52.845
4) MA Heptachlor	4.913	3.941	192.7E6	274.5E6	49.635	52.093
5) MB Aldrin	5.254	4.220	183.5E6	255.9E6	49.702	52.469
6) B beta-BHC	4.524	3.903	91020397	114.8E6	49.328	51.693
7) B delta-BHC	4.771	4.131	193.2E6	264.8E6	49.611	52.936
8) B Heptachlo...	5.681	4.722	166.4E6	239.7E6	49.756	52.360
9) A Endosulfan I	6.066	5.091	152.8E6	222.6E6	49.783	50.731
10) B gamma-Chl...	5.937	4.972	167.7E6	252.3E6	49.785	52.261
11) B alpha-Chl...	6.016	5.036	164.1E6	248.3E6	49.768	52.021
12) B 4,4'-DDE	6.190	5.223	152.0E6	245.2E6	51.676	52.744m
13) MA Dieldrin	6.342	5.354	160.2E6	253.2E6	50.093	52.180m
14) MA Endrin	6.570	5.631	131.6E6	223.6E6	47.471m	51.244
15) B Endosulfa...	6.792	5.926	137.0E6	225.8E6	50.459	52.162
16) A 4,4'-DDD	6.708	5.779	115.9E6	193.7E6	53.502	53.861
17) MA 4,4'-DDT	7.022	6.029	121.0E6	212.2E6	50.889	52.630
18) B Endrin al...	6.922	6.106	105.7E6	174.3E6	50.064	51.782
19) B Endosulfa...	7.157	6.328	122.1E6	215.1E6	50.187	52.809
20) A Methoxychlor	7.497	6.604	62180675	111.8E6	51.944	52.731
21) B Endrin ke...	7.642	6.834	136.4E6	261.6E6	51.596	54.809
22) Mirex	8.114	7.013	103.8E6	197.9E6	50.218	52.144

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031125\
Data File : PL094607.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Mar 2025 22:23
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :

ECD_L

ClientSampleId :

PSTDCCC050



Manual Integrations


APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 12 02:05:39 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.537 min
Delta R.T.: -0.001 min
Response: 142460124
Conc: 50.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: -0.001 min
Response: 185723502
Conc: 52.03 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: -0.002 min
Response: 209035782
Conc: 50.34 ng/ml



#2 alpha-BHC

R.T.: 3.273 min
Delta R.T.: -0.001 min
Response: 286116661
Conc: 53.07 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.324 min
Delta R.T.: -0.003 min
Response: 200737729
Conc: 50.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#3 gamma-BHC (Lindane)

R.T.: 3.603 min
Delta R.T.: -0.002 min
Response: 271592111
Conc: 52.84 ng/ml




#4 Heptachlor

R.T.: 4.913 min
Delta R.T.: -0.002 min
Response: 192663858
Conc: 49.63 ng/ml



#4 Heptachlor

R.T.: 3.941 min
Delta R.T.: -0.002 min
Response: 274461099
Conc: 52.09 ng/ml




#5 Aldrin

R.T.: 5.254 min
Delta R.T.: -0.002 min
Response: 183509389
Conc: 49.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#5 Aldrin

R.T.: 4.220 min
Delta R.T.: -0.002 min
Response: 255856368
Conc: 52.47 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: -0.002 min
Response: 91020397
Conc: 49.33 ng/ml



#6 beta-BHC

R.T.: 3.903 min
Delta R.T.: -0.002 min
Response: 114825231
Conc: 51.69 ng/ml




#7 delta-BHC

R.T.: 4.771 min
Delta R.T.: -0.002 min
Response: 193201086
Conc: 49.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#7 delta-BHC

R.T.: 4.131 min
Delta R.T.: -0.002 min
Response: 264785638
Conc: 52.94 ng/ml




#8 Heptachlor epoxide

R.T.: 5.681 min
Delta R.T.: -0.002 min
Response: 166443343
Conc: 49.76 ng/ml



#8 Heptachlor epoxide

R.T.: 4.722 min
Delta R.T.: -0.003 min
Response: 239734952
Conc: 52.36 ng/ml




#9 Endosulfan I

R.T.: 6.066 min
Delta R.T.: -0.003 min
Response: 152844626
Conc: 49.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#9 Endosulfan I

R.T.: 5.091 min
Delta R.T.: -0.003 min
Response: 222644207
Conc: 50.73 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: -0.002 min
Response: 167744486
Conc: 49.79 ng/ml



#10 gamma-Chlordane

R.T.: 4.972 min
Delta R.T.: -0.002 min
Response: 252338917
Conc: 52.26 ng/ml




#11 alpha-Chlordane

R.T.: 6.016 min
Delta R.T.: -0.002 min
Response: 164077745
Conc: 49.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#11 alpha-Chlordane

R.T.: 5.036 min
Delta R.T.: -0.002 min
Response: 248286106
Conc: 52.02 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: -0.003 min
Response: 152033981
Conc: 51.68 ng/ml



#12 4,4'-DDE

R.T.: 5.223 min
Delta R.T.: -0.004 min
Response: 245182661
Conc: 52.74 ng/ml m




#13 Dieldrin

R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 160203641
Conc: 50.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: -0.004 min
Response: 253167686
Conc: 52.18 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: -0.003 min
Response: 131592093
Conc: 47.47 ng/ml



#14 Endrin

R.T.: 5.631 min
Delta R.T.: -0.003 min
Response: 223610443
Conc: 51.24 ng/ml




#15 Endosulfan II

R.T.: 6.792 min
Delta R.T.: -0.002 min
Response: 136982110
Conc: 50.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#15 Endosulfan II

R.T.: 5.926 min
Delta R.T.: -0.002 min
Response: 225772054
Conc: 52.16 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.002 min
Response: 115888331
Conc: 53.50 ng/ml



#16 4,4'-DDD

R.T.: 5.779 min
Delta R.T.: -0.003 min
Response: 193678320
Conc: 53.86 ng/ml




#17 4,4'-DDT

R.T.: 7.022 min
Delta R.T.: -0.002 min
Response: 121042510
Conc: 50.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#17 4,4'-DDT

R.T.: 6.029 min
Delta R.T.: -0.003 min
Response: 212211406
Conc: 52.63 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: -0.002 min
Response: 105684958
Conc: 50.06 ng/ml



#18 Endrin aldehyde

R.T.: 6.106 min
Delta R.T.: -0.003 min
Response: 174264172
Conc: 51.78 ng/ml




#19 Endosulfan Sulfate

R.T.: 7.157 min
Delta R.T.: -0.002 min
Response: 122056367
Conc: 50.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#19 Endosulfan Sulfate

R.T.: 6.328 min
Delta R.T.: -0.002 min
Response: 215113784
Conc: 52.81 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: -0.002 min
Response: 62180675
Conc: 51.94 ng/ml



#20 Methoxychlor

R.T.: 6.604 min
Delta R.T.: -0.003 min
Response: 111845368
Conc: 52.73 ng/ml




#21 Endrin ketone

R.T.: 7.642 min
Delta R.T.: -0.002 min
Response: 136382857
Conc: 51.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025




#21 Endrin ketone

R.T.: 6.834 min
Delta R.T.: -0.002 min
Response: 261581445
Conc: 54.81 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 103764225
Conc: 50.22 ng/ml



#22 Mirex

R.T.: 7.013 min
Delta R.T.: -0.002 min
Response: 197904424
Conc: 52.14 ng/ml




#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.004 min
Response: 109836887
Conc: 52.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 03/12/2025
Supervised By :Ankita Jodhani 03/12/2025



#28 Decachlorobiphenyl

R.T.: 7.905 min
Delta R.T.: -0.002 min
Response: 218389773
Conc: 54.07 ng/ml