

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031219\
 Data File : PL045718.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Mar 2019 09:33
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 13 01:13:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 17:00:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.363	3.981	309.4E6	95933193	44.969	44.796
28)	SA Decachlor...	8.044	9.038	363.2E6	107.5E6	43.406	47.046
Target Compounds							
2)	A alpha-BHC	3.792	4.371	500.5E6	139.1E6	45.058	45.786
3)	MA gamma-BHC...	4.070	4.656	438.4E6	128.4E6	43.371	45.452
4)	MA Heptachlor	4.357	5.163	479.8E6	133.5E6	45.469	44.889
5)	MB Aldrin	4.598	5.467	440.8E6	121.9E6	45.324	45.132
6)	B beta-BHC	4.322	4.828	186.7E6	57926473	43.552	45.613
7)	B delta-BHC	4.518	5.044	437.4E6	86909811	45.761	40.406
8)	B Heptachlo...	5.035	5.853	411.6E6	97472057	44.101	40.581
9)	A Endosulfan I	5.367	6.210	391.2E6	110.0E6	43.766	44.159
10)	B gamma-Chl...	5.258	6.087	428.6E6	117.3E6	43.788	43.733
11)	B alpha-Chl...	5.315	6.160	420.4E6	118.4E6	43.354	43.883
12)	B 4,4'-DDE	5.482	6.318	389.8E6	105.4E6	44.403	45.104
13)	MA Dieldrin	5.607	6.467	427.7E6	114.5E6	44.750	44.569
14)	MA Endrin	5.861	6.684	407.1E6	101.3E6	45.207	44.537
15)	B Endosulfa...	6.135	6.894	379.4E6	92269601	43.770	39.237
16)	A 4,4'-DDD	5.994	6.808	320.3E6	84391927	43.749	43.884
17)	MA 4,4'-DDT	6.229	7.106	333.0E6	91604835	44.394	46.419
18)	B Endrin al...	6.301	7.017	313.2E6	88706255	42.841	43.394
19)	B Endosulfa...	6.514	7.240	349.6E6	98045906	43.015	43.585
20)	A Methoxychlor	6.774	7.564	192.0E6	54339863	43.709	44.272
21)	B Endrin ke...	6.997	7.710	399.0E6	103.0E6	43.312	43.290
22)	Mirex	7.173	8.162	308.0E6	86608094	41.397	43.485
23)	Chlordane-1	4.240f	0.000	16520870	0	49.032	N.D. #
24)	Chlordane-2	0.000	5.429	0	2277176	N.D.	18.846 #
25)	Chlordane-3	5.258	6.087	428.6E6	117.3E6	373.624	301.136
26)	Chlordane-4	5.315	6.160	420.4E6	118.4E6	396.583	253.050 #
27)	Chlordane-5	6.135	0.000	379.4E6	0	1098.672	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031219\
Data File : PL045718.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Mar 2019 09:33
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 13 01:13:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 17:00:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.363 min
Delta R.T.: 0.000 min
Response: 309353612
Conc: 44.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 95933193
Conc: 44.80 ng/ml




#2 alpha-BHC

R.T.: 3.792 min
Delta R.T.: -0.001 min
Response: 500478657
Conc: 45.06 ng/ml



#2 alpha-BHC


R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 139128796
Conc: 45.79 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.070 min
Delta R.T.: -0.001 min
Response: 438353237
Conc: 43.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.656 min
Delta R.T.: 0.000 min
Response: 128384235
Conc: 45.45 ng/ml




#4 Heptachlor

R.T.: 4.357 min
Delta R.T.: -0.001 min
Response: 479804586
Conc: 45.47 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 133541662
Conc: 44.89 ng/ml



#5 Aldrin


R.T.: 4.598 min
Delta R.T.: -0.001 min
Response: 440838737
Conc: 45.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 121898804
Conc: 45.13 ng/ml




#6 beta-BHC

R.T.: 4.322 min
Delta R.T.: -0.001 min
Response: 186667980
Conc: 43.55 ng/ml



#6 beta-BHC


R.T.: 4.828 min
Delta R.T.: 0.000 min
Response: 57926473
Conc: 45.61 ng/ml



#7 delta-BHC


R.T.: 4.518 min
Delta R.T.: -0.002 min
Response: 437378422
Conc: 45.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 86909811
Conc: 40.41 ng/ml




#8 Heptachlor epoxide

R.T.: 5.035 min
Delta R.T.: -0.002 min
Response: 411595032
Conc: 44.10 ng/ml



#8 Heptachlor epoxide


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 97472057
Conc: 40.58 ng/ml



#9 Endosulfan I


R.T.: 5.367 min
Delta R.T.: -0.002 min
Response: 391194992
Conc: 43.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 109967402
Conc: 44.16 ng/ml




#10 gamma-Chlordane

R.T.: 5.258 min
Delta R.T.: -0.002 min
Response: 428554470
Conc: 43.79 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 117331475
Conc: 43.73 ng/ml



#11 alpha-Chlordane


R.T.: 5.315 min
Delta R.T.: -0.002 min
Response: 420399540
Conc: 43.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 118382922
Conc: 43.88 ng/ml




#12 4,4'-DDE

R.T.: 5.482 min
Delta R.T.: -0.002 min
Response: 389779449
Conc: 44.40 ng/ml



#12 4,4'-DDE


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 105358421
Conc: 45.10 ng/ml



#13 Dieldrin


R.T.: 5.607 min
Delta R.T.: -0.002 min
Response: 427714097
Conc: 44.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 114529936
Conc: 44.57 ng/ml




#14 Endrin

R.T.: 5.861 min
Delta R.T.: -0.002 min
Response: 407124702
Conc: 45.21 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 101334863
Conc: 44.54 ng/ml



#15 Endosulfan II


R.T.: 6.135 min
Delta R.T.: -0.002 min
Response: 379422595
Conc: 43.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 92269601
Conc: 39.24 ng/ml




#16 4,4'-DDD

R.T.: 5.994 min
Delta R.T.: -0.002 min
Response: 320320429
Conc: 43.75 ng/ml



#16 4,4'-DDD


R.T.: 6.808 min
Delta R.T.: 0.000 min
Response: 84391927
Conc: 43.88 ng/ml



#17 4,4'-DDT


R.T.: 6.229 min
Delta R.T.: -0.002 min
Response: 332963172
Conc: 44.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.106 min
Delta R.T.: 0.000 min
Response: 91604835
Conc: 46.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.301 min
Delta R.T.: -0.002 min
Response: 313153540
Conc: 42.84 ng/ml



#18 Endrin aldehyde


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 88706255
Conc: 43.39 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.514 min
Delta R.T.: -0.002 min
Response: 349634547
Conc: 43.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 98045906
Conc: 43.59 ng/ml




#20 Methoxychlor

R.T.: 6.774 min
Delta R.T.: -0.003 min
Response: 191955774
Conc: 43.71 ng/ml



#20 Methoxychlor


R.T.: 7.564 min
Delta R.T.: 0.000 min
Response: 54339863
Conc: 44.27 ng/ml



#21 Endrin ketone


R.T.: 6.997 min
Delta R.T.: -0.003 min
Response: 399029027
Conc: 43.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.710 min
Delta R.T.: 0.000 min
Response: 102962102
Conc: 43.29 ng/ml




#22 Mirex

R.T.: 7.173 min
Delta R.T.: -0.003 min
Response: 308000294
Conc: 41.40 ng/ml



#22 Mirex


R.T.: 8.162 min
Delta R.T.: 0.000 min
Response: 86608094
Conc: 43.48 ng/ml



#23 Chlordane-1


R.T.: 4.240 min
Delta R.T.: 0.029 min
Response: 16520870
Conc: 49.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.975 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.704 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.429 min
Delta R.T.: -0.015 min
Response: 2277176
Conc: 18.85 ng/ml



#25 Chlordane-3


R.T.: 5.258 min
Delta R.T.: -0.004 min
Response: 428554470
Conc: 373.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 6.087 min
Delta R.T.: -0.001 min
Response: 117331475
Conc: 301.14 ng/ml




#26 Chlordane-4

R.T.: 5.315 min
Delta R.T.: -0.002 min
Response: 420399540
Conc: 396.58 ng/ml



#26 Chlordane-4


R.T.: 6.160 min
Delta R.T.: -0.003 min
Response: 118382922
Conc: 253.05 ng/ml



#27 Chlordane-5


R.T.: 6.135 min
Delta R.T.: -0.008 min
Response: 379422595
Conc: 1098.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.966 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.044 min
Delta R.T.: -0.003 min
Response: 363201119
Conc: 43.41 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.038 min
Delta R.T.: -0.001 min
Response: 107495817
Conc: 47.05 ng/ml