

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031219\
 Data File : PL045736.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Mar 2019 13:50
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 13 01:17:23 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 17:00:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.362	3.981	341.3E6	106.0E6	49.617	49.512
28)	SA Decachlor...	8.043	9.037	340.2E6	103.3E6	40.657	45.199
Target Compounds							
2)	A alpha-BHC	3.792	4.371	560.4E6	154.8E6	50.449	50.951
3)	MA gamma-BHC...	4.069	4.655	516.3E6	143.2E6	51.084	50.711
4)	MA Heptachlor	4.357	5.162	528.3E6	147.4E6	50.067	49.557
5)	MB Aldrin	4.598	5.466	500.2E6	135.2E6	51.424	50.054
6)	B beta-BHC	4.322	4.827	213.1E6	65007399	49.721	51.189
7)	B delta-BHC	4.518	5.043	499.5E6	111.1E6	52.263	51.645
8)	B Heptachlor...	5.035	5.852	439.5E6	123.2E6	47.088	51.279
9)	A Endosulfan I	5.367	6.209	429.3E6	119.4E6	48.028	47.930
10)	B gamma-Chl...	5.258	6.087	473.8E6	130.1E6	48.414	48.492
11)	B alpha-Chl...	5.314	6.159	462.9E6	128.6E6	47.739	47.662
12)	B 4,4'-DDE	5.482	6.317	425.5E6	113.3E6	48.470	48.512
13)	MA Dieldrin	5.606	6.466	462.3E6	122.5E6	48.373	47.682
14)	MA Endrin	5.860	6.683	430.5E6	106.2E6	47.806	46.682
15)	B Endosulfa...	6.134	6.893	400.2E6	105.2E6	46.165	44.715
16)	A 4,4'-DDD	5.993	6.807	355.1E6	94282781	48.505	49.027
17)	MA 4,4'-DDT	6.228	7.105	321.4E6	87405976	42.855	44.291
18)	B Endrin al...	6.301	7.017	325.8E6	92131897	44.574	45.070
19)	B Endosulfa...	6.513	7.240	361.3E6	103.5E6	44.452	45.988
20)	A Methoxychlor	6.773	7.563	183.1E6	52495116	41.690	42.769
21)	B Endrin ke...	6.997	7.709	397.4E6	107.1E6	43.136	45.017
22)	Mirex	7.173	8.162	305.3E6	88406165	41.031	44.388
23)	Chlordane-1	4.239f	0.000	7276934	0	21.597	N.D. #
24)	Chlordane-2	0.000	5.466f	0	135.2E6	N.D.	1118.867 #
25)	Chlordane-3	5.258	6.087	473.8E6	130.1E6	413.096	333.905
26)	Chlordane-4	5.314	6.159	462.9E6	128.6E6	436.696	274.840 #
27)	Chlordane-5	6.134	0.000	400.2E6	0	1158.799	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031219\
Data File : PL045736.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Mar 2019 13:50
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 13 01:17:23 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 17:00:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.362 min
Delta R.T.: 0.000 min
Response: 341328928
Conc: 49.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 106032523
Conc: 49.51 ng/ml




#2 alpha-BHC

R.T.: 3.792 min
Delta R.T.: -0.002 min
Response: 560358194
Conc: 50.45 ng/ml



#2 alpha-BHC


R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 154824245
Conc: 50.95 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.069 min
Delta R.T.: -0.001 min
Response: 516313150
Conc: 51.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.655 min
Delta R.T.: 0.000 min
Response: 143238315
Conc: 50.71 ng/ml




#4 Heptachlor

R.T.: 4.357 min
Delta R.T.: -0.001 min
Response: 528317230
Conc: 50.07 ng/ml



#4 Heptachlor


R.T.: 5.162 min
Delta R.T.: -0.001 min
Response: 147428582
Conc: 49.56 ng/ml



#5 Aldrin


R.T.: 4.598 min
Delta R.T.: -0.002 min
Response: 500172265
Conc: 51.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.466 min
Delta R.T.: -0.001 min
Response: 135192927
Conc: 50.05 ng/ml




#6 beta-BHC

R.T.: 4.322 min
Delta R.T.: -0.002 min
Response: 213108837
Conc: 49.72 ng/ml



#6 beta-BHC


R.T.: 4.827 min
Delta R.T.: 0.000 min
Response: 65007399
Conc: 51.19 ng/ml



#7 delta-BHC


R.T.: 4.518 min
Delta R.T.: -0.002 min
Response: 499527056
Conc: 52.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.043 min
Delta R.T.: 0.000 min
Response: 111083493
Conc: 51.65 ng/ml




#8 Heptachlor epoxide

R.T.: 5.035 min
Delta R.T.: -0.002 min
Response: 439475866
Conc: 47.09 ng/ml



#8 Heptachlor epoxide


R.T.: 5.852 min
Delta R.T.: -0.001 min
Response: 123169439
Conc: 51.28 ng/ml



#9 Endosulfan I


R.T.: 5.367 min
Delta R.T.: -0.002 min
Response: 429290561
Conc: 48.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.209 min
Delta R.T.: 0.000 min
Response: 119358815
Conc: 47.93 ng/ml




#10 gamma-Chlordane

R.T.: 5.258 min
Delta R.T.: -0.002 min
Response: 473829812
Conc: 48.41 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: -0.001 min
Response: 130099434
Conc: 48.49 ng/ml



#11 alpha-Chlordane


R.T.: 5.314 min
Delta R.T.: -0.002 min
Response: 462920762
Conc: 47.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.159 min
Delta R.T.: -0.001 min
Response: 128577114
Conc: 47.66 ng/ml




#12 4,4'-DDE

R.T.: 5.482 min
Delta R.T.: -0.002 min
Response: 425479748
Conc: 48.47 ng/ml



#12 4,4'-DDE


R.T.: 6.317 min
Delta R.T.: -0.002 min
Response: 113319871
Conc: 48.51 ng/ml



#13 Dielddrin


R.T.: 5.606 min
Delta R.T.: -0.003 min
Response: 462346577
Conc: 48.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielddrin

R.T.: 6.466 min
Delta R.T.: -0.001 min
Response: 122529994
Conc: 47.68 ng/ml




#14 Endrin

R.T.: 5.860 min
Delta R.T.: -0.002 min
Response: 430526514
Conc: 47.81 ng/ml



#14 Endrin


R.T.: 6.683 min
Delta R.T.: -0.001 min
Response: 106214179
Conc: 46.68 ng/ml



#15 Endosulfan II


R.T.: 6.134 min
Delta R.T.: -0.003 min
Response: 400187077
Conc: 46.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.893 min
Delta R.T.: 0.000 min
Response: 105151956
Conc: 44.71 ng/ml




#16 4,4'-DDD

R.T.: 5.993 min
Delta R.T.: -0.003 min
Response: 355141285
Conc: 48.50 ng/ml



#16 4,4'-DDD


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 94282781
Conc: 49.03 ng/ml



#17 4,4'-DDT


R.T.: 6.228 min
Delta R.T.: -0.003 min
Response: 321420650
Conc: 42.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.105 min
Delta R.T.: 0.000 min
Response: 87405976
Conc: 44.29 ng/ml




#18 Endrin aldehyde

R.T.: 6.301 min
Delta R.T.: -0.003 min
Response: 325815627
Conc: 44.57 ng/ml



#18 Endrin aldehyde


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 92131897
Conc: 45.07 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.513 min
Delta R.T.: -0.002 min
Response: 361308003
Conc: 44.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: -0.001 min
Response: 103450676
Conc: 45.99 ng/ml




#20 Methoxychlor

R.T.: 6.773 min
Delta R.T.: -0.003 min
Response: 183090075
Conc: 41.69 ng/ml



#20 Methoxychlor


R.T.: 7.563 min
Delta R.T.: -0.001 min
Response: 52495116
Conc: 42.77 ng/ml



#21 Endrin ketone


R.T.: 6.997 min
Delta R.T.: -0.003 min
Response: 397406283
Conc: 43.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.709 min
Delta R.T.: 0.000 min
Response: 107069331
Conc: 45.02 ng/ml




#22 Mirex

R.T.: 7.173 min
Delta R.T.: -0.003 min
Response: 305273621
Conc: 41.03 ng/ml



#22 Mirex


R.T.: 8.162 min
Delta R.T.: 0.000 min
Response: 88406165
Conc: 44.39 ng/ml



#23 Chlordane-1


R.T.: 4.239 min
Delta R.T.: 0.028 min
Response: 7276934
Conc: 21.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.975 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.704 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.466 min
Delta R.T.: 0.023 min
Response: 135192927
Conc: 1118.87 ng/ml



#25 Chlordane-3


R.T.: 5.258 min
Delta R.T.: -0.004 min
Response: 473829812
Conc: 413.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 6.087 min
Delta R.T.: -0.002 min
Response: 130099434
Conc: 333.91 ng/ml




#26 Chlordane-4

R.T.: 5.314 min
Delta R.T.: -0.003 min
Response: 462920762
Conc: 436.70 ng/ml



#26 Chlordane-4


R.T.: 6.159 min
Delta R.T.: -0.003 min
Response: 128577114
Conc: 274.84 ng/ml



#27 Chlordane-5


R.T.: 6.134 min
Delta R.T.: -0.009 min
Response: 400187077
Conc: 1158.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.966 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.043 min
Delta R.T.: -0.004 min
Response: 340197554
Conc: 40.66 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.037 min
Delta R.T.: -0.002 min
Response: 103276536
Conc: 45.20 ng/ml