

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031319\
 Data File : PL045812.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2019 09:55
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Sohil
 3/14/2019 12:12:04 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 13 10:39:27 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 17:00:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.362	3.980	356.9E6	110.3E6	51.881	51.512
28)	SA Decachlor...	8.042	9.035	380.1E6	109.1E6	45.422	47.757
Target Compounds							
2)	A alpha-BHC	3.792	4.370	588.9E6	162.0E6	53.017	53.322
3)	MA gamma-BHC...	4.069	4.654	541.1E6	149.2E6	53.538	52.829
4)	MA Heptachlor	4.357	5.161	555.1E6	155.2E6	52.606	52.180
5)	MB Aldrin	4.597	5.465	521.6E6	141.7E6	53.628	52.464
6)	B beta-BHC	4.322	4.826	223.3E6	68170317	52.109	53.679
7)	B delta-BHC	4.517	5.042	527.2E6	126.5E6	55.162	58.809
8)	B Heptachlor...	5.034	5.850	486.7E6	131.9E6	52.148	54.901m
9)	A Endosulfan I	5.367	6.208	458.9E6	127.5E6	51.339	51.218
10)	B gamma-Chl...	5.258	6.086	506.0E6	138.9E6	51.698	51.755
11)	B alpha-Chl...	5.314	6.158	496.7E6	137.7E6	51.219	51.048
12)	B 4,4'-DDE	5.481	6.316	442.1E6	121.8E6	50.362	52.130
13)	MA Dieldrin	5.606	6.465	499.8E6	132.5E6	52.291	51.552
14)	MA Endrin	5.860	6.682	452.4E6	113.3E6	50.239	49.774
15)	B Endosulfa...	6.134	6.892	440.4E6	117.5E6	50.808	49.952
16)	A 4,4'-DDD	5.992	6.806	393.2E6	103.3E6	53.702	53.726
17)	MA 4,4'-DDT	6.228	7.104	359.9E6	96498125	47.988	48.898
18)	B Endrin al...	6.301	7.016	365.1E6	101.2E6	49.948	49.492
19)	B Endosulfa...	6.512	7.238	404.6E6	111.7E6	49.774	49.652
20)	A Methoxychlor	6.772	7.562	199.9E6	56306643	45.506	45.874
21)	B Endrin ke...	6.995	7.708	459.3E6	120.3E6	49.859	50.587

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031319\
Data File : PL045812.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2019 09:55
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 13 10:39:27 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 17:00:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.362 min
Delta R.T.: -0.001 min
Response: 356902232
Conc: 51.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#1 Tetrachloro-m-xylene

R.T.: 3.980 min
Delta R.T.: -0.002 min
Response: 110315845
Conc: 51.51 ng/ml




#2 alpha-BHC

R.T.: 3.792 min
Delta R.T.: -0.002 min
Response: 588871660
Conc: 53.02 ng/ml



#2 alpha-BHC

R.T.: 4.370 min
Delta R.T.: -0.002 min
Response: 162028040
Conc: 53.32 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.069 min
Delta R.T.: -0.002 min
Response: 541114327
Conc: 53.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: -0.002 min
Response: 149220228
Conc: 52.83 ng/ml




#4 Heptachlor

R.T.: 4.357 min
Delta R.T.: -0.002 min
Response: 555107577
Conc: 52.61 ng/ml



#4 Heptachlor

R.T.: 5.161 min
Delta R.T.: -0.002 min
Response: 155231975
Conc: 52.18 ng/ml




#5 Aldrin

R.T.: 4.597 min
Delta R.T.: -0.002 min
Response: 521610245
Conc: 53.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#5 Aldrin

R.T.: 5.465 min
Delta R.T.: -0.002 min
Response: 141701462
Conc: 52.46 ng/ml




#6 beta-BHC

R.T.: 4.322 min
Delta R.T.: -0.002 min
Response: 223343592
Conc: 52.11 ng/ml



#6 beta-BHC

R.T.: 4.826 min
Delta R.T.: -0.001 min
Response: 68170317
Conc: 53.68 ng/ml




#7 delta-BHC

R.T.: 4.517 min
Delta R.T.: -0.003 min
Response: 527233596
Conc: 55.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#7 delta-BHC

R.T.: 5.042 min
Delta R.T.: -0.002 min
Response: 126491840
Conc: 58.81 ng/ml




#8 Heptachlor epoxide

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 486702666
Conc: 52.15 ng/ml



#8 Heptachlor epoxide

R.T.: 5.850 min
Delta R.T.: -0.004 min
Response: 131868731
Conc: 54.90 ng/ml m




#9 Endosulfan I

R.T.: 5.367 min
Delta R.T.: -0.003 min
Response: 458887597
Conc: 51.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#9 Endosulfan I

R.T.: 6.208 min
Delta R.T.: -0.002 min
Response: 127546200
Conc: 51.22 ng/ml




#10 gamma-Chlordane

R.T.: 5.258 min
Delta R.T.: -0.003 min
Response: 505970215
Conc: 51.70 ng/ml



#10 gamma-Chlordane

R.T.: 6.086 min
Delta R.T.: -0.002 min
Response: 138854759
Conc: 51.75 ng/ml




#11 alpha-Chlordane

R.T.: 5.314 min
Delta R.T.: -0.003 min
Response: 496671630
Conc: 51.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#11 alpha-Chlordane

R.T.: 6.158 min
Delta R.T.: -0.002 min
Response: 137712398
Conc: 51.05 ng/ml




#12 4,4'-DDE

R.T.: 5.481 min
Delta R.T.: -0.003 min
Response: 442084663
Conc: 50.36 ng/ml



#12 4,4'-DDE

R.T.: 6.316 min
Delta R.T.: -0.002 min
Response: 121770444
Conc: 52.13 ng/ml




#13 Dieldrin

R.T.: 5.606 min
Delta R.T.: -0.003 min
Response: 499792480
Conc: 52.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#13 Dieldrin

R.T.: 6.465 min
Delta R.T.: -0.002 min
Response: 132475545
Conc: 51.55 ng/ml




#14 Endrin

R.T.: 5.860 min
Delta R.T.: -0.003 min
Response: 452439721
Conc: 50.24 ng/ml



#14 Endrin

R.T.: 6.682 min
Delta R.T.: -0.002 min
Response: 113250955
Conc: 49.77 ng/ml




#15 Endosulfan II

R.T.: 6.134 min
Delta R.T.: -0.003 min
Response: 440429464
Conc: 50.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#15 Endosulfan II

R.T.: 6.892 min
Delta R.T.: -0.001 min
Response: 117467310
Conc: 49.95 ng/ml




#16 4,4'-DDD

R.T.: 5.992 min
Delta R.T.: -0.003 min
Response: 393195404
Conc: 53.70 ng/ml



#16 4,4'-DDD

R.T.: 6.806 min
Delta R.T.: -0.002 min
Response: 103319165
Conc: 53.73 ng/ml




#17 4,4'-DDT

R.T.: 6.228 min
Delta R.T.: -0.003 min
Response: 359914399
Conc: 47.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#17 4,4'-DDT

R.T.: 7.104 min
Delta R.T.: -0.002 min
Response: 96498125
Conc: 48.90 ng/ml




#18 Endrin aldehyde

R.T.: 6.301 min
Delta R.T.: -0.003 min
Response: 365102826
Conc: 49.95 ng/ml



#18 Endrin aldehyde

R.T.: 7.016 min
Delta R.T.: -0.002 min
Response: 101172727
Conc: 49.49 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.512 min
Delta R.T.: -0.003 min
Response: 404566043
Conc: 49.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#19 Endosulfan Sulfate

R.T.: 7.238 min
Delta R.T.: -0.002 min
Response: 111693176
Conc: 49.65 ng/ml




#20 Methoxychlor

R.T.: 6.772 min
Delta R.T.: -0.004 min
Response: 199851310
Conc: 45.51 ng/ml



#20 Methoxychlor

R.T.: 7.562 min
Delta R.T.: -0.002 min
Response: 56306643
Conc: 45.87 ng/ml




#21 Endrin ketone

R.T.: 6.995 min
Delta R.T.: -0.004 min
Response: 459340344
Conc: 49.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
3/14/2019 12:12:04 PM




#21 Endrin ketone

R.T.: 7.708 min
Delta R.T.: -0.002 min
Response: 120316083
Conc: 50.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.042 min
Delta R.T.: -0.005 min
Response: 380068624
Conc: 45.42 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.035 min
Delta R.T.: -0.004 min
Response: 109121562
Conc: 47.76 ng/ml