

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031419\
 Data File : PL045924.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2019 18:17
 Operator : AJ\SJ
 Sample : K1807-40
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 TP-20

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 01:11:41 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 27 17:00:03 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.362	3.981	115.3E6	37328363	16.767	17.431
28)	SA Decachlor...	8.043	9.038	107.6E6	31090730	12.860	13.607
Target Compounds							
12)	B 4,4'-DDE	5.481	6.318	237.6E6	66332012	27.063	28.397
13)	MA Dieldrin	5.606	6.466	55322983	16637790	5.788	6.475
14)	MA Endrin	5.863	6.712f	16074538	1095955	1.785	0.482 #
15)	B Endosulfa...	6.134	6.895	7398930	4476689	0.854	1.904 #
16)	A 4,4'-DDD	5.993	0.000	3183207	0	0.435	N.D. #
17)	MA 4,4'-DDT	6.228	7.105	114.7E6	32317903	15.287	16.376
18)	B Endrin al...	6.285f	0.000	7254840	0	0.993	N.D. #
19)	B Endosulfa...	6.512	7.239	25903044	7694414	3.187	3.420
27)	Chlordane-5	6.134	0.000	7398930	0	21.425	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031419\
Data File : PL045924.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Mar 2019 18:17
Operator : AJ\SJ
Sample : K1807-40
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
TP-20

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 01:11:41 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022719.M
Quant Title : GC Extractables
QLast Update : Wed Feb 27 17:00:03 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.362 min
Delta R.T.: 0.000 min
Response: 115347806
Conc: 16.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
TP-20




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 37328363
Conc: 17.43 ng/ml




#12 4,4'-DDE

R.T.: 5.481 min
Delta R.T.: -0.003 min
Response: 237565422
Conc: 27.06 ng/ml



#12 4,4'-DDE


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 66332012
Conc: 28.40 ng/ml



#13 Dieldrin


R.T.: 5.606 min
Delta R.T.: -0.003 min
Response: 55322983
Conc: 5.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
TP-20




#13 Dieldrin

R.T.: 6.466 min
Delta R.T.: -0.001 min
Response: 16637790
Conc: 6.47 ng/ml




#14 Endrin

R.T.: 5.863 min
Delta R.T.: 0.000 min
Response: 16074538
Conc: 1.78 ng/ml



#14 Endrin


R.T.: 6.712 min
Delta R.T.: 0.027 min
Response: 1095955
Conc: 0.48 ng/ml



#15 Endosulfan II


R.T.: 6.134 min
Delta R.T.: -0.003 min
Response: 7398930
Conc: 0.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
TP-20




#15 Endosulfan II

R.T.: 6.895 min
Delta R.T.: 0.002 min
Response: 4476689
Conc: 1.90 ng/ml




#16 4,4'-DDD

R.T.: 5.993 min
Delta R.T.: -0.003 min
Response: 3183207
Conc: 0.43 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T. : 6.808 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.228 min
Delta R.T.: -0.003 min
Response: 114651835
Conc: 15.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
TP-20




#17 4,4'-DDT

R.T.: 7.105 min
Delta R.T.: 0.000 min
Response: 32317903
Conc: 16.38 ng/ml




#18 Endrin aldehyde

R.T.: 6.285 min
Delta R.T.: -0.018 min
Response: 7254840
Conc: 0.99 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T. : 7.017 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.512 min
Delta R.T.: -0.003 min
Response: 25903044
Conc: 3.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
TP-20




#19 Endosulfan Sulfate

R.T.: 7.239 min
Delta R.T.: -0.001 min
Response: 7694414
Conc: 3.42 ng/ml




#27 Chlordane-5

R.T.: 6.134 min
Delta R.T.: -0.009 min
Response: 7398930
Conc: 21.42 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.966 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.043 min
Delta R.T.: -0.004 min
Response: 107607891
Conc: 12.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
TP-20



#28 Decachlorobiphenyl

R.T.: 9.038 min
Delta R.T.: -0.001 min
Response: 31090730
Conc: 13.61 ng/ml