

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031420\
 Data File : PL057336.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2020 17:09
 Operator : AJ\MA
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 14 00:02:07 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
 Quant Title : GC Extractables
 QLast Update : Sat Mar 14 00:01:37 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	3.957	468.9E6	108.4E6	50.000	50.000
28)	SA Decachlor...	8.207	8.980	514.1E6	107.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.895	4.345	821.4E6	163.0E6	50.000	50.000
3)	MA gamma-BHC...	4.179	4.627	744.1E6	158.6E6	50.000	50.000
4)	MA Heptachlor	4.479	5.129	752.8E6	156.4E6	50.000	50.000
5)	MB Aldrin	4.727	5.431	706.4E6	152.7E6	50.000	50.000
6)	B beta-BHC	4.431	4.800	290.8E6	71311340	50.000	50.000
7)	B delta-BHC	4.635	5.013	725.7E6	122.7E6	50.000	50.000
8)	B Heptachlo...	5.170	5.815	648.8E6	136.2E6	50.000	50.000
9)	A Endosulfan I	5.509	6.170	602.5E6	140.9E6	50.000	50.000
10)	B gamma-Chl...	5.397	6.049	659.9E6	152.9E6	50.000	50.000
11)	B alpha-Chl...	5.455	6.120	652.2E6	154.3E6	50.000	50.000
12)	B 4,4'-DDE	5.619	6.280	634.2E6	142.7E6	50.000	50.000
13)	MA Dieldrin	5.751	6.425	645.1E6	147.3E6	50.000	50.000
14)	MA Endrin	6.009	6.642	582.5E6	120.2E6	50.000	50.000
15)	B Endosulfa...	6.282	6.852	550.8E6	127.3E6	50.000	50.000
16)	A 4,4'-DDD	6.134	6.768	501.9E6	114.7E6	50.000	50.000
17)	MA 4,4'-DDT	6.375	7.065	520.0E6	115.2E6	50.000	50.000
18)	B Endrin al...	6.450	6.976	463.3E6	109.8E6	50.000	50.000
19)	B Endosulfa...	6.663	7.199	515.5E6	120.4E6	50.000	50.000
20)	A Methoxychlor	6.920	7.524	271.4E6	64735875	50.000	50.000
21)	B Endrin ke...	7.154	7.666	575.5E6	128.3E6	50.000	50.000
22)	Mirex	7.341	8.116	400.0E6	93092238	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031420\
Data File : PL057336.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2020 17:09
Operator : AJ\MA
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 14 00:02:07 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
Quant Title : GC Extractables
QLast Update : Sat Mar 14 00:01:37 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 468889843
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 108354650
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 821428118
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.345 min
Delta R.T.: 0.000 min
Response: 162981555
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.179 min
Delta R.T.: 0.000 min
Response: 744102979
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.627 min
Delta R.T.: 0.000 min
Response: 158620589
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 752755434
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 156379787
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 706396190
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.431 min
Delta R.T.: 0.000 min
Response: 152729253
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.431 min
Delta R.T.: 0.000 min
Response: 290775531
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 71311340
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 725653731
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.013 min
Delta R.T.: 0.000 min
Response: 122735716
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 648848748
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 136214159
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.509 min
Delta R.T.: 0.000 min
Response: 602519195
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 140890612
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 659897242
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 152864222
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 652189827
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 154302028
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: 0.000 min
Response: 634177707
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.280 min
Delta R.T.: 0.000 min
Response: 142720429
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 645125497
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: 0.000 min
Response: 147308648
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.009 min
Delta R.T.: 0.000 min
Response: 582473516
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: 0.000 min
Response: 120168597
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.282 min
Delta R.T.: 0.000 min
Response: 550783791
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 127335563
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.134 min
Delta R.T.: 0.000 min
Response: 501906892
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 114742625
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.375 min
Delta R.T.: 0.000 min
Response: 520049797
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 115168462
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.450 min
Delta R.T.: 0.000 min
Response: 463279404
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 109838707
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.663 min
Delta R.T.: 0.000 min
Response: 515513287
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 120350542
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.920 min
Delta R.T.: 0.000 min
Response: 271367628
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.524 min
Delta R.T.: 0.000 min
Response: 64735875
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.154 min
Delta R.T.: 0.000 min
Response: 575496696
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.666 min
Delta R.T.: 0.000 min
Response: 128347317
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.341 min
Delta R.T.: 0.000 min
Response: 400044479
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 93092238
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 514087343
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.980 min
Delta R.T.: 0.000 min
Response: 107916355
Conc: 50.00 ng/ml