

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031420\
 Data File : PL057343.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2020 18:48
 Operator : AJ\MA
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 14 01:03:26 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
 Quant Title : GC Extractables
 QLast Update : Sat Mar 14 00:45:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	3.957	174.6E6	40768321	18.835	18.791
28)	SA Decachlor...	8.207	8.980	209.7E6	44488112	19.818	20.064
Target Compounds							
2)	A alpha-BHC	3.896	4.344	132.7E6	26559844	8.328	8.269
3)	MA gamma-BHC...	4.179	4.627	114.9E6	25850200	7.992	8.239
4)	MA Heptachlor	0.000	5.139	0	1194066	N.D.	0.379 #
5)	MB Aldrin	4.723	0.000	1051575	0	0.076	N.D. #
6)	B beta-BHC	4.431	4.800	54768143	15950378	9.316	11.059
9)	A Endosulfan I	5.500	0.000	532697	0	0.045	N.D. #
10)	B gamma-Chl...	5.381f	0.000	208357	0	0.016	N.D. #
11)	B alpha-Chl...	5.450	0.000	468225	0	0.036	N.D. #
12)	B 4,4'-DDE	5.618	0.000	1441145	0	0.116	N.D. #
13)	MA Dieldrin	5.754	0.000	388326	0	0.031	N.D. #
14)	MA Endrin	6.009	6.642	532.2E6	109.0E6	46.559	45.188
16)	A 4,4'-DDD	6.134	6.768	6221705	1467492	0.635	0.643
17)	MA 4,4'-DDT	6.375	7.065	999.3E6	214.9E6	100.202	94.332
18)	B Endrin al...	6.446	0.000	3886427	0	0.421	N.D. #
19)	B Endosulfa...	6.685f	0.000	40223	0	0.004	N.D. #
20)	A Methoxychlor	6.920	7.525	1231.0E6	280.8E6	229.413	215.883
21)	B Endrin ke...	7.152	7.666	11861563	2194511	1.049	0.848
22)	Mirex	7.331	0.000	1129879	0	0.140	N.D. #
23)	Chlordane-1	4.357f	0.000	1731572	0	5.335	N.D. #
24)	Chlordane-2	4.851f	0.000	339297	0	0.934	N.D. #
25)	Chlordane-3	5.381f	0.000	208357	0	0.185	N.D. #
26)	Chlordane-4	5.450	0.000	468225	0	0.488	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031420\
Data File : PL057343.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2020 18:48
Operator : AJ\MA
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 14 01:03:26 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
Quant Title : GC Extractables
QLast Update : Sat Mar 14 00:45:03 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 174591172
Conc: 18.84 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 40768321
Conc: 18.79 ng/ml




#2 alpha-BHC

R.T.: 3.896 min
Delta R.T.: 0.000 min
Response: 132663380
Conc: 8.33 ng/ml



#2 alpha-BHC


R.T.: 4.344 min
Delta R.T.: 0.000 min
Response: 26559844
Conc: 8.27 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.179 min
Delta R.T.: 0.000 min
Response: 114860976
Conc: 7.99 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.627 min
Delta R.T.: 0.000 min
Response: 25850200
Conc: 8.24 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.479 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.139 min
Delta R.T.: 0.010 min
Response: 1194066
Conc: 0.38 ng/ml



#5 Aldrin


R.T.: 4.723 min
Delta R.T.: -0.004 min
Response: 1051575
Conc: 0.08 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 5.431 min
Response: 0
Conc: N.D.




#6 beta-BHC

R.T.: 4.431 min
Delta R.T.: 0.000 min
Response: 54768143
Conc: 9.32 ng/ml



#6 beta-BHC


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 15950378
Conc: 11.06 ng/ml



#9 Endosulfan I


R.T.: 5.500 min
Delta R.T.: -0.009 min
Response: 532697
Conc: 0.04 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 6.170 min
Response: 0
Conc: N.D.




#10 gamma-Chlordane

R.T.: 5.381 min
Delta R.T.: -0.016 min
Response: 208357
Conc: 0.02 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T. : 6.049 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.450 min
Delta R.T.: -0.004 min
Response: 468225
Conc: 0.04 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 6.120 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 5.618 min
Delta R.T.: -0.001 min
Response: 1441145
Conc: 0.12 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T. : 6.280 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.754 min
Delta R.T.: 0.002 min
Response: 388326
Conc: 0.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 0.000 min
Exp R.T. : 6.425 min
Response: 0
Conc: N.D.




#14 Endrin

R.T.: 6.009 min
Delta R.T.: 0.000 min
Response: 532233889
Conc: 46.56 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: 0.000 min
Response: 109029557
Conc: 45.19 ng/ml



#16 4,4'-DDD


R.T.: 6.134 min
Delta R.T.: 0.000 min
Response: 6221705
Conc: 0.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#16 4,4'-DDD

R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 1467492
Conc: 0.64 ng/ml




#17 4,4'-DDT

R.T.: 6.375 min
Delta R.T.: 0.000 min
Response: 999289475
Conc: 100.20 ng/ml



#17 4,4'-DDT


R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 214854713
Conc: 94.33 ng/ml



#18 Endrin aldehyde


R.T.: 6.446 min
Delta R.T.: -0.004 min
Response: 3886427
Conc: 0.42 ng/ml

Instrument :
ECD_L
ClientSampleId :




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 6.976 min
Response: 0
Conc: N.D.




#19 Endosulfan Sulfate

R.T.: 6.685 min
Delta R.T.: 0.022 min
Response: 40223
Conc: 0.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 7.199 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.920 min
Delta R.T.: 0.000 min
Response: 1230992832
Conc: 229.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 280774543
Conc: 215.88 ng/ml




#21 Endrin ketone

R.T.: 7.152 min
Delta R.T.: -0.002 min
Response: 11861563
Conc: 1.05 ng/ml



#21 Endrin ketone


R.T.: 7.666 min
Delta R.T.: 0.000 min
Response: 2194511
Conc: 0.85 ng/ml



#22 Mirex


R.T.: 7.331 min
Delta R.T.: -0.010 min
Response: 1129879
Conc: 0.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 8.116 min
Response: 0
Conc: N.D.




#23 Chlordane-1

R.T.: 4.357 min
Delta R.T.: 0.029 min
Response: 1731572
Conc: 5.34 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T. : 4.941 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.851 min
Delta R.T.: 0.022 min
Response: 339297
Conc: 0.93 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 5.406 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.381 min
Delta R.T.: -0.017 min
Response: 208357
Conc: 0.18 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T. : 6.049 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.450 min
Delta R.T.: -0.004 min
Response: 468225
Conc: 0.49 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 6.122 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 209694822
Conc: 19.82 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.980 min
Delta R.T.: 0.000 min
Response: 44488112
Conc: 20.06 ng/ml