

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031424\
 Data File : PL088554.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2024 12:03
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 13 15:28:33 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:27:40 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.634	2.852	128.4E6	64933738	50.000	50.000
28)	SA Decachlor...	9.303	8.082	119.9E6	64698709	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.099	3.367	198.5E6	99069285	50.000	50.000
3)	MA gamma-BHC...	4.438	3.704	191.8E6	95124084	50.000	50.000
4)	MA Heptachlor	5.038	4.052	185.3E6	88172523	50.000	50.000
5)	MB Aldrin	5.385	4.338	179.9E6	88907842	50.000	50.000
6)	B beta-BHC	4.635	4.006	83165895	41098505	50.000	50.000
7)	B delta-BHC	4.887	4.241	196.4E6	95322156	50.000	50.000
8)	B Heptachlo...	5.817	4.849	166.6E6	79994037	50.000	50.000
9)	A Endosulfan I	6.207	5.224	148.4E6	73163437	50.000	50.000
10)	B gamma-Chl...	6.076	5.103	162.3E6	80316517	50.000	50.000
11)	B alpha-Chl...	6.157	5.168	162.0E6	80487888	50.000	50.000
12)	B 4,4'-DDE	6.332	5.361	147.2E6	71897950	50.000	50.000
13)	MA Dieldrin	6.487	5.493	159.0E6	79526418	50.000	50.000
14)	MA Endrin	6.719	5.773	134.3E6	70056380	50.000	50.000
15)	B Endosulfa...	6.940	6.070	138.5E6	69237695	50.000	50.000
16)	A 4,4'-DDD	6.854	5.923	122.7E6	60659125	50.000	50.000
17)	MA 4,4'-DDT	7.173	6.178	130.6E6	65766232	50.000	50.000
18)	B Endrin al...	7.071	6.252	101.3E6	50294767	50.000	50.000
19)	B Endosulfa...	7.309	6.478	133.7E6	66801136	50.000	50.000
20)	A Methoxychlor	7.653	6.760	73538832	38433760	50.000	50.000
21)	B Endrin ke...	7.800	6.990	144.9E6	79872336	50.000	50.000
22)	Mirex	8.282	7.176	112.5E6	63916824	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031424\
Data File : PL088554.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2024 12:03
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 13 15:28:33 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:27:40 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 128432522
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.852 min
Delta R.T.: 0.000 min
Response: 64933738
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 198451496
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.367 min
Delta R.T.: 0.000 min
Response: 99069285
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 191839778
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.704 min
Delta R.T.: 0.000 min
Response: 95124084
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 5.038 min
Delta R.T.: 0.000 min
Response: 185337813
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 4.052 min
Delta R.T.: 0.000 min
Response: 88172523
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 179851819
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 88907842
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 83165895
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.006 min
Delta R.T.: 0.000 min
Response: 41098505
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.887 min
Delta R.T.: 0.000 min
Response: 196418472
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.241 min
Delta R.T.: 0.000 min
Response: 95322156
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 166624392
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.849 min
Delta R.T.: 0.000 min
Response: 79994037
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.207 min
Delta R.T.: 0.000 min
Response: 148388117
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.224 min
Delta R.T.: 0.000 min
Response: 73163437
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 162291636
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 80316517
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 162004937
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.168 min
Delta R.T.: 0.000 min
Response: 80487888
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.332 min
Delta R.T.: 0.000 min
Response: 147157312
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.361 min
Delta R.T.: 0.000 min
Response: 71897950
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 159011690
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.493 min
Delta R.T.: 0.000 min
Response: 79526418
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 134254826
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.773 min
Delta R.T.: 0.000 min
Response: 70056380
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 138487830
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 69237695
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.854 min
Delta R.T.: 0.000 min
Response: 122738414
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: 0.000 min
Response: 60659125
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 130615241
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.178 min
Delta R.T.: 0.000 min
Response: 65766232
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 101281045
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 50294767
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.309 min
Delta R.T.: 0.000 min
Response: 133657958
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 66801136
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.653 min
Delta R.T.: 0.000 min
Response: 73538832
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.760 min
Delta R.T.: 0.000 min
Response: 38433760
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 144851681
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.990 min
Delta R.T.: 0.000 min
Response: 79872336
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.282 min
Delta R.T.: 0.000 min
Response: 112534661
Conc: 50.00 ng/ml



#22 Mirex

R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 63916824
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.303 min

Delta R.T.: 0.000 min

Response: 119888865

Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 8.082 min

Delta R.T.: 0.000 min

Response: 64698709

Conc: 50.00 ng/ml