

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031424\
 Data File : PL088572.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2024 16:28
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 14 01:54:10 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.634	2.852	134.8E6	66643387	50.851	50.005
28)	SA Decachlor...	9.302	8.082	117.9E6	64574960	47.713	47.624
Target Compounds							
2)	A alpha-BHC	4.099	3.366	207.2E6	101.2E6	51.900	50.377
3)	MA gamma-BHC...	4.438	3.703	200.7E6	97931590	51.749	51.029
4)	MA Heptachlor	5.038	4.051	193.1E6	90291468	50.842	50.169
5)	MB Aldrin	5.385	4.337	188.0E6	90904361	51.317	50.305
6)	B beta-BHC	4.635	4.005	86944018	42284187	49.026	49.326
7)	B delta-BHC	4.886	4.240	204.1E6	97106631	50.656	50.760
8)	B Heptachlo...	5.817	4.847	174.9E6	81615224	50.921	49.629
9)	A Endosulfan I	6.208	5.224	155.7E6	74255236	50.953	49.397
10)	B gamma-Chl...	6.076	5.102	172.9E6	81620015	51.917	49.278
11)	B alpha-Chl...	6.157	5.167	171.0E6	81860133	51.447	49.315
12)	B 4,4'-DDE	6.331	5.360	153.6E6	72688852	51.397	49.835
13)	MA Dieldrin	6.486	5.493	166.5E6	80950321	51.343	49.842
14)	MA Endrin	6.719	5.772	141.3E6	71488994	51.700	49.596
15)	B Endosulfa...	6.939	6.069	145.5E6	70275925	50.809	48.874
16)	A 4,4'-DDD	6.854	5.922	129.1E6	61576822	50.688	49.444
17)	MA 4,4'-DDT	7.172	6.177	136.5E6	66754302	51.203	49.735
18)	B Endrin al...	7.071	6.252	98365780	53421958	47.114	50.978
19)	B Endosulfa...	7.308	6.478	139.6E6	68007890	50.569	49.017
20)	A Methoxychlor	7.653	6.761	76867765	39238730	51.024	48.922
21)	B Endrin ke...	7.799	6.990	151.4E6	81118384	51.199	49.142
22)	Mirex	8.281	7.176	118.0E6	65103459	50.316	48.281
23)	Chlordane-1	0.000	3.880	0	15630	N.D.	0.322 #
24)	Chlordane-2	0.000	4.474	0	308562	N.D.	5.082 #
25)	Chlordane-3	6.076	5.102	172.9E6	81620015	347.773	478.231 #
26)	Chlordane-4	6.157	5.167	171.0E6	81860133	285.082	513.102 #
27)	Chlordane-5	0.000	5.877f	0	111059	N.D.	2.190 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031424\
Data File : PL088572.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2024 16:28
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 14 01:54:10 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 134754231
Conc: 50.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.852 min
Delta R.T.: 0.000 min
Response: 66643387
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 207170037
Conc: 51.90 ng/ml



#2 alpha-BHC


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 101229959
Conc: 50.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 200694325
Conc: 51.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.703 min
Delta R.T.: 0.000 min
Response: 97931590
Conc: 51.03 ng/ml




#4 Heptachlor

R.T.: 5.038 min
Delta R.T.: 0.000 min
Response: 193071088
Conc: 50.84 ng/ml



#4 Heptachlor


R.T.: 4.051 min
Delta R.T.: 0.000 min
Response: 90291468
Conc: 50.17 ng/ml



#5 Aldrin


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 188049204
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 90904361
Conc: 50.30 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 86944018
Conc: 49.03 ng/ml



#6 beta-BHC


R.T.: 4.005 min
Delta R.T.: -0.001 min
Response: 42284187
Conc: 49.33 ng/ml



#7 delta-BHC


R.T.: 4.886 min
Delta R.T.: 0.000 min
Response: 204051625
Conc: 50.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.240 min
Delta R.T.: 0.000 min
Response: 97106631
Conc: 50.76 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 174911517
Conc: 50.92 ng/ml



#8 Heptachlor epoxide


R.T.: 4.847 min
Delta R.T.: -0.001 min
Response: 81615224
Conc: 49.63 ng/ml



#9 Endosulfan I


R.T.: 6.208 min
Delta R.T.: 0.000 min
Response: 155734715
Conc: 50.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.224 min
Delta R.T.: 0.000 min
Response: 74255236
Conc: 49.40 ng/ml




#10 gamma-Chlordane

R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 172924984
Conc: 51.92 ng/ml



#10 gamma-Chlordane


R.T.: 5.102 min
Delta R.T.: -0.001 min
Response: 81620015
Conc: 49.28 ng/ml



#11 alpha-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 171011507
Conc: 51.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 81860133
Conc: 49.32 ng/ml




#12 4,4'-DDE

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 153559208
Conc: 51.40 ng/ml



#12 4,4'-DDE


R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 72688852
Conc: 49.84 ng/ml



#13 Dieldrin


R.T.: 6.486 min
Delta R.T.: 0.000 min
Response: 166489103
Conc: 51.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.493 min
Delta R.T.: 0.000 min
Response: 80950321
Conc: 49.84 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 141334537
Conc: 51.70 ng/ml



#14 Endrin


R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 71488994
Conc: 49.60 ng/ml



#15 Endosulfan II


R.T.: 6.939 min
Delta R.T.: -0.001 min
Response: 145527291
Conc: 50.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 70275925
Conc: 48.87 ng/ml




#16 4,4'-DDD

R.T.: 6.854 min
Delta R.T.: 0.000 min
Response: 129089742
Conc: 50.69 ng/ml



#16 4,4'-DDD


R.T.: 5.922 min
Delta R.T.: 0.000 min
Response: 61576822
Conc: 49.44 ng/ml



#17 4,4'-DDT


R.T.: 7.172 min
Delta R.T.: 0.000 min
Response: 136479422
Conc: 51.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 66754302
Conc: 49.74 ng/ml




#18 Endrin aldehyde

R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 98365780
Conc: 47.11 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 53421958
Conc: 50.98 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.308 min
Delta R.T.: -0.001 min
Response: 139635163
Conc: 50.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 68007890
Conc: 49.02 ng/ml




#20 Methoxychlor

R.T.: 7.653 min
Delta R.T.: 0.000 min
Response: 76867765
Conc: 51.02 ng/ml



#20 Methoxychlor


R.T.: 6.761 min
Delta R.T.: 0.000 min
Response: 39238730
Conc: 48.92 ng/ml



#21 Endrin ketone


R.T.: 7.799 min
Delta R.T.: 0.000 min
Response: 151364923
Conc: 51.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.990 min
Delta R.T.: 0.000 min
Response: 81118384
Conc: 49.14 ng/ml




#22 Mirex

R.T.: 8.281 min
Delta R.T.: 0.000 min
Response: 117966205
Conc: 50.32 ng/ml



#22 Mirex


R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 65103459
Conc: 48.28 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.819 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.880 min
Delta R.T.: 0.006 min
Response: 15630
Conc: 0.32 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.355 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.474 min
Delta R.T.: 0.012 min
Response: 308562
Conc: 5.08 ng/ml



#25 Chlordane-3


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 172924984
Conc: 347.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 81620015
Conc: 478.23 ng/ml




#26 Chlordane-4

R.T.: 6.157 min
Delta R.T.: -0.003 min
Response: 171011507
Conc: 285.08 ng/ml



#26 Chlordane-4


R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 81860133
Conc: 513.10 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.019 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.877 min
Delta R.T.: 0.033 min
Response: 111059
Conc: 2.19 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.302 min
Delta R.T.: 0.000 min
Response: 117942815
Conc: 47.71 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.082 min
Delta R.T.: 0.000 min
Response: 64574960
Conc: 47.62 ng/ml