

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031624\
 Data File : PL088631.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Mar 2024 09:59
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 21:47:35 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.634	2.852	145.2E6	71721529	54.780	53.815
28)	SA Decachlor...	9.303	8.082	122.8E6	68116891	49.684	50.237
Target Compounds							
2)	A alpha-BHC	4.099	3.366	223.8E6	108.7E6	56.074	54.071
3)	MA gamma-BHC...	4.437	3.703	216.4E6	104.7E6	55.809	54.533
4)	MA Heptachlor	5.038	4.051	206.0E6	95626631	54.248	53.134
5)	MB Aldrin	5.385	4.337	202.8E6	97473577	55.337	53.940
6)	B beta-BHC	4.635	4.005	93762162	45039909	52.870	52.540
7)	B delta-BHC	4.887	4.240	220.4E6	104.6E6	54.717	54.652
8)	B Heptachlo...	5.817	4.848	186.4E6	87383164	54.261	53.137
9)	A Endosulfan I	6.208	5.224	166.2E6	80165760	54.380	53.328
10)	B gamma-Chl...	6.076	5.102	185.9E6	87925630	55.807	53.085
11)	B alpha-Chl...	6.157	5.167	182.3E6	88030546	54.839	53.033
12)	B 4,4'-DDE	6.331	5.360	164.8E6	79018249	55.164	54.175
13)	MA Dieldrin	6.487	5.493	178.0E6	86636816	54.906	53.343
14)	MA Endrin	6.719	5.772	145.5E6	74658398	53.216	51.795
15)	B Endosulfa...	6.939	6.070	153.7E6	75327832	53.665	52.388
16)	A 4,4'-DDD	6.853	5.923	138.4E6	67410014	54.326	54.128
17)	MA 4,4'-DDT	7.172	6.177	139.0E6	68324095	52.144	50.905
18)	B Endrin al...	7.072	6.252	97780955	56471171	46.834	53.887
19)	B Endosulfa...	7.308	6.478	148.7E6	72877309	53.838	52.526
20)	A Methoxychlor	7.653	6.761	76477388	39115809	50.765	48.769
21)	B Endrin ke...	7.800	6.991	162.6E6	87660966	54.986	53.105
22)	Mirex	8.281	7.176	124.8E6	68614827	53.217	50.885
23)	Chlordane-1	0.000	3.871	0	46735	N.D.	0.963 #
24)	Chlordane-2	5.385f	4.474	202.8E6	282265	1542.446	4.649 #
25)	Chlordane-3	6.076	5.102	185.9E6	87925630	373.831	515.177 #
26)	Chlordane-4	6.157	5.167	182.3E6	88030546	303.880	551.778 #
27)	Chlordane-5	0.000	5.868f	0	135525	N.D.	2.672 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031624\
Data File : PL088631.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2024 09:59
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 21:47:35 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 145166121
Conc: 54.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.852 min
Delta R.T.: 0.000 min
Response: 71721529
Conc: 53.82 ng/ml




#2 alpha-BHC

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 223831136
Conc: 56.07 ng/ml



#2 alpha-BHC


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 108653796
Conc: 54.07 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.437 min
Delta R.T.: 0.000 min
Response: 216438619
Conc: 55.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.703 min
Delta R.T.: 0.000 min
Response: 104655732
Conc: 54.53 ng/ml




#4 Heptachlor

R.T.: 5.038 min
Delta R.T.: 0.000 min
Response: 206004668
Conc: 54.25 ng/ml



#4 Heptachlor


R.T.: 4.051 min
Delta R.T.: 0.000 min
Response: 95626631
Conc: 53.13 ng/ml



#5 Aldrin


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 202782841
Conc: 55.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 97473577
Conc: 53.94 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 93762162
Conc: 52.87 ng/ml



#6 beta-BHC


R.T.: 4.005 min
Delta R.T.: 0.000 min
Response: 45039909
Conc: 52.54 ng/ml



#7 delta-BHC


R.T.: 4.887 min
Delta R.T.: 0.000 min
Response: 220409301
Conc: 54.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.240 min
Delta R.T.: 0.000 min
Response: 104553762
Conc: 54.65 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 186385496
Conc: 54.26 ng/ml



#8 Heptachlor epoxide


R.T.: 4.848 min
Delta R.T.: -0.001 min
Response: 87383164
Conc: 53.14 ng/ml



#9 Endosulfan I


R.T.: 6.208 min
Delta R.T.: 0.000 min
Response: 166212013
Conc: 54.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.224 min
Delta R.T.: 0.000 min
Response: 80165760
Conc: 53.33 ng/ml




#10 gamma-Chlordane

R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 185881971
Conc: 55.81 ng/ml



#10 gamma-Chlordane


R.T.: 5.102 min
Delta R.T.: -0.001 min
Response: 87925630
Conc: 53.09 ng/ml



#11 alpha-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 182287365
Conc: 54.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 88030546
Conc: 53.03 ng/ml




#12 4,4'-DDE

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 164812867
Conc: 55.16 ng/ml



#12 4,4'-DDE


R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 79018249
Conc: 54.17 ng/ml



#13 Dieldrin


R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 178040349
Conc: 54.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.493 min
Delta R.T.: 0.000 min
Response: 86636816
Conc: 53.34 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 145476366
Conc: 53.22 ng/ml



#14 Endrin


R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 74658398
Conc: 51.79 ng/ml



#15 Endosulfan II


R.T.: 6.939 min
Delta R.T.: -0.001 min
Response: 153707079
Conc: 53.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 75327832
Conc: 52.39 ng/ml




#16 4,4'-DDD

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 138354777
Conc: 54.33 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: 0.000 min
Response: 67410014
Conc: 54.13 ng/ml



#17 4,4'-DDT


R.T.: 7.172 min
Delta R.T.: 0.000 min
Response: 138989950
Conc: 52.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 68324095
Conc: 50.90 ng/ml




#18 Endrin aldehyde

R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 97780955
Conc: 46.83 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 56471171
Conc: 53.89 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.308 min
Delta R.T.: 0.000 min
Response: 148664111
Conc: 53.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 72877309
Conc: 52.53 ng/ml




#20 Methoxychlor

R.T.: 7.653 min
Delta R.T.: 0.000 min
Response: 76477388
Conc: 50.76 ng/ml



#20 Methoxychlor


R.T.: 6.761 min
Delta R.T.: 0.000 min
Response: 39115809
Conc: 48.77 ng/ml



#21 Endrin ketone


R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 162561756
Conc: 54.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.991 min
Delta R.T.: 0.000 min
Response: 87660966
Conc: 53.11 ng/ml




#22 Mirex

R.T.: 8.281 min
Delta R.T.: 0.000 min
Response: 124767663
Conc: 53.22 ng/ml



#22 Mirex


R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 68614827
Conc: 50.89 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.819 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.871 min
Delta R.T.: -0.003 min
Response: 46735
Conc: 0.96 ng/ml




#24 Chlordane-2

R.T.: 5.385 min
Delta R.T.: 0.030 min
Response: 202782841
Conc: 1542.45 ng/ml



#24 Chlordane-2


R.T.: 4.474 min
Delta R.T.: 0.013 min
Response: 282265
Conc: 4.65 ng/ml



#25 Chlordane-3


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 185881971
Conc: 373.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 87925630
Conc: 515.18 ng/ml




#26 Chlordane-4

R.T.: 6.157 min
Delta R.T.: -0.003 min
Response: 182287365
Conc: 303.88 ng/ml



#26 Chlordane-4


R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 88030546
Conc: 551.78 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.019 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.868 min
Delta R.T.: 0.025 min
Response: 135525
Conc: 2.67 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.303 min
Delta R.T.: 0.000 min
Response: 122814308
Conc: 49.68 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.082 min
Delta R.T.: 0.000 min
Response: 68116891
Conc: 50.24 ng/ml