

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031624\
 Data File : PL088652.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Mar 2024 17:52
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 21:55:27 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.634	2.852	142.9E6	71129472	53.923	53.371
28)	SA Decachlor...	9.303	8.081	119.6E6	66421742	48.394	48.986
Target Compounds							
2)	A alpha-BHC	4.099	3.366	219.8E6	108.6E6	55.070	54.023
3)	MA gamma-BHC...	4.438	3.703	212.3E6	103.5E6	54.749	53.945
4)	MA Heptachlor	5.038	4.051	202.7E6	95091164	53.388	52.836
5)	MB Aldrin	5.385	4.337	199.3E6	95836440	54.393	53.034
6)	B beta-BHC	4.635	4.005	92713746	44614635	52.279	52.044
7)	B delta-BHC	4.888	4.240	216.1E6	102.7E6	53.659	53.694
8)	B Heptachlo...	5.817	4.848	183.8E6	86348247	53.512	52.507
9)	A Endosulfan I	6.208	5.224	163.1E6	78627472	53.351	52.305
10)	B gamma-Chl...	6.076	5.102	182.4E6	86738764	54.754	52.368
11)	B alpha-Chl...	6.157	5.167	179.6E6	86646781	54.039	52.199
12)	B 4,4'-DDE	6.331	5.360	160.8E6	77869392	53.814	53.387
13)	MA Dieldrin	6.486	5.493	174.4E6	85362243	53.777	52.558
14)	MA Endrin	6.719	5.772	141.9E6	73698440	51.893	51.129
15)	B Endosulfa...	6.940	6.070	150.4E6	73580652	52.494	51.173
16)	A 4,4'-DDD	6.854	5.922	136.3E6	67268364	53.527	54.015
17)	MA 4,4'-DDT	7.173	6.177	135.0E6	66688769	50.631	49.686
18)	B Endrin al...	7.071	6.252	102.2E6	56035168	48.939	53.471
19)	B Endosulfa...	7.308	6.477	144.9E6	71510839	52.461	51.542
20)	A Methoxychlor	7.653	6.760	74441103	39045937	49.413	48.681
21)	B Endrin ke...	7.799	6.989	158.1E6	86014666	53.461	52.108
22)	Mirex	8.282	7.176	121.9E6	66883618	52.004	49.601
24)	Chlordane-2	0.000	4.474	0	352539	N.D.	5.806 #
25)	Chlordane-3	6.076	5.102	182.4E6	86738764	366.779	508.223 #
26)	Chlordane-4	6.157	5.167	179.6E6	86646781	299.449	543.104 #
27)	Chlordane-5	0.000	5.869f	0	244378	N.D.	4.819 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031624\
Data File : PL088652.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2024 17:52
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 21:55:27 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 142895193
Conc: 53.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.852 min
Delta R.T.: 0.000 min
Response: 71129472
Conc: 53.37 ng/ml




#2 alpha-BHC

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 219823787
Conc: 55.07 ng/ml



#2 alpha-BHC


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 108557858
Conc: 54.02 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 212327555
Conc: 54.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.703 min
Delta R.T.: 0.000 min
Response: 103526680
Conc: 53.94 ng/ml




#4 Heptachlor

R.T.: 5.038 min
Delta R.T.: 0.000 min
Response: 202739161
Conc: 53.39 ng/ml



#4 Heptachlor


R.T.: 4.051 min
Delta R.T.: -0.001 min
Response: 95091164
Conc: 52.84 ng/ml



#5 Aldrin


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 199321828
Conc: 54.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 95836440
Conc: 53.03 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 92713746
Conc: 52.28 ng/ml



#6 beta-BHC


R.T.: 4.005 min
Delta R.T.: 0.000 min
Response: 44614635
Conc: 52.04 ng/ml



#7 delta-BHC


R.T.: 4.888 min
Delta R.T.: 0.000 min
Response: 216147814
Conc: 53.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.240 min
Delta R.T.: 0.000 min
Response: 102720897
Conc: 53.69 ng/ml




#8 Heptachlor epoxide

R.T.: 5.817 min
Delta R.T.: 0.000 min
Response: 183811816
Conc: 53.51 ng/ml



#8 Heptachlor epoxide


R.T.: 4.848 min
Delta R.T.: -0.001 min
Response: 86348247
Conc: 52.51 ng/ml



#9 Endosulfan I


R.T.: 6.208 min
Delta R.T.: 0.000 min
Response: 163064368
Conc: 53.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.224 min
Delta R.T.: 0.000 min
Response: 78627472
Conc: 52.31 ng/ml




#10 gamma-Chlordane

R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 182375749
Conc: 54.75 ng/ml



#10 gamma-Chlordane


R.T.: 5.102 min
Delta R.T.: -0.001 min
Response: 86738764
Conc: 52.37 ng/ml



#11 alpha-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 179629629
Conc: 54.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 86646781
Conc: 52.20 ng/ml




#12 4,4'-DDE

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 160780247
Conc: 53.81 ng/ml



#12 4,4'-DDE


R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 77869392
Conc: 53.39 ng/ml



#13 Dieldrin


R.T.: 6.486 min
Delta R.T.: 0.000 min
Response: 174379693
Conc: 53.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.493 min
Delta R.T.: 0.000 min
Response: 85362243
Conc: 52.56 ng/ml




#14 Endrin

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 141861495
Conc: 51.89 ng/ml



#14 Endrin


R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 73698440
Conc: 51.13 ng/ml



#15 Endosulfan II


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 150352537
Conc: 52.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 73580652
Conc: 51.17 ng/ml




#16 4,4'-DDD

R.T.: 6.854 min
Delta R.T.: 0.000 min
Response: 136319585
Conc: 53.53 ng/ml



#16 4,4'-DDD


R.T.: 5.922 min
Delta R.T.: 0.000 min
Response: 67268364
Conc: 54.01 ng/ml



#17 4,4'-DDT


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 134957026
Conc: 50.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 66688769
Conc: 49.69 ng/ml




#18 Endrin aldehyde

R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 102175836
Conc: 48.94 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 56035168
Conc: 53.47 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.308 min
Delta R.T.: 0.000 min
Response: 144861786
Conc: 52.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 71510839
Conc: 51.54 ng/ml




#20 Methoxychlor

R.T.: 7.653 min
Delta R.T.: 0.000 min
Response: 74441103
Conc: 49.41 ng/ml



#20 Methoxychlor


R.T.: 6.760 min
Delta R.T.: 0.000 min
Response: 39045937
Conc: 48.68 ng/ml



#21 Endrin ketone


R.T.: 7.799 min
Delta R.T.: 0.000 min
Response: 158051928
Conc: 53.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.989 min
Delta R.T.: 0.000 min
Response: 86014666
Conc: 52.11 ng/ml




#22 Mirex

R.T.: 8.282 min
Delta R.T.: 0.000 min
Response: 121923745
Conc: 52.00 ng/ml



#22 Mirex


R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 66883618
Conc: 49.60 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.355 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.474 min
Delta R.T.: 0.013 min
Response: 352539
Conc: 5.81 ng/ml




#25 Chlordane-3

R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 182375749
Conc: 366.78 ng/ml



#25 Chlordane-3


R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 86738764
Conc: 508.22 ng/ml



#26 Chlordane-4


R.T.: 6.157 min
Delta R.T.: -0.003 min
Response: 179629629
Conc: 299.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 86646781
Conc: 543.10 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 7.019 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 5.869 min
Delta R.T.: 0.026 min
Response: 244378
Conc: 4.82 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.303 min

Delta R.T.: 0.000 min

Response: 119626784

Conc: 48.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.081 min

Delta R.T.: 0.000 min

Response: 66421742

Conc: 48.99 ng/ml