

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031725\
 Data File : PL094707.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Mar 2025 11:51
 Operator : AR\AJ
 Sample : Q1568-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 JC-03-03132025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 18 01:14:17 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.771	44040230	55470954	15.558	15.541
28)	SA Decachlor...	9.054	7.905	40863276	59150297	19.390	14.643
Target Compounds							
4)	MA Heptachlor	0.000	3.958f	0	7220527	N.D.	1.370 #
7)	B delta-BHC	4.762	0.000	4335350	0	1.113	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031725\
Data File : PL094707.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Mar 2025 11:51
Operator : AR\AJ
Sample : Q1568-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
JC-03-03132025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 18 01:14:17 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: -0.001 min
Response: 44040230
Conc: 15.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
JC-03-03132025




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: -0.001 min
Response: 55470954
Conc: 15.54 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.915 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.958 min
Delta R.T.: 0.016 min
Response: 7220527
Conc: 1.37 ng/ml



#7 delta-BHC


R.T.: 4.762 min
Delta R.T.: -0.011 min
Response: 4335350
Conc: 1.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
JC-03-03132025




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 4.133 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: -0.001 min
Response: 40863276
Conc: 19.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.905 min
Delta R.T.: -0.002 min
Response: 59150297
Conc: 14.64 ng/ml