

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031725\
 Data File : PL094709.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Mar 2025 12:19
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 18 01:14:38 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.771	119.7E6	158.2E6	42.279	44.324
28)	SA Decachlor...	9.053	7.905	96924235	157.7E6	45.991	39.052
Target Compounds							
2)	A alpha-BHC	3.993	3.273	174.6E6	237.2E6	42.037	43.992
3)	MA gamma-BHC...	4.326	3.603	168.0E6	224.6E6	42.103	43.700
4)	MA Heptachlor	4.913	3.941	158.9E6	222.7E6	40.925	42.263
5)	MB Aldrin	5.255	4.220	152.1E6	211.6E6	41.186	43.389
6)	B beta-BHC	4.525	3.904	76653753	98640160	41.542	44.407
7)	B delta-BHC	4.772	4.132	168.2E6	224.7E6	43.185	44.916
8)	B Heptachlo...	5.682	4.723	138.6E6	197.9E6	41.441	43.219
9)	A Endosulfan I	6.067	5.093	128.3E6	184.9E6	41.788	42.125
10)	B gamma-Chl...	5.939	4.973	140.2E6	209.7E6	41.617	43.423
11)	B alpha-Chl...	6.017	5.036	137.7E6	206.4E6	41.753	43.243
12)	B 4,4'-DDE	6.191	5.225	131.7E6	219.4E6	44.770	47.206
13)	MA Dieldrin	6.343	5.356	133.2E6	223.2E6	41.663	46.006
14)	MA Endrin	6.573	5.632	118.8E6	191.6E6	42.874	43.913
15)	B Endosulfa...	6.793	5.927	114.7E6	187.5E6	42.255	43.328
16)	A 4,4'-DDD	6.708	5.780	100.4E6	166.5E6	46.365	46.315
17)	MA 4,4'-DDT	7.022	6.030	106.1E6	181.4E6	44.600	44.993
18)	B Endrin al...	6.923	6.106	86459219	139.9E6	40.957	41.564
19)	B Endosulfa...	7.158	6.329	104.3E6	177.0E6	42.881	43.463
20)	A Methoxychlor	7.499	6.605	55877930	96211739	46.679	45.360
21)	B Endrin ke...	7.642	6.834	115.9E6	211.1E6	43.833	44.229
22)	Mirex	8.115	7.013	87431507	156.7E6	42.313	41.277
24)	Chlordane-2	5.255f	0.000	152.1E6	0	1005.050	N.D. #
25)	Chlordane-3	5.939	4.973	140.2E6	209.7E6	280.550	394.111 #
26)	Chlordane-4	6.017	5.036	137.7E6	206.4E6	233.669	396.474 #
27)	Chlordane-5	0.000	5.927	0	187.5E6	N.D.	977.569 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031725\
Data File : PL094709.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Mar 2025 12:19
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 18 01:14:38 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 119678895
Conc: 42.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: -0.001 min
Response: 158203006
Conc: 44.32 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.000 min
Response: 174551873
Conc: 42.04 ng/ml



#2 alpha-BHC


R.T.: 3.273 min
Delta R.T.: -0.001 min
Response: 237175720
Conc: 43.99 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 168003818
Conc: 42.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.603 min
Delta R.T.: -0.002 min
Response: 224592768
Conc: 43.70 ng/ml




#4 Heptachlor

R.T.: 4.913 min
Delta R.T.: -0.001 min
Response: 158854809
Conc: 40.92 ng/ml



#4 Heptachlor


R.T.: 3.941 min
Delta R.T.: -0.002 min
Response: 222666378
Conc: 42.26 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: -0.001 min
Response: 152069332
Conc: 41.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.220 min
Delta R.T.: -0.002 min
Response: 211581645
Conc: 43.39 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 76653753
Conc: 41.54 ng/ml



#6 beta-BHC


R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 98640160
Conc: 44.41 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.000 min
Response: 168174806
Conc: 43.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.132 min
Delta R.T.: -0.001 min
Response: 224669167
Conc: 44.92 ng/ml




#8 Heptachlor epoxide

R.T.: 5.682 min
Delta R.T.: -0.001 min
Response: 138627562
Conc: 41.44 ng/ml



#8 Heptachlor epoxide


R.T.: 4.723 min
Delta R.T.: -0.002 min
Response: 197879758
Conc: 43.22 ng/ml



#9 Endosulfan I


R.T.: 6.067 min
Delta R.T.: -0.002 min
Response: 128297682
Conc: 41.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.093 min
Delta R.T.: -0.001 min
Response: 184876939
Conc: 42.13 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: -0.001 min
Response: 140224393
Conc: 41.62 ng/ml



#10 gamma-Chlordane


R.T.: 4.973 min
Delta R.T.: -0.001 min
Response: 209666156
Conc: 43.42 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: -0.001 min
Response: 137652561
Conc: 41.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.036 min
Delta R.T.: -0.002 min
Response: 206388809
Conc: 43.24 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.002 min
Response: 131716971
Conc: 44.77 ng/ml



#12 4,4'-DDE


R.T.: 5.225 min
Delta R.T.: -0.002 min
Response: 219438541
Conc: 47.21 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: -0.001 min
Response: 133244563
Conc: 41.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.356 min
Delta R.T.: -0.002 min
Response: 223210996
Conc: 46.01 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: -0.001 min
Response: 118849764
Conc: 42.87 ng/ml



#14 Endrin


R.T.: 5.632 min
Delta R.T.: -0.002 min
Response: 191619928
Conc: 43.91 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: -0.001 min
Response: 114711874
Conc: 42.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.927 min
Delta R.T.: -0.002 min
Response: 187532960
Conc: 43.33 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.001 min
Response: 100430579
Conc: 46.37 ng/ml



#16 4,4'-DDD


R.T.: 5.780 min
Delta R.T.: -0.002 min
Response: 166542590
Conc: 46.31 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: -0.002 min
Response: 106082948
Conc: 44.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.030 min
Delta R.T.: -0.002 min
Response: 181415295
Conc: 44.99 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: -0.001 min
Response: 86459219
Conc: 40.96 ng/ml



#18 Endrin aldehyde


R.T.: 6.106 min
Delta R.T.: -0.003 min
Response: 139876916
Conc: 41.56 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: -0.001 min
Response: 104286352
Conc: 42.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.329 min
Delta R.T.: -0.002 min
Response: 177043480
Conc: 43.46 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 55877930
Conc: 46.68 ng/ml



#20 Methoxychlor


R.T.: 6.605 min
Delta R.T.: -0.002 min
Response: 96211739
Conc: 45.36 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: -0.001 min
Response: 115863015
Conc: 43.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.834 min
Delta R.T.: -0.002 min
Response: 211086813
Conc: 44.23 ng/ml




#22 Mirex

R.T.: 8.115 min
Delta R.T.: -0.002 min
Response: 87431507
Conc: 42.31 ng/ml



#22 Mirex


R.T.: 7.013 min
Delta R.T.: -0.002 min
Response: 156660804
Conc: 41.28 ng/ml



#24 Chlordane-2


R.T.: 5.255 min
Delta R.T.: 0.025 min
Response: 152069332
Conc: 1005.05 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.939 min
Delta R.T.: -0.001 min
Response: 140224393
Conc: 280.55 ng/ml



#25 Chlordane-3


R.T.: 4.973 min
Delta R.T.: -0.002 min
Response: 209666156
Conc: 394.11 ng/ml



#26 Chlordane-4


R.T.: 6.017 min
Delta R.T.: -0.004 min
Response: 137652561
Conc: 233.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.036 min
Delta R.T.: -0.001 min
Response: 206388809
Conc: 396.47 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.927 min
Delta R.T.: -0.006 min
Response: 187532960
Conc: 977.57 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: -0.003 min
Response: 96924235
Conc: 45.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.905 min
Delta R.T.: -0.002 min
Response: 157746315
Conc: 39.05 ng/ml