

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031822\
 Data File : PL073467.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Mar 2022 13:46
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 19 00:50:19 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031122.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 14 04:12:46 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.643	5.492	17238218	95368063	53.821	58.107
28)	SA Decachlor...	10.417	11.331	25840119	93639173	50.817	52.366
Target Compounds							
2)	A alpha-BHC	5.351	6.055	22646945	137.8E6	54.941	61.241
3)	MA gamma-BHC...	5.775	6.444	22551192	129.0E6	54.062	60.432
4)	MA Heptachlor	6.187	7.103	24225458	140.6E6	53.691	60.007
5)	MB Aldrin	6.512	7.471	22276687	128.1E6	53.917	61.129
6)	B beta-BHC	6.155	6.680	11264847	58540766	54.711	56.161
7)	B delta-BHC	6.416	6.948	22080900	127.0E6	54.976	58.988
8)	B Heptachlo...	7.088	7.927	22757502	119.5E6	52.804	59.853
9)	A Endosulfan I	7.491	8.327	21684799	108.7E6	52.862	59.532
10)	B gamma-Chl...	7.366	8.195	22993052	123.9E6	52.579	60.648
11)	B alpha-Chl...	7.436	8.278	23264689	119.1E6	52.643	59.552
12)	B 4,4'-DDE	7.649	8.461	18988480	107.2E6	52.917	59.821
13)	MA Dieldrin	7.778	8.612	22004826	108.7E6	52.817	58.934
14)	MA Endrin	8.069	8.846	20882227	89079092	53.820	57.865
15)	B Endosulfa...	8.379	9.070	20452027	88168352	52.323	57.407
16)	A 4,4'-DDD	8.235	8.989	17107379	86864342	52.681	59.508
17)	MA 4,4'-DDT	8.497	9.307	19562736	93267307	51.728	57.061
18)	B Endrin al...	8.569	9.202	16549653	65890813	52.331	53.731
19)	B Endosulfa...	8.799	9.440	21853459	88740413	51.734	56.305
20)	A Methoxychlor	9.092	9.787	12831264	48567220	50.018	53.899
21)	B Endrin ke...	9.318	9.929	26018187	93641764	53.183	56.732
22)	Mirex	9.506	10.405	23716909	74961638	50.294	55.181
23)	Chlordane-1	0.000	6.853	0	772723	N.D.	11.311 #
24)	Chlordane-2	6.682f	7.471f	98969	128.1E6	6.067	1781.801 #
25)	Chlordane-3	7.366	8.195	22993052	123.9E6	563.084	456.855
26)	Chlordane-4	7.436	8.278	23264689	119.1E6	524.916	359.557 #
27)	Chlordane-5	8.379	0.000	20452027	0	1248.957	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031822\
Data File : PL073467.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Mar 2022 13:46
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 19 00:50:19 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031122.M
Quant Title : GC Extractables
QLast Update : Mon Mar 14 04:12:46 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.643 min
Delta R.T.: 0.000 min
Response: 17238218
Conc: 53.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.492 min
Delta R.T.: 0.000 min
Response: 95368063
Conc: 58.11 ng/ml




#2 alpha-BHC

R.T.: 5.351 min
Delta R.T.: 0.000 min
Response: 22646945
Conc: 54.94 ng/ml



#2 alpha-BHC


R.T.: 6.055 min
Delta R.T.: 0.001 min
Response: 137770398
Conc: 61.24 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.775 min
Delta R.T.: 0.000 min
Response: 22551192
Conc: 54.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.444 min
Delta R.T.: 0.001 min
Response: 129026715
Conc: 60.43 ng/ml




#4 Heptachlor

R.T.: 6.187 min
Delta R.T.: 0.000 min
Response: 24225458
Conc: 53.69 ng/ml



#4 Heptachlor


R.T.: 7.103 min
Delta R.T.: 0.002 min
Response: 140602613
Conc: 60.01 ng/ml



#5 Aldrin


R.T.: 6.512 min
Delta R.T.: -0.001 min
Response: 22276687
Conc: 53.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.471 min
Delta R.T.: 0.001 min
Response: 128064639
Conc: 61.13 ng/ml




#6 beta-BHC

R.T.: 6.155 min
Delta R.T.: 0.000 min
Response: 11264847
Conc: 54.71 ng/ml



#6 beta-BHC


R.T.: 6.680 min
Delta R.T.: 0.001 min
Response: 58540766
Conc: 56.16 ng/ml



#7 delta-BHC


R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 22080900
Conc: 54.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.948 min
Delta R.T.: 0.001 min
Response: 127034149
Conc: 58.99 ng/ml




#8 Heptachlor epoxide

R.T.: 7.088 min
Delta R.T.: -0.002 min
Response: 22757502
Conc: 52.80 ng/ml



#8 Heptachlor epoxide


R.T.: 7.927 min
Delta R.T.: 0.000 min
Response: 119545393
Conc: 59.85 ng/ml



#9 Endosulfan I


R.T.: 7.491 min
Delta R.T.: -0.002 min
Response: 21684799
Conc: 52.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.327 min
Delta R.T.: 0.000 min
Response: 108668517
Conc: 59.53 ng/ml




#10 gamma-Chlordane

R.T.: 7.366 min
Delta R.T.: -0.001 min
Response: 22993052
Conc: 52.58 ng/ml



#10 gamma-Chlordane


R.T.: 8.195 min
Delta R.T.: 0.001 min
Response: 123867987
Conc: 60.65 ng/ml



#11 alpha-Chlordane


R.T.: 7.436 min
Delta R.T.: -0.002 min
Response: 23264689
Conc: 52.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.278 min
Delta R.T.: 0.000 min
Response: 119104109
Conc: 59.55 ng/ml




#12 4,4'-DDE

R.T.: 7.649 min
Delta R.T.: -0.001 min
Response: 18988480
Conc: 52.92 ng/ml



#12 4,4'-DDE


R.T.: 8.461 min
Delta R.T.: 0.000 min
Response: 107221801
Conc: 59.82 ng/ml



#13 Dieldrin


R.T.: 7.778 min
Delta R.T.: -0.001 min
Response: 22004826
Conc: 52.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.612 min
Delta R.T.: 0.000 min
Response: 108718073
Conc: 58.93 ng/ml




#14 Endrin

R.T.: 8.069 min
Delta R.T.: -0.001 min
Response: 20882227
Conc: 53.82 ng/ml



#14 Endrin


R.T.: 8.846 min
Delta R.T.: 0.000 min
Response: 89079092
Conc: 57.87 ng/ml



#15 Endosulfan II


R.T.: 8.379 min
Delta R.T.: -0.002 min
Response: 20452027
Conc: 52.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.070 min
Delta R.T.: 0.000 min
Response: 88168352
Conc: 57.41 ng/ml




#16 4,4'-DDD

R.T.: 8.235 min
Delta R.T.: -0.002 min
Response: 17107379
Conc: 52.68 ng/ml



#16 4,4'-DDD


R.T.: 8.989 min
Delta R.T.: 0.000 min
Response: 86864342
Conc: 59.51 ng/ml



#17 4,4'-DDT


R.T.: 8.497 min
Delta R.T.: -0.002 min
Response: 19562736
Conc: 51.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.307 min
Delta R.T.: 0.000 min
Response: 93267307
Conc: 57.06 ng/ml




#18 Endrin aldehyde

R.T.: 8.569 min
Delta R.T.: -0.001 min
Response: 16549653
Conc: 52.33 ng/ml



#18 Endrin aldehyde


R.T.: 9.202 min
Delta R.T.: 0.000 min
Response: 65890813
Conc: 53.73 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.799 min
Delta R.T.: -0.002 min
Response: 21853459
Conc: 51.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.440 min
Delta R.T.: 0.000 min
Response: 88740413
Conc: 56.30 ng/ml




#20 Methoxychlor

R.T.: 9.092 min
Delta R.T.: -0.003 min
Response: 12831264
Conc: 50.02 ng/ml



#20 Methoxychlor


R.T.: 9.787 min
Delta R.T.: 0.001 min
Response: 48567220
Conc: 53.90 ng/ml



#21 Endrin ketone


R.T.: 9.318 min
Delta R.T.: -0.002 min
Response: 26018187
Conc: 53.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.929 min
Delta R.T.: 0.000 min
Response: 93641764
Conc: 56.73 ng/ml




#22 Mirex

R.T.: 9.506 min
Delta R.T.: -0.003 min
Response: 23716909
Conc: 50.29 ng/ml



#22 Mirex


R.T.: 10.405 min
Delta R.T.: 0.000 min
Response: 74961638
Conc: 55.18 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 5.976 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 6.853 min
Delta R.T.: -0.010 min
Response: 772723
Conc: 11.31 ng/ml




#24 Chlordane-2

R.T.: 6.682 min
Delta R.T.: 0.016 min
Response: 98969
Conc: 6.07 ng/ml



#24 Chlordane-2


R.T.: 7.471 min
Delta R.T.: 0.026 min
Response: 128064639
Conc: 1781.80 ng/ml



#25 Chlordane-3


R.T.: 7.366 min
Delta R.T.: -0.002 min
Response: 22993052
Conc: 563.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 8.195 min
Delta R.T.: 0.000 min
Response: 123867987
Conc: 456.85 ng/ml




#26 Chlordane-4

R.T.: 7.436 min
Delta R.T.: 0.000 min
Response: 23264689
Conc: 524.92 ng/ml



#26 Chlordane-4


R.T.: 8.278 min
Delta R.T.: -0.004 min
Response: 119104109
Conc: 359.56 ng/ml



#27 Chlordane-5


R.T.: 8.379 min
Delta R.T.: -0.007 min
Response: 20452027
Conc: 1248.96 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 9.149 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 10.417 min
Delta R.T.: -0.004 min
Response: 25840119
Conc: 50.82 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.331 min
Delta R.T.: 0.000 min
Response: 93639173
Conc: 52.37 ng/ml