

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031822\
 Data File : PL073503.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Mar 2022 03:29
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 21 02:56:16 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031122.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 14 04:12:46 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.642	5.492	14732021	82055138	45.996	49.996
28)	SA Decachlor...	10.418	11.332	22829018	80959455	44.895	45.275
Target Compounds							
2)	A alpha-BHC	5.351	6.055	19325047	117.3E6	46.882	52.136
3)	MA gamma-BHC...	5.774	6.444	19286140	110.0E6	46.235	51.499
4)	MA Heptachlor	6.186	7.103	20801156	119.7E6	46.102	51.105
5)	MB Aldrin	6.511	7.471	19006085	109.2E6	46.001	52.143
6)	B beta-BHC	6.155	6.680	9824704	50822400	47.717	48.756
7)	B delta-BHC	6.416	6.948	18849140	108.5E6	46.930	50.365
8)	B Heptachlo...	7.088	7.927	19585578	103.5E6	45.444	51.799
9)	A Endosulfan I	7.491	8.328	18652561	93832948	45.470	51.404
10)	B gamma-Chl...	7.365	8.195	19748982	108.7E6	45.161	53.234
11)	B alpha-Chl...	7.436	8.278	19988890	103.1E6	45.231	51.532
12)	B 4,4'-DDE	7.649	8.462	16228823	91269485	45.226	50.921
13)	MA Dieldrin	7.778	8.612	18613608	92673673	44.677	50.237
14)	MA Endrin	8.069	8.847	17635717	74940859	45.452	48.681
15)	B Endosulfa...	8.379	9.070	17590089	75774944	45.002	49.338
16)	A 4,4'-DDD	8.235	8.989	14705672	76190543	45.285	52.196
17)	MA 4,4'-DDT	8.497	9.308	16403382	76485901	43.374	46.794
18)	B Endrin al...	8.568	9.203	14309407	53870020	45.247	43.929
19)	B Endosulfa...	8.799	9.440	18928409	75579164	44.809	47.954
20)	A Methoxychlor	9.092	9.787	10960340	40312909	42.725	44.739
21)	B Endrin ke...	9.318	9.929	22582680	79463754	46.160	48.143
22)	Mirex	9.507	10.405	20686754	63881423	43.869	47.025
23)	Chlordane-1	0.000	6.852	0	749332	N.D.	10.969 #
24)	Chlordane-2	0.000	7.471f	0	109.2E6	N.D.	1519.879 #
25)	Chlordane-3	7.365	8.195	19748982	108.7E6	483.639	401.006
26)	Chlordane-4	7.436	8.278	19988890	103.1E6	451.005	311.137 #
27)	Chlordane-5	8.379	0.000	17590089	0	1074.185	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031822\
Data File : PL073503.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Mar 2022 03:29
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 21 02:56:16 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031122.M
Quant Title : GC Extractables
QLast Update : Mon Mar 14 04:12:46 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.642 min
Delta R.T.: 0.000 min
Response: 14732021
Conc: 46.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.492 min
Delta R.T.: 0.000 min
Response: 82055138
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 5.351 min
Delta R.T.: 0.000 min
Response: 19325047
Conc: 46.88 ng/ml



#2 alpha-BHC


R.T.: 6.055 min
Delta R.T.: 0.001 min
Response: 117288604
Conc: 52.14 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.774 min
Delta R.T.: 0.000 min
Response: 19286140
Conc: 46.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.444 min
Delta R.T.: 0.001 min
Response: 109955014
Conc: 51.50 ng/ml




#4 Heptachlor

R.T.: 6.186 min
Delta R.T.: 0.000 min
Response: 20801156
Conc: 46.10 ng/ml



#4 Heptachlor


R.T.: 7.103 min
Delta R.T.: 0.002 min
Response: 119743582
Conc: 51.10 ng/ml



#5 Aldrin


R.T.: 6.511 min
Delta R.T.: -0.001 min
Response: 19006085
Conc: 46.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.471 min
Delta R.T.: 0.001 min
Response: 109239316
Conc: 52.14 ng/ml




#6 beta-BHC

R.T.: 6.155 min
Delta R.T.: 0.000 min
Response: 9824704
Conc: 47.72 ng/ml



#6 beta-BHC


R.T.: 6.680 min
Delta R.T.: 0.001 min
Response: 50822400
Conc: 48.76 ng/ml



#7 delta-BHC


R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 18849140
Conc: 46.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.948 min
Delta R.T.: 0.002 min
Response: 108464552
Conc: 50.37 ng/ml




#8 Heptachlor epoxide

R.T.: 7.088 min
Delta R.T.: -0.002 min
Response: 19585578
Conc: 45.44 ng/ml



#8 Heptachlor epoxide


R.T.: 7.927 min
Delta R.T.: 0.001 min
Response: 103459152
Conc: 51.80 ng/ml



#9 Endosulfan I


R.T.: 7.491 min
Delta R.T.: -0.002 min
Response: 18652561
Conc: 45.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.328 min
Delta R.T.: 0.001 min
Response: 93832948
Conc: 51.40 ng/ml




#10 gamma-Chlordane

R.T.: 7.365 min
Delta R.T.: -0.002 min
Response: 19748982
Conc: 45.16 ng/ml



#10 gamma-Chlordane


R.T.: 8.195 min
Delta R.T.: 0.001 min
Response: 108725728
Conc: 53.23 ng/ml



#11 alpha-Chlordane


R.T.: 7.436 min
Delta R.T.: -0.002 min
Response: 19988890
Conc: 45.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.278 min
Delta R.T.: 0.001 min
Response: 103064958
Conc: 51.53 ng/ml




#12 4,4'-DDE

R.T.: 7.649 min
Delta R.T.: -0.002 min
Response: 16228823
Conc: 45.23 ng/ml



#12 4,4'-DDE


R.T.: 8.462 min
Delta R.T.: 0.000 min
Response: 91269485
Conc: 50.92 ng/ml



#13 Dieldrin


R.T.: 7.778 min
Delta R.T.: -0.002 min
Response: 18613608
Conc: 44.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.612 min
Delta R.T.: 0.001 min
Response: 92673673
Conc: 50.24 ng/ml




#14 Endrin

R.T.: 8.069 min
Delta R.T.: -0.002 min
Response: 17635717
Conc: 45.45 ng/ml



#14 Endrin


R.T.: 8.847 min
Delta R.T.: 0.002 min
Response: 74940859
Conc: 48.68 ng/ml



#15 Endosulfan II


R.T.: 8.379 min
Delta R.T.: -0.002 min
Response: 17590089
Conc: 45.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.070 min
Delta R.T.: 0.001 min
Response: 75774944
Conc: 49.34 ng/ml




#16 4,4'-DDD

R.T.: 8.235 min
Delta R.T.: -0.002 min
Response: 14705672
Conc: 45.28 ng/ml



#16 4,4'-DDD


R.T.: 8.989 min
Delta R.T.: 0.001 min
Response: 76190543
Conc: 52.20 ng/ml



#17 4,4'-DDT


R.T.: 8.497 min
Delta R.T.: -0.002 min
Response: 16403382
Conc: 43.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.308 min
Delta R.T.: 0.001 min
Response: 76485901
Conc: 46.79 ng/ml




#18 Endrin aldehyde

R.T.: 8.568 min
Delta R.T.: -0.002 min
Response: 14309407
Conc: 45.25 ng/ml



#18 Endrin aldehyde


R.T.: 9.203 min
Delta R.T.: 0.001 min
Response: 53870020
Conc: 43.93 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.799 min
Delta R.T.: -0.002 min
Response: 18928409
Conc: 44.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.440 min
Delta R.T.: 0.000 min
Response: 75579164
Conc: 47.95 ng/ml




#20 Methoxychlor

R.T.: 9.092 min
Delta R.T.: -0.002 min
Response: 10960340
Conc: 42.72 ng/ml



#20 Methoxychlor


R.T.: 9.787 min
Delta R.T.: 0.002 min
Response: 40312909
Conc: 44.74 ng/ml



#21 Endrin ketone


R.T.: 9.318 min
Delta R.T.: -0.002 min
Response: 22582680
Conc: 46.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.929 min
Delta R.T.: 0.001 min
Response: 79463754
Conc: 48.14 ng/ml




#22 Mirex

R.T.: 9.507 min
Delta R.T.: -0.003 min
Response: 20686754
Conc: 43.87 ng/ml



#22 Mirex


R.T.: 10.405 min
Delta R.T.: 0.000 min
Response: 63881423
Conc: 47.02 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 5.976 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 6.852 min
Delta R.T.: -0.011 min
Response: 749332
Conc: 10.97 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 6.665 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 7.471 min
Delta R.T.: 0.025 min
Response: 109239316
Conc: 1519.88 ng/ml



#25 Chlordane-3


R.T.: 7.365 min
Delta R.T.: -0.002 min
Response: 19748982
Conc: 483.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 8.195 min
Delta R.T.: 0.000 min
Response: 108725728
Conc: 401.01 ng/ml




#26 Chlordane-4

R.T.: 7.436 min
Delta R.T.: -0.001 min
Response: 19988890
Conc: 451.00 ng/ml



#26 Chlordane-4


R.T.: 8.278 min
Delta R.T.: -0.003 min
Response: 103064958
Conc: 311.14 ng/ml



#27 Chlordane-5


R.T.: 8.379 min
Delta R.T.: -0.007 min
Response: 17590089
Conc: 1074.19 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 9.149 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 10.418 min
Delta R.T.: -0.003 min
Response: 22829018
Conc: 44.90 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.332 min
Delta R.T.: 0.000 min
Response: 80959455
Conc: 45.27 ng/ml