

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031925\
 Data File : PL094760.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Mar 2025 21:34
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 20 01:12:57 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.770	139.8E6	185.6E6	49.372	51.992
28)	SA Decachlor...	9.048	7.903	104.0E6	185.8E6	49.346	46.000
Target Compounds							
2)	A alpha-BHC	3.992	3.272	203.6E6	283.2E6	49.031	52.533
3)	MA gamma-BHC...	4.324	3.601	194.0E6	266.0E6	48.630	51.764
4)	MA Heptachlor	4.912	3.939	166.8E6	238.3E6	42.982	45.232
5)	MB Aldrin	5.253	4.218	175.9E6	249.8E6	47.637	51.217
6)	B beta-BHC	4.523	3.902	88861932	117.2E6	48.158	52.754
7)	B delta-BHC	4.770	4.130	193.6E6	267.3E6	49.719	53.436
8)	B Heptachlo...	5.680	4.721	160.8E6	232.5E6	48.080	50.790
9)	A Endosulfan I	6.066	5.090	147.8E6	205.5E6	48.150	46.832
10)	B gamma-Chl...	5.937	4.971	165.1E6	247.7E6	48.988	51.306
11)	B alpha-Chl...	6.015	5.034	159.4E6	240.3E6	48.355	50.347
12)	B 4,4'-DDE	6.189	5.223	152.5E6	263.1E6	51.844	56.588
13)	MA Dieldrin	6.341	5.355	155.1E6	259.9E6	48.485	53.567
14)	MA Endrin	6.570	5.630	114.7E6	208.6E6	41.393	47.801
15)	B Endosulfa...	6.791	5.925	130.4E6	218.0E6	48.033	50.376
16)	A 4,4'-DDD	6.706	5.778	123.2E6	210.7E6	56.895	58.591
17)	MA 4,4'-DDT	7.020	6.028	96092022	164.5E6	40.400	40.788
18)	B Endrin al...	6.921	6.104	97303184	158.4E6	46.094	47.079
19)	B Endosulfa...	7.155	6.327	118.0E6	205.5E6	48.532	50.438
20)	A Methoxychlor	7.497	6.603	49824428	87776581	41.622	41.383
21)	B Endrin ke...	7.640	6.832	132.2E6	245.9E6	50.012	51.515
22)	Mirex	8.112	7.012	97176385	182.8E6	47.030	48.163
24)	Chlordane-2	5.253f	4.358	175.9E6	-3384877	1162.461	N.D. #
25)	Chlordane-3	5.937	4.971	165.1E6	247.7E6	330.236	465.657 #
26)	Chlordane-4	6.015	5.034	159.4E6	240.3E6	270.617	461.606 #
27)	Chlordane-5	0.000	5.925	0	218.0E6	N.D.	1136.605 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031925\
Data File : PL094760.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Mar 2025 21:34
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 20 01:12:57 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.002 min
Response: 139756884
Conc: 49.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.770 min
Delta R.T.: -0.002 min
Response: 185572307
Conc: 51.99 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.003 min
Response: 203592417
Conc: 49.03 ng/ml



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.002 min
Response: 283226637
Conc: 52.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: -0.003 min
Response: 194045818
Conc: 48.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 266040612
Conc: 51.76 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.003 min
Response: 166840934
Conc: 42.98 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: -0.003 min
Response: 238311170
Conc: 45.23 ng/ml



#5 Aldrin


R.T.: 5.253 min
Delta R.T.: -0.003 min
Response: 175886394
Conc: 47.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.218 min
Delta R.T.: -0.003 min
Response: 249750401
Conc: 51.22 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 88861932
Conc: 48.16 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 117183167
Conc: 52.75 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.003 min
Response: 193621708
Conc: 49.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.130 min
Delta R.T.: -0.003 min
Response: 267285374
Conc: 53.44 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 160837594
Conc: 48.08 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.003 min
Response: 232546644
Conc: 50.79 ng/ml



#9 Endosulfan I


R.T.: 6.066 min
Delta R.T.: -0.003 min
Response: 147830008
Conc: 48.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.090 min
Delta R.T.: -0.004 min
Response: 205531859
Conc: 46.83 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 165058749
Conc: 48.99 ng/ml



#10 gamma-Chlordane


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 247728737
Conc: 51.31 ng/ml



#11 alpha-Chlordane


R.T.: 6.015 min
Delta R.T.: -0.003 min
Response: 159418610
Conc: 48.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 240293565
Conc: 50.35 ng/ml




#12 4,4'-DDE

R.T.: 6.189 min
Delta R.T.: -0.004 min
Response: 152529425
Conc: 51.84 ng/ml



#12 4,4'-DDE


R.T.: 5.223 min
Delta R.T.: -0.003 min
Response: 263050944
Conc: 56.59 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: -0.003 min
Response: 155060162
Conc: 48.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.355 min
Delta R.T.: -0.004 min
Response: 259898298
Conc: 53.57 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: -0.003 min
Response: 114743107
Conc: 41.39 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: -0.004 min
Response: 208586504
Conc: 47.80 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: -0.003 min
Response: 130397559
Conc: 48.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.925 min
Delta R.T.: -0.004 min
Response: 218041736
Conc: 50.38 ng/ml




#16 4,4'-DDD

R.T.: 6.706 min
Delta R.T.: -0.004 min
Response: 123238059
Conc: 56.89 ng/ml



#16 4,4'-DDD


R.T.: 5.778 min
Delta R.T.: -0.004 min
Response: 210687046
Conc: 58.59 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.004 min
Response: 96092022
Conc: 40.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: -0.004 min
Response: 164460107
Conc: 40.79 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: -0.003 min
Response: 97303184
Conc: 46.09 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 158439671
Conc: 47.08 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.155 min
Delta R.T.: -0.003 min
Response: 118030996
Conc: 48.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.327 min
Delta R.T.: -0.004 min
Response: 205458047
Conc: 50.44 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: -0.003 min
Response: 49824428
Conc: 41.62 ng/ml



#20 Methoxychlor


R.T.: 6.603 min
Delta R.T.: -0.004 min
Response: 87776581
Conc: 41.38 ng/ml



#21 Endrin ketone


R.T.: 7.640 min
Delta R.T.: -0.004 min
Response: 132195853
Conc: 50.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.832 min
Delta R.T.: -0.004 min
Response: 245858310
Conc: 51.51 ng/ml




#22 Mirex

R.T.: 8.112 min
Delta R.T.: -0.005 min
Response: 97176385
Conc: 47.03 ng/ml



#22 Mirex


R.T.: 7.012 min
Delta R.T.: -0.004 min
Response: 182793773
Conc: 48.16 ng/ml



#24 Chlordane-2


R.T.: 5.253 min
Delta R.T.: 0.023 min
Response: 175886394
Conc: 1162.46 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.358 min
Delta R.T.: 0.014 min
Response: -3384877
Conc: N.D.




#25 Chlordane-3

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 165058749
Conc: 330.24 ng/ml



#25 Chlordane-3


R.T.: 4.971 min
Delta R.T.: -0.004 min
Response: 247728737
Conc: 465.66 ng/ml



#26 Chlordane-4


R.T.: 6.015 min
Delta R.T.: -0.007 min
Response: 159418610
Conc: 270.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 240293565
Conc: 461.61 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 5.925 min
Delta R.T.: -0.008 min
Response: 218041736
Conc: 1136.60 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.048 min

Delta R.T.: -0.007 min

Response: 103995113

Conc: 49.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.903 min

Delta R.T.: -0.004 min

Response: 185811093

Conc: 46.00 ng/ml