

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032124\
 Data File : PL088729.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Mar 2024 19:20
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 21 23:32:06 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	0.000	2.864	0	15194	N.D.	0.011 #
Target Compounds						
2) A alpha-BHC	0.000	3.380	0	27140	N.D.	0.014 #
5) MB Aldrin	0.000	4.327	0	40455	N.D.	0.022 #
7) B delta-BHC	0.000	4.270f	0	48120	N.D.	0.025 #
8) B Heptachlo...	0.000	4.850	0	15134	N.D.	0.009 #
9) A Endosulfan I	0.000	5.216	0	12494	N.D.	0.008 #
10) B gamma-Chl...	0.000	5.103	0	11787	N.D.	0.007 #
11) B alpha-Chl...	0.000	5.186f	0	48250	N.D.	0.029 #
13) MA Dieldrin	0.000	5.501	0	15670	N.D.	0.010 #
14) MA Endrin	0.000	5.775	0	40035	N.D.	0.028 #
15) B Endosulfa...	0.000	6.074	0	38285	N.D.	0.027 #
16) A 4,4'-DDD	0.000	5.927	0	147457	N.D.	0.118 #
17) MA 4,4'-DDT	0.000	6.157f	0	8927	N.D.	0.007 #
18) B Endrin al...	0.000	6.248	0	15920	N.D.	0.015 #
19) B Endosulfa...	0.000	6.472	0	30082	N.D.	0.022 #
21) B Endrin ke...	0.000	6.972f	0	3170	N.D.	0.002 #
22) Mirex	0.000	7.182	0	42197	N.D.	0.031 #
23) Chlordane-1	0.000	3.888	0	21024	N.D.	0.433 #
24) Chlordane-2	0.000	4.460	0	67594	N.D.	1.113 #
25) Chlordane-3	0.000	5.103	0	11787	N.D.	0.069 #
26) Chlordane-4	0.000	5.186f	0	48250	N.D.	0.302 #
27) Chlordane-5	0.000	5.867f	0	208063	N.D.	4.103 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032124\
Data File : PL088729.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Mar 2024 19:20
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 21 23:32:06 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T.: 3.634 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.864 min
Delta R.T.: 0.012 min
Response: 15194
Conc: 0.01 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T.: 4.099 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.380 min
Delta R.T.: 0.013 min
Response: 27140
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.385 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.327 min
Delta R.T.: -0.011 min
Response: 40455
Conc: 0.02 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.887 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.270 min
Delta R.T.: 0.030 min
Response: 48120
Conc: 0.03 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.817 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#8 Heptachlor epoxide

R.T.: 4.850 min
Delta R.T.: 0.000 min
Response: 15134
Conc: 0.01 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 6.207 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 5.216 min
Delta R.T.: -0.008 min
Response: 12494
Conc: 0.01 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.076 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#10 gamma-Chlordane

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 11787
Conc: 0.01 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 6.157 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.186 min
Delta R.T.: 0.019 min
Response: 48250
Conc: 0.03 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T. : 6.487 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.501 min
Delta R.T.: 0.007 min
Response: 15670
Conc: 0.01 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T. : 6.719 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.775 min
Delta R.T.: 0.003 min
Response: 40035
Conc: 0.03 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.940 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.074 min
Delta R.T.: 0.004 min
Response: 38285
Conc: 0.03 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.854 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.927 min
Delta R.T.: 0.005 min
Response: 147457
Conc: 0.12 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.173 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.157 min
Delta R.T.: -0.021 min
Response: 8927
Conc: 0.01 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 7.071 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.248 min
Delta R.T.: -0.004 min
Response: 15920
Conc: 0.02 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.309 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.472 min
Delta R.T.: -0.006 min
Response: 30082
Conc: 0.02 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.800 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.972 min
Delta R.T.: -0.018 min
Response: 3170
Conc: 0.00 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.282 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#22 Mirex

R.T.: 7.182 min
Delta R.T.: 0.006 min
Response: 42197
Conc: 0.03 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.819 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.888 min
Delta R.T.: 0.014 min
Response: 21024
Conc: 0.43 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.355 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.460 min
Delta R.T.: -0.002 min
Response: 67594
Conc: 1.11 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 6.076 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 11787
Conc: 0.07 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.160 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.186 min
Delta R.T.: 0.019 min
Response: 48250
Conc: 0.30 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 7.019 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.867 min
Delta R.T.: 0.023 min
Response: 208063
Conc: 4.10 ng/ml



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 9.303 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 8.082 min
Response: 0
Conc: N.D.