

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032125\
 Data File : PL094804.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Mar 2025 18:36
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 21 23:26:09 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.770	143.6E6	199.8E6	50.743	55.991
28)	SA Decachlor...	9.055	7.905	117.2E6	209.1E6	55.600	51.753
Target Compounds							
2)	A alpha-BHC	3.993	3.272	211.4E6	306.3E6	50.923	56.820
3)	MA gamma-BHC...	4.326	3.602	205.2E6	289.1E6	51.436	56.251
4)	MA Heptachlor	4.914	3.940	192.4E6	287.0E6	49.568	54.476
5)	MB Aldrin	5.255	4.219	181.5E6	271.2E6	49.157	55.611
6)	B beta-BHC	4.525	3.903	94974917	126.5E6	51.471	56.941
7)	B delta-BHC	4.772	4.131	206.7E6	292.1E6	53.077	58.389
8)	B Heptachlo...	5.682	4.722	165.5E6	252.5E6	49.472	55.157
9)	A Endosulfan I	6.068	5.092	152.3E6	235.2E6	49.592	53.593
10)	B gamma-Chl...	5.939	4.972	166.6E6	267.4E6	49.437	55.390
11)	B alpha-Chl...	6.017	5.036	163.4E6	262.5E6	49.569	55.006
12)	B 4,4'-DDE	6.191	5.224	160.0E6	278.0E6	54.379	59.795
13)	MA Dieldrin	6.343	5.356	160.4E6	273.3E6	50.141	56.328
14)	MA Endrin	6.573	5.632	137.4E6	232.0E6	49.557	53.171
15)	B Endosulfa...	6.794	5.927	138.5E6	231.3E6	51.010	53.445
16)	A 4,4'-DDD	6.710	5.780	125.6E6	214.7E6	57.998	59.712
17)	MA 4,4'-DDT	7.023	6.030	127.2E6	219.5E6	53.462	54.440
18)	B Endrin al...	6.924	6.106	102.8E6	167.7E6	48.691	49.834
19)	B Endosulfa...	7.159	6.329	125.9E6	218.8E6	51.781	53.717
20)	A Methoxychlor	7.500	6.605	66134274	115.3E6	55.247	54.373
21)	B Endrin ke...	7.643	6.834	142.0E6	261.1E6	53.738	54.701
22)	Mirex	8.116	7.014	102.7E6	190.5E6	49.721	50.191
24)	Chlordane-2	5.255f	0.000	181.5E6	0	1199.557	N.D. #
25)	Chlordane-3	5.939	4.972	166.6E6	267.4E6	333.262	502.723 #
26)	Chlordane-4	6.017	5.036	163.4E6	262.5E6	277.412	504.328 #
27)	Chlordane-5	0.000	5.927	0	231.3E6	N.D.	1205.841 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: -0.001 min
Response: 143636813
Conc: 50.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.770 min
Delta R.T.: -0.002 min
Response: 199848614
Conc: 55.99 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: -0.001 min
Response: 211448748
Conc: 50.92 ng/ml



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.002 min
Response: 306339393
Conc: 56.82 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: -0.001 min
Response: 205242605
Conc: 51.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.602 min
Delta R.T.: -0.002 min
Response: 289099631
Conc: 56.25 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: 0.000 min
Response: 192402520
Conc: 49.57 ng/ml



#4 Heptachlor


R.T.: 3.940 min
Delta R.T.: -0.002 min
Response: 287013601
Conc: 54.48 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: 0.000 min
Response: 181499264
Conc: 49.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: -0.002 min
Response: 271179770
Conc: 55.61 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 94974917
Conc: 51.47 ng/ml



#6 beta-BHC


R.T.: 3.903 min
Delta R.T.: -0.002 min
Response: 126483602
Conc: 56.94 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.000 min
Response: 206699686
Conc: 53.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.131 min
Delta R.T.: -0.002 min
Response: 292060051
Conc: 58.39 ng/ml




#8 Heptachlor epoxide

R.T.: 5.682 min
Delta R.T.: 0.000 min
Response: 165492159
Conc: 49.47 ng/ml



#8 Heptachlor epoxide


R.T.: 4.722 min
Delta R.T.: -0.002 min
Response: 252540417
Conc: 55.16 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.001 min
Response: 152256995
Conc: 49.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.092 min
Delta R.T.: -0.002 min
Response: 235205234
Conc: 53.59 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 166571106
Conc: 49.44 ng/ml



#10 gamma-Chlordane


R.T.: 4.972 min
Delta R.T.: -0.002 min
Response: 267447769
Conc: 55.39 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: -0.001 min
Response: 163421614
Conc: 49.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.036 min
Delta R.T.: -0.002 min
Response: 262533168
Conc: 55.01 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.002 min
Response: 159987063
Conc: 54.38 ng/ml



#12 4,4'-DDE


R.T.: 5.224 min
Delta R.T.: -0.002 min
Response: 277958456
Conc: 59.79 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: 0.000 min
Response: 160358626
Conc: 50.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.356 min
Delta R.T.: -0.002 min
Response: 273295161
Conc: 56.33 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: 0.000 min
Response: 137374276
Conc: 49.56 ng/ml



#14 Endrin


R.T.: 5.632 min
Delta R.T.: -0.001 min
Response: 232020912
Conc: 53.17 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 138479491
Conc: 51.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.927 min
Delta R.T.: -0.002 min
Response: 231323829
Conc: 53.44 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 125627964
Conc: 58.00 ng/ml



#16 4,4'-DDD


R.T.: 5.780 min
Delta R.T.: -0.002 min
Response: 214717079
Conc: 59.71 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 127162283
Conc: 53.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.030 min
Delta R.T.: -0.002 min
Response: 219508906
Conc: 54.44 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 102787188
Conc: 48.69 ng/ml



#18 Endrin aldehyde


R.T.: 6.106 min
Delta R.T.: -0.002 min
Response: 167708642
Conc: 49.83 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 125931509
Conc: 51.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.329 min
Delta R.T.: -0.002 min
Response: 218814192
Conc: 53.72 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 66134274
Conc: 55.25 ng/ml



#20 Methoxychlor


R.T.: 6.605 min
Delta R.T.: -0.002 min
Response: 115328565
Conc: 54.37 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 142045128
Conc: 53.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.834 min
Delta R.T.: -0.002 min
Response: 261062837
Conc: 54.70 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 102737283
Conc: 49.72 ng/ml



#22 Mirex


R.T.: 7.014 min
Delta R.T.: -0.002 min
Response: 190491345
Conc: 50.19 ng/ml



#24 Chlordane-2


R.T.: 5.255 min
Delta R.T.: 0.025 min
Response: 181499264
Conc: 1199.56 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 166571106
Conc: 333.26 ng/ml



#25 Chlordane-3


R.T.: 4.972 min
Delta R.T.: -0.003 min
Response: 267447769
Conc: 502.72 ng/ml



#26 Chlordane-4


R.T.: 6.017 min
Delta R.T.: -0.004 min
Response: 163421614
Conc: 277.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.036 min
Delta R.T.: -0.002 min
Response: 262533168
Conc: 504.33 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.927 min
Delta R.T.: -0.006 min
Response: 231323829
Conc: 1205.84 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 117175416
Conc: 55.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.905 min
Delta R.T.: -0.002 min
Response: 209050143
Conc: 51.75 ng/ml