

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032224\
 Data File : PL088758.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Mar 2024 16:22
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 22 23:00:02 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.635	2.852	132.5E6	71875766	50.015	53.931
28)	SA Decachlor...	9.298	8.078	99583222	59970101	40.286	44.228
Target Compounds							
2)	A alpha-BHC	4.099	3.367	201.4E6	109.9E6	50.459	54.671
3)	MA gamma-BHC...	4.437	3.704	192.2E6	106.1E6	49.559	55.278
4)	MA Heptachlor	5.037	4.051	179.2E6	100.6E6	47.197	55.894
5)	MB Aldrin	5.384	4.336	176.8E6	101.2E6	48.240	56.025
6)	B beta-BHC	4.635	4.005	83180187	45466535	46.903	53.038
7)	B delta-BHC	4.886	4.240	175.9E6	104.1E6	43.668	54.431
8)	B Heptachlo...	5.814	4.846	162.5E6	88508853	47.293	53.821
9)	A Endosulfan I	6.206	5.222	143.6E6	80877472	46.996	53.802
10)	B gamma-Chl...	6.074	5.101	164.0E6	89114992	49.228	53.803
11)	B alpha-Chl...	6.154	5.165	157.5E6	89039549	47.367	53.640
12)	B 4,4'-DDE	6.329	5.358	139.7E6	81257939	46.758	55.710
13)	MA Dieldrin	6.484	5.491	151.8E6	88160117	46.825	54.281
14)	MA Endrin	6.716	5.770	126.0E6	76690323	46.089	53.204
15)	B Endosulfa...	6.937	6.067	126.4E6	72211075	44.123	50.220
16)	A 4,4'-DDD	6.851	5.920	113.4E6	65158252	44.524	52.320
17)	MA 4,4'-DDT	7.169	6.175	112.2E6	68079197	42.108	50.722
18)	B Endrin al...	7.068	6.249	70118268	55657139	33.584	53.111 #
19)	B Endosulfa...	7.305	6.474	120.0E6	70817147	43.461	51.042
20)	A Methoxychlor	7.650	6.758	62682229	39317417	41.608	49.020
21)	B Endrin ke...	7.797	6.987	125.7E6	78651824	42.520	47.647
22)	Mirex	8.278	7.173	100.8E6	64990782	43.011	48.197
23)	Chlordane-1	0.000	3.873	0	44467	N.D.	0.916 #
24)	Chlordane-2	5.384f	4.473	176.8E6	322851	1344.602	5.317 #
25)	Chlordane-3	6.074	5.101	164.0E6	89114992	329.764	522.146 #
26)	Chlordane-4	6.154	5.165	157.5E6	89039549	262.476	558.102 #
27)	Chlordane-5	0.000	5.843	0	81329	N.D.	1.604 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032224\
Data File : PL088758.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Mar 2024 16:22
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 22 23:00:02 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.635 min
Delta R.T.: 0.001 min
Response: 132536844
Conc: 50.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.852 min
Delta R.T.: 0.000 min
Response: 71875766
Conc: 53.93 ng/ml




#2 alpha-BHC

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 201417055
Conc: 50.46 ng/ml



#2 alpha-BHC


R.T.: 3.367 min
Delta R.T.: 0.000 min
Response: 109858663
Conc: 54.67 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.437 min
Delta R.T.: 0.000 min
Response: 192200760
Conc: 49.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.704 min
Delta R.T.: 0.000 min
Response: 106084440
Conc: 55.28 ng/ml




#4 Heptachlor

R.T.: 5.037 min
Delta R.T.: -0.001 min
Response: 179225947
Conc: 47.20 ng/ml



#4 Heptachlor


R.T.: 4.051 min
Delta R.T.: -0.001 min
Response: 100594593
Conc: 55.89 ng/ml



#5 Aldrin


R.T.: 5.384 min
Delta R.T.: -0.001 min
Response: 176772701
Conc: 48.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.336 min
Delta R.T.: -0.001 min
Response: 101242048
Conc: 56.03 ng/ml




#6 beta-BHC

R.T.: 4.635 min
Delta R.T.: 0.000 min
Response: 83180187
Conc: 46.90 ng/ml



#6 beta-BHC


R.T.: 4.005 min
Delta R.T.: -0.001 min
Response: 45466535
Conc: 53.04 ng/ml



#7 delta-BHC


R.T.: 4.886 min
Delta R.T.: 0.000 min
Response: 175904702
Conc: 43.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.240 min
Delta R.T.: -0.001 min
Response: 104129917
Conc: 54.43 ng/ml




#8 Heptachlor epoxide

R.T.: 5.814 min
Delta R.T.: -0.003 min
Response: 162450759
Conc: 47.29 ng/ml



#8 Heptachlor epoxide


R.T.: 4.846 min
Delta R.T.: -0.003 min
Response: 88508853
Conc: 53.82 ng/ml



#9 Endosulfan I


R.T.: 6.206 min
Delta R.T.: -0.002 min
Response: 143640733
Conc: 47.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.222 min
Delta R.T.: -0.002 min
Response: 80877472
Conc: 53.80 ng/ml




#10 gamma-Chlordane

R.T.: 6.074 min
Delta R.T.: -0.002 min
Response: 163970713
Conc: 49.23 ng/ml



#10 gamma-Chlordane


R.T.: 5.101 min
Delta R.T.: -0.002 min
Response: 89114992
Conc: 53.80 ng/ml



#11 alpha-Chlordane


R.T.: 6.154 min
Delta R.T.: -0.003 min
Response: 157450966
Conc: 47.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.165 min
Delta R.T.: -0.002 min
Response: 89039549
Conc: 53.64 ng/ml




#12 4,4'-DDE

R.T.: 6.329 min
Delta R.T.: -0.003 min
Response: 139698275
Conc: 46.76 ng/ml



#12 4,4'-DDE


R.T.: 5.358 min
Delta R.T.: -0.003 min
Response: 81257939
Conc: 55.71 ng/ml



#13 Dieldrin


R.T.: 6.484 min
Delta R.T.: -0.003 min
Response: 151839308
Conc: 46.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.491 min
Delta R.T.: -0.002 min
Response: 88160117
Conc: 54.28 ng/ml




#14 Endrin

R.T.: 6.716 min
Delta R.T.: -0.003 min
Response: 125994129
Conc: 46.09 ng/ml



#14 Endrin


R.T.: 5.770 min
Delta R.T.: -0.003 min
Response: 76690323
Conc: 53.20 ng/ml



#15 Endosulfan II


R.T.: 6.937 min
Delta R.T.: -0.003 min
Response: 126376565
Conc: 44.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.067 min
Delta R.T.: -0.003 min
Response: 72211075
Conc: 50.22 ng/ml




#16 4,4'-DDD

R.T.: 6.851 min
Delta R.T.: -0.003 min
Response: 113391360
Conc: 44.52 ng/ml



#16 4,4'-DDD


R.T.: 5.920 min
Delta R.T.: -0.002 min
Response: 65158252
Conc: 52.32 ng/ml



#17 4,4'-DDT


R.T.: 7.169 min
Delta R.T.: -0.003 min
Response: 112238881
Conc: 42.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.175 min
Delta R.T.: -0.003 min
Response: 68079197
Conc: 50.72 ng/ml




#18 Endrin aldehyde

R.T.: 7.068 min
Delta R.T.: -0.003 min
Response: 70118268
Conc: 33.58 ng/ml



#18 Endrin aldehyde


R.T.: 6.249 min
Delta R.T.: -0.003 min
Response: 55657139
Conc: 53.11 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.305 min
Delta R.T.: -0.003 min
Response: 120007380
Conc: 43.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.474 min
Delta R.T.: -0.003 min
Response: 70817147
Conc: 51.04 ng/ml




#20 Methoxychlor

R.T.: 7.650 min
Delta R.T.: -0.004 min
Response: 62682229
Conc: 41.61 ng/ml



#20 Methoxychlor


R.T.: 6.758 min
Delta R.T.: -0.003 min
Response: 39317417
Conc: 49.02 ng/ml



#21 Endrin ketone


R.T.: 7.797 min
Delta R.T.: -0.003 min
Response: 125707152
Conc: 42.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.987 min
Delta R.T.: -0.003 min
Response: 78651824
Conc: 47.65 ng/ml




#22 Mirex

R.T.: 8.278 min
Delta R.T.: -0.004 min
Response: 100839448
Conc: 43.01 ng/ml



#22 Mirex


R.T.: 7.173 min
Delta R.T.: -0.003 min
Response: 64990782
Conc: 48.20 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.819 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.873 min
Delta R.T.: 0.000 min
Response: 44467
Conc: 0.92 ng/ml




#24 Chlordane-2

R.T.: 5.384 min
Delta R.T.: 0.029 min
Response: 176772701
Conc: 1344.60 ng/ml



#24 Chlordane-2


R.T.: 4.473 min
Delta R.T.: 0.012 min
Response: 322851
Conc: 5.32 ng/ml



#25 Chlordane-3


R.T.: 6.074 min
Delta R.T.: -0.003 min
Response: 163970713
Conc: 329.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.101 min
Delta R.T.: -0.001 min
Response: 89114992
Conc: 522.15 ng/ml




#26 Chlordane-4

R.T.: 6.154 min
Delta R.T.: -0.006 min
Response: 157450966
Conc: 262.48 ng/ml



#26 Chlordane-4


R.T.: 5.165 min
Delta R.T.: -0.002 min
Response: 89039549
Conc: 558.10 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.019 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.843 min
Delta R.T.: 0.000 min
Response: 81329
Conc: 1.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.298 min
Delta R.T.: -0.004 min
Response: 99583222
Conc: 40.29 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.078 min
Delta R.T.: -0.003 min
Response: 59970101
Conc: 44.23 ng/ml