

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032525\
 Data File : PL094832.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Mar 2025 11:50
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 01:17:28 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.769	134.8E6	184.6E6	47.623	51.731
28)	SA Decachlor...	9.054	7.904	106.8E6	202.7E6	50.673	50.179
Target Compounds							
2)	A alpha-BHC	3.993	3.271	197.4E6	282.3E6	47.542	52.357
3)	MA gamma-BHC...	4.326	3.601	189.6E6	264.7E6	47.526	51.499
4)	MA Heptachlor	4.913	3.939	178.5E6	265.0E6	45.985	50.293
5)	MB Aldrin	5.255	4.218	168.0E6	247.8E6	45.497	50.825
6)	B beta-BHC	4.525	3.901	85485379	114.7E6	46.328	51.656
7)	B delta-BHC	4.771	4.130	186.0E6	262.1E6	47.755	52.393
8)	B Heptachlo...	5.681	4.721	156.8E6	231.0E6	46.859	50.460
9)	A Endosulfan I	6.068	5.090	145.2E6	186.1E6	47.307	42.414
10)	B gamma-Chl...	5.938	4.971	158.2E6	244.4E6	46.950	50.608
11)	B alpha-Chl...	6.017	5.034	155.9E6	240.0E6	47.277	50.279
12)	B 4,4'-DDE	6.191	5.223	153.1E6	276.6E6	52.031	59.494
13)	MA Dieldrin	6.342	5.354	153.1E6	272.2E6	47.884	56.094
14)	MA Endrin	6.572	5.630	145.0E6	221.8E6	52.311	50.819
15)	B Endosulfa...	6.793	5.925	131.0E6	218.4E6	48.256	50.467
16)	A 4,4'-DDD	6.708	5.778	116.2E6	197.0E6	53.664	54.798
17)	MA 4,4'-DDT	7.023	6.028	123.8E6	221.0E6	52.038	54.822
18)	B Endrin al...	6.923	6.105	102.4E6	168.6E6	48.522	50.104
19)	B Endosulfa...	7.158	6.328	117.4E6	209.7E6	48.257	51.474
20)	A Methoxychlor	7.500	6.604	67591713	119.4E6	56.464	56.287
21)	B Endrin ke...	7.643	6.833	129.6E6	264.7E6	49.012	55.456
22)	Mirex	8.116	7.012	95686293	188.7E6	46.308	49.724
24)	Chlordane-2	5.255f	4.358	168.0E6	1623188	1110.241	9.192 #
25)	Chlordane-3	5.938	4.971	158.2E6	244.4E6	316.494	459.315 #
26)	Chlordane-4	6.017	5.034	155.9E6	240.0E6	264.583	460.988 #
27)	Chlordane-5	0.000	5.925	0	218.4E6	N.D.	1138.654 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032525\
Data File : PL094832.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Mar 2025 11:50
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 26 01:17:28 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: -0.001 min
Response: 134805767
Conc: 47.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.769 min
Delta R.T.: -0.003 min
Response: 184643320
Conc: 51.73 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: -0.001 min
Response: 197409120
Conc: 47.54 ng/ml



#2 alpha-BHC


R.T.: 3.271 min
Delta R.T.: -0.003 min
Response: 282275728
Conc: 52.36 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: -0.001 min
Response: 189641368
Conc: 47.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 264678434
Conc: 51.50 ng/ml




#4 Heptachlor

R.T.: 4.913 min
Delta R.T.: -0.001 min
Response: 178495869
Conc: 45.98 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: -0.003 min
Response: 264978598
Conc: 50.29 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: -0.001 min
Response: 167985153
Conc: 45.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.218 min
Delta R.T.: -0.004 min
Response: 247839371
Conc: 50.82 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 85485379
Conc: 46.33 ng/ml



#6 beta-BHC


R.T.: 3.901 min
Delta R.T.: -0.003 min
Response: 114742897
Conc: 51.66 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: -0.001 min
Response: 185974133
Conc: 47.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.130 min
Delta R.T.: -0.003 min
Response: 262067923
Conc: 52.39 ng/ml




#8 Heptachlor epoxide

R.T.: 5.681 min
Delta R.T.: -0.002 min
Response: 156753644
Conc: 46.86 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.004 min
Response: 231034255
Conc: 50.46 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.002 min
Response: 145241075
Conc: 47.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.090 min
Delta R.T.: -0.004 min
Response: 186141958
Conc: 42.41 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 158190368
Conc: 46.95 ng/ml



#10 gamma-Chlordane


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 244354737
Conc: 50.61 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: -0.001 min
Response: 155863771
Conc: 47.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: -0.004 min
Response: 239971940
Conc: 50.28 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.002 min
Response: 153078437
Conc: 52.03 ng/ml



#12 4,4'-DDE


R.T.: 5.223 min
Delta R.T.: -0.003 min
Response: 276561039
Conc: 59.49 ng/ml



#13 Dieldrin


R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 153138444
Conc: 47.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: -0.004 min
Response: 272155687
Conc: 56.09 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: -0.001 min
Response: 145009238
Conc: 52.31 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: -0.003 min
Response: 221757099
Conc: 50.82 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: -0.001 min
Response: 131001500
Conc: 48.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.925 min
Delta R.T.: -0.003 min
Response: 218434968
Conc: 50.47 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.002 min
Response: 116238951
Conc: 53.66 ng/ml



#16 4,4'-DDD


R.T.: 5.778 min
Delta R.T.: -0.004 min
Response: 197047364
Conc: 54.80 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 123773935
Conc: 52.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: -0.004 min
Response: 221046894
Conc: 54.82 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 102429751
Conc: 48.52 ng/ml



#18 Endrin aldehyde


R.T.: 6.105 min
Delta R.T.: -0.004 min
Response: 168616963
Conc: 50.10 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 117362204
Conc: 48.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.328 min
Delta R.T.: -0.003 min
Response: 209675478
Conc: 51.47 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 67591713
Conc: 56.46 ng/ml



#20 Methoxychlor


R.T.: 6.604 min
Delta R.T.: -0.003 min
Response: 119388556
Conc: 56.29 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 129553042
Conc: 49.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.833 min
Delta R.T.: -0.003 min
Response: 264670440
Conc: 55.46 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: -0.001 min
Response: 95686293
Conc: 46.31 ng/ml



#22 Mirex


R.T.: 7.012 min
Delta R.T.: -0.004 min
Response: 188716815
Conc: 49.72 ng/ml



#24 Chlordane-2


R.T.: 5.255 min
Delta R.T.: 0.025 min
Response: 167985153
Conc: 1110.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.358 min
Delta R.T.: 0.014 min
Response: 1623188
Conc: 9.19 ng/ml




#25 Chlordane-3

R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 158190368
Conc: 316.49 ng/ml



#25 Chlordane-3


R.T.: 4.971 min
Delta R.T.: -0.004 min
Response: 244354737
Conc: 459.32 ng/ml



#26 Chlordane-4


R.T.: 6.017 min
Delta R.T.: -0.004 min
Response: 155863771
Conc: 264.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 239971940
Conc: 460.99 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.925 min
Delta R.T.: -0.008 min
Response: 218434968
Conc: 1138.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: -0.001 min
Response: 106792137
Conc: 50.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.904 min
Delta R.T.: -0.003 min
Response: 202691694
Conc: 50.18 ng/ml