

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032620\
 Data File : PL057582.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2020 17:00
 Operator : AJ\MA
 Sample : L1757-11
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 EO-01-032420

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 27 01:12:48 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 16 09:40:37 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	3.956	208.4E6	50110603	22.479	23.097
28)	SA Decachlor...	8.206	8.979	174.3E6	42173594	16.469	19.020
Target Compounds							
3)	MA gamma-BHC...	4.183	0.000	210852	0	0.015	N.D. #
4)	MA Heptachlor	4.506f	5.136	862100	22195162	0.058	7.051 #
6)	B beta-BHC	4.440	0.000	3825943	0	0.651	N.D. #
7)	B delta-BHC	0.000	4.985f	0	10204218	N.D.	7.734 #
9)	A Endosulfan I	5.531f	0.000	196800	0	0.017	N.D. #
11)	B alpha-Chl...	5.458	0.000	65330	0	0.005	N.D. #
12)	B 4,4'-DDE	5.626	0.000	532682	0	0.043	N.D. #
15)	B Endosulfa...	6.294	0.000	1042183	0	0.096	N.D. #
16)	A 4,4'-DDD	6.146	0.000	1516345	0	0.155	N.D. #
17)	MA 4,4'-DDT	6.368	0.000	430448	0	0.043	N.D. #
18)	B Endrin al...	6.461	0.000	665432	0	0.072	N.D. #
21)	B Endrin ke...	7.143	0.000	181527	0	0.016	N.D. #
22)	Mirex	7.327	0.000	2468626	0	0.305	N.D. #
26)	Chlordane-4	5.458	0.000	65330	0	0.068	N.D. #
27)	Chlordane-5	6.294	0.000	1042183	0	2.864	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032620\
Data File : PL057582.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Mar 2020 17:00
Operator : AJ\MA
Sample : L1757-11
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
EO-01-032420

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 27 01:12:48 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031420.M
Quant Title : GC Extractables
QLast Update : Mon Mar 16 09:40:37 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 208368792
Conc: 22.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#1 Tetrachloro-m-xylene

R.T.: 3.956 min
Delta R.T.: 0.000 min
Response: 50110603
Conc: 23.10 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.183 min
Delta R.T.: 0.004 min
Response: 210852
Conc: 0.01 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.627 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 4.506 min
Delta R.T.: 0.027 min
Response: 862100
Conc: 0.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#4 Heptachlor

R.T.: 5.136 min
Delta R.T.: 0.007 min
Response: 22195162
Conc: 7.05 ng/ml




#6 beta-BHC

R.T.: 4.440 min
Delta R.T.: 0.009 min
Response: 3825943
Conc: 0.65 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.800 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.635 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#7 delta-BHC

R.T.: 4.985 min
Delta R.T.: -0.028 min
Response: 10204218
Conc: 7.73 ng/ml




#9 Endosulfan I

R.T.: 5.531 min
Delta R.T.: 0.022 min
Response: 196800
Conc: 0.02 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.170 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.458 min
Delta R.T.: 0.003 min
Response: 65330
Conc: 0.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 6.120 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 5.626 min
Delta R.T.: 0.007 min
Response: 532682
Conc: 0.04 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T. : 6.280 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.294 min
Delta R.T.: 0.012 min
Response: 1042183
Conc: 0.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.852 min
Response: 0
Conc: N.D.




#16 4,4'-DDD

R.T.: 6.146 min
Delta R.T.: 0.012 min
Response: 1516345
Conc: 0.15 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T. : 6.768 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.368 min
Delta R.T.: -0.007 min
Response: 430448
Conc: 0.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T. : 7.065 min
Response: 0
Conc: N.D.




#18 Endrin aldehyde

R.T.: 6.461 min
Delta R.T.: 0.011 min
Response: 665432
Conc: 0.07 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T. : 6.976 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.143 min
Delta R.T.: -0.011 min
Response: 181527
Conc: 0.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.666 min
Response: 0
Conc: N.D.




#22 Mirex

R.T.: 7.327 min
Delta R.T.: -0.014 min
Response: 2468626
Conc: 0.30 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T. : 8.116 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.458 min
Delta R.T.: 0.004 min
Response: 65330
Conc: 0.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 6.122 min
Response: 0
Conc: N.D.




#27 Chlordane-5

R.T.: 6.294 min
Delta R.T.: 0.004 min
Response: 1042183
Conc: 2.86 ng/ml



#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.922 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl


R.T.: 8.206 min

Delta R.T.: -0.001 min

Response: 174267101

Conc: 16.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-01-032420



#28 Decachlorobiphenyl

R.T.: 8.979 min

Delta R.T.: -0.001 min

Response: 42173594

Conc: 19.02 ng/ml