

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032624\
 Data File : PL088786.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2024 15:34
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 22:42:20 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.634	2.852	132.6E6	71567853	50.057	53.700
28)	SA Decachlor...	9.296	8.077	103.9E6	64031122	42.040	47.223
Target Compounds							
2)	A alpha-BHC	4.099	3.366	203.2E6	109.6E6	50.901	54.528
3)	MA gamma-BHC...	4.436	3.703	195.7E6	105.6E6	50.450	55.003
4)	MA Heptachlor	5.036	4.050	186.4E6	98952918	49.084	54.982
5)	MB Aldrin	5.383	4.335	184.6E6	100.3E6	50.367	55.507
6)	B beta-BHC	4.634	4.004	87685994	45202513	49.444	52.730
7)	B delta-BHC	4.885	4.239	190.8E6	102.3E6	47.368	53.455
8)	B Heptachlo...	5.814	4.845	167.9E6	90966655	48.886	55.316
9)	A Endosulfan I	6.205	5.221	149.7E6	82580777	48.972	54.935
10)	B gamma-Chl...	6.073	5.100	168.6E6	91955152	50.604	55.518
11)	B alpha-Chl...	6.154	5.165	165.3E6	91649068	49.721	55.213
12)	B 4,4'-DDE	6.328	5.358	144.5E6	82719373	48.368	56.712
13)	MA Dieldrin	6.484	5.490	158.4E6	89499746	48.837	55.106
14)	MA Endrin	6.715	5.769	125.5E6	76460669	45.898	53.045
15)	B Endosulfa...	6.937	6.067	132.3E6	76355897	46.207	53.103
16)	A 4,4'-DDD	6.851	5.919	121.3E6	71651148	47.641	57.534
17)	MA 4,4'-DDT	7.169	6.174	114.5E6	67684112	42.956	50.428
18)	B Endrin al...	7.067	6.248	63695152	58028800	30.508	55.374 #
19)	B Endosulfa...	7.304	6.474	124.8E6	74169700	45.193	53.458
20)	A Methoxychlor	7.649	6.757	62295318	39622436	41.351	49.400
21)	B Endrin ke...	7.796	6.986	135.4E6	86630279	45.787	52.481
22)	Mirex	8.277	7.173	103.0E6	69176940	43.946	51.302
23)	Chlordane-1	0.000	3.879	0	34954	N.D.	0.720 #
24)	Chlordane-2	5.383f	4.473	184.6E6	394038	1403.902	6.490 #
25)	Chlordane-3	6.073	5.100	168.6E6	91955152	338.979	538.787 #
26)	Chlordane-4	6.154	5.165	165.3E6	91649068	275.517	574.459 #
27)	Chlordane-5	0.000	5.864f	0	458496	N.D.	9.041 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032624\
Data File : PL088786.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Mar 2024 15:34
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 26 22:42:20 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 132648686
Conc: 50.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.852 min
Delta R.T.: 0.000 min
Response: 71567853
Conc: 53.70 ng/ml




#2 alpha-BHC

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 203179666
Conc: 50.90 ng/ml



#2 alpha-BHC


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 109570788
Conc: 54.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.436 min
Delta R.T.: -0.001 min
Response: 195656506
Conc: 50.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.703 min
Delta R.T.: -0.001 min
Response: 105557233
Conc: 55.00 ng/ml




#4 Heptachlor

R.T.: 5.036 min
Delta R.T.: -0.002 min
Response: 186395395
Conc: 49.08 ng/ml



#4 Heptachlor


R.T.: 4.050 min
Delta R.T.: -0.002 min
Response: 98952918
Conc: 54.98 ng/ml



#5 Aldrin


R.T.: 5.383 min
Delta R.T.: -0.002 min
Response: 184568685
Conc: 50.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.335 min
Delta R.T.: -0.002 min
Response: 100305863
Conc: 55.51 ng/ml




#6 beta-BHC

R.T.: 4.634 min
Delta R.T.: -0.001 min
Response: 87685994
Conc: 49.44 ng/ml



#6 beta-BHC


R.T.: 4.004 min
Delta R.T.: -0.002 min
Response: 45202513
Conc: 52.73 ng/ml



#7 delta-BHC


R.T.: 4.885 min
Delta R.T.: -0.002 min
Response: 190805681
Conc: 47.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.239 min
Delta R.T.: -0.002 min
Response: 102262780
Conc: 53.45 ng/ml




#8 Heptachlor epoxide

R.T.: 5.814 min
Delta R.T.: -0.003 min
Response: 167923452
Conc: 48.89 ng/ml



#8 Heptachlor epoxide


R.T.: 4.845 min
Delta R.T.: -0.004 min
Response: 90966655
Conc: 55.32 ng/ml



#9 Endosulfan I


R.T.: 6.205 min
Delta R.T.: -0.003 min
Response: 149681765
Conc: 48.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.221 min
Delta R.T.: -0.003 min
Response: 82580777
Conc: 54.93 ng/ml




#10 gamma-Chlordane

R.T.: 6.073 min
Delta R.T.: -0.003 min
Response: 168552290
Conc: 50.60 ng/ml



#10 gamma-Chlordane


R.T.: 5.100 min
Delta R.T.: -0.003 min
Response: 91955152
Conc: 55.52 ng/ml



#11 alpha-Chlordane


R.T.: 6.154 min
Delta R.T.: -0.003 min
Response: 165273797
Conc: 49.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.165 min
Delta R.T.: -0.003 min
Response: 91649068
Conc: 55.21 ng/ml




#12 4,4'-DDE

R.T.: 6.328 min
Delta R.T.: -0.003 min
Response: 144509909
Conc: 48.37 ng/ml



#12 4,4'-DDE


R.T.: 5.358 min
Delta R.T.: -0.003 min
Response: 82719373
Conc: 56.71 ng/ml



#13 Dieldrin


R.T.: 6.484 min
Delta R.T.: -0.003 min
Response: 158363305
Conc: 48.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.490 min
Delta R.T.: -0.004 min
Response: 89499746
Conc: 55.11 ng/ml




#14 Endrin

R.T.: 6.715 min
Delta R.T.: -0.004 min
Response: 125473002
Conc: 45.90 ng/ml



#14 Endrin


R.T.: 5.769 min
Delta R.T.: -0.004 min
Response: 76460669
Conc: 53.05 ng/ml



#15 Endosulfan II


R.T.: 6.937 min
Delta R.T.: -0.003 min
Response: 132345326
Conc: 46.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.067 min
Delta R.T.: -0.003 min
Response: 76355897
Conc: 53.10 ng/ml




#16 4,4'-DDD

R.T.: 6.851 min
Delta R.T.: -0.004 min
Response: 121329515
Conc: 47.64 ng/ml



#16 4,4'-DDD


R.T.: 5.919 min
Delta R.T.: -0.004 min
Response: 71651148
Conc: 57.53 ng/ml



#17 4,4'-DDT


R.T.: 7.169 min
Delta R.T.: -0.004 min
Response: 114497486
Conc: 42.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.174 min
Delta R.T.: -0.004 min
Response: 67684112
Conc: 50.43 ng/ml




#18 Endrin aldehyde

R.T.: 7.067 min
Delta R.T.: -0.004 min
Response: 63695152
Conc: 30.51 ng/ml



#18 Endrin aldehyde


R.T.: 6.248 min
Delta R.T.: -0.004 min
Response: 58028800
Conc: 55.37 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.304 min
Delta R.T.: -0.005 min
Response: 124790155
Conc: 45.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.474 min
Delta R.T.: -0.004 min
Response: 74169700
Conc: 53.46 ng/ml




#20 Methoxychlor

R.T.: 7.649 min
Delta R.T.: -0.005 min
Response: 62295318
Conc: 41.35 ng/ml



#20 Methoxychlor


R.T.: 6.757 min
Delta R.T.: -0.003 min
Response: 39622436
Conc: 49.40 ng/ml



#21 Endrin ketone


R.T.: 7.796 min
Delta R.T.: -0.004 min
Response: 135363211
Conc: 45.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.986 min
Delta R.T.: -0.004 min
Response: 86630279
Conc: 52.48 ng/ml




#22 Mirex

R.T.: 8.277 min
Delta R.T.: -0.005 min
Response: 103031945
Conc: 43.95 ng/ml



#22 Mirex


R.T.: 7.173 min
Delta R.T.: -0.004 min
Response: 69176940
Conc: 51.30 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.819 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.879 min
Delta R.T.: 0.005 min
Response: 34954
Conc: 0.72 ng/ml




#24 Chlordane-2

R.T.: 5.383 min
Delta R.T.: 0.028 min
Response: 184568685
Conc: 1403.90 ng/ml



#24 Chlordane-2


R.T.: 4.473 min
Delta R.T.: 0.011 min
Response: 394038
Conc: 6.49 ng/ml



#25 Chlordane-3


R.T.: 6.073 min
Delta R.T.: -0.004 min
Response: 168552290
Conc: 338.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.100 min
Delta R.T.: -0.003 min
Response: 91955152
Conc: 538.79 ng/ml




#26 Chlordane-4

R.T.: 6.154 min
Delta R.T.: -0.006 min
Response: 165273797
Conc: 275.52 ng/ml



#26 Chlordane-4


R.T.: 5.165 min
Delta R.T.: -0.002 min
Response: 91649068
Conc: 574.46 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.019 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.864 min
Delta R.T.: 0.020 min
Response: 458496
Conc: 9.04 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.296 min
Delta R.T.: -0.006 min
Response: 103918305
Conc: 42.04 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.077 min
Delta R.T.: -0.004 min
Response: 64031122
Conc: 47.22 ng/ml