

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032625\
 Data File : PL094866.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2025 11:26
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 14:47:50 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.770	57377892	77061865	20.270	21.590
28)	SA Decachlor...	9.052	7.903	47672727	91047111	22.621	22.540
Target Compounds							
2)	A alpha-BHC	3.991	3.272	43042699	55634279	10.366	10.319
3)	MA gamma-BHC...	4.324	3.602	41532711	53211215	10.408	10.353
6)	B beta-BHC	4.523	3.902	19029970	25425950	10.313	11.446
14)	MA Endrin	6.572	5.630	129.4E6	217.3E6	46.683	49.795
17)	MA 4,4'-DDT	7.021	6.028	231.8E6	469.7E6	97.437	116.488
18)	B Endrin al...	0.000	6.104	0	6514184	N.D.	1.936 #
20)	A Methoxychlor	7.498	6.603	286.2E6	569.6E6	239.042	268.547
21)	B Endrin ke...	7.641	6.832	6330457	10563163	2.395	2.213



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032625\
Data File : PL094866.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Mar 2025 11:26
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 26 14:47:50 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.002 min
Response: 57377892
Conc: 20.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.770 min
Delta R.T.: -0.002 min
Response: 77061865
Conc: 21.59 ng/ml




#2 alpha-BHC

R.T.: 3.991 min
Delta R.T.: -0.003 min
Response: 43042699
Conc: 10.37 ng/ml



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.003 min
Response: 55634279
Conc: 10.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: -0.003 min
Response: 41532711
Conc: 10.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.602 min
Delta R.T.: -0.003 min
Response: 53211215
Conc: 10.35 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 19029970
Conc: 10.31 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 25425950
Conc: 11.45 ng/ml



#14 Endrin


R.T.: 6.572 min
Delta R.T.: -0.002 min
Response: 129408148
Conc: 46.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 5.630 min
Delta R.T.: -0.004 min
Response: 217289572
Conc: 49.80 ng/ml




#17 4,4'-DDT

R.T.: 7.021 min
Delta R.T.: -0.003 min
Response: 231757550
Conc: 97.44 ng/ml



#17 4,4'-DDT


R.T.: 6.028 min
Delta R.T.: -0.004 min
Response: 469691716
Conc: 116.49 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.924 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#18 Endrin aldehyde

R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 6514184
Conc: 1.94 ng/ml




#20 Methoxychlor

R.T.: 7.498 min
Delta R.T.: -0.001 min
Response: 286151117
Conc: 239.04 ng/ml



#20 Methoxychlor


R.T.: 6.603 min
Delta R.T.: -0.004 min
Response: 569606549
Conc: 268.55 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: -0.002 min
Response: 6330457
Conc: 2.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 6.832 min
Delta R.T.: -0.004 min
Response: 10563163
Conc: 2.21 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.003 min
Response: 47672727
Conc: 22.62 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.903 min
Delta R.T.: -0.004 min
Response: 91047111
Conc: 22.54 ng/ml