

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032625\
 Data File : PL094879.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2025 17:04
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 27 02:05:50 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.770	129.9E6	181.0E6	45.896	50.700
28)	SA Decachlor...	9.052	7.902	102.8E6	178.1E6	48.756	44.097
Target Compounds							
2)	A alpha-BHC	3.993	3.271	187.6E6	279.6E6	45.191	51.868
3)	MA gamma-BHC...	4.326	3.601	179.5E6	262.7E6	44.981	51.106
4)	MA Heptachlor	4.913	3.939	167.3E6	258.3E6	43.091	49.025
5)	MB Aldrin	5.255	4.218	157.4E6	242.4E6	42.637	49.700
6)	B beta-BHC	4.525	3.902	82080622	113.1E6	44.483	50.923
7)	B delta-BHC	4.771	4.130	177.2E6	259.5E6	45.508	51.881
8)	B Heptachlo...	5.681	4.720	144.0E6	220.5E6	43.032	48.151
9)	A Endosulfan I	6.066	5.090	133.6E6	199.1E6	43.508	45.367
10)	B gamma-Chl...	5.938	4.971	145.4E6	230.4E6	43.162	47.709
11)	B alpha-Chl...	6.016	5.034	143.4E6	226.3E6	43.481	47.406
12)	B 4,4'-DDE	6.190	5.223	140.0E6	236.9E6	47.601	50.954
13)	MA Dieldrin	6.342	5.354	140.4E6	237.6E6	43.887	48.976
14)	MA Endrin	6.572	5.630	124.0E6	200.8E6	44.749	46.012
15)	B Endosulfa...	6.792	5.925	119.3E6	196.2E6	43.963	45.336
16)	A 4,4'-DDD	6.708	5.778	105.5E6	176.0E6	48.709	48.943
17)	MA 4,4'-DDT	7.022	6.028	110.9E6	190.8E6	46.619	47.331
18)	B Endrin al...	6.922	6.104	91695440	147.4E6	43.437	43.803
19)	B Endosulfa...	7.157	6.327	107.8E6	182.4E6	44.321	44.774
20)	A Methoxychlor	7.499	6.603	59023764	100.5E6	49.307	47.370
21)	B Endrin ke...	7.642	6.833	118.0E6	209.2E6	44.651	43.831
22)	Mirex	8.114	7.012	89014687	159.7E6	43.080	42.083
24)	Chlordane-2	5.255f	0.000	157.4E6	0	1040.456	N.D. #
25)	Chlordane-3	5.938	4.971	145.4E6	230.4E6	290.961	433.004 #
26)	Chlordane-4	6.016	5.034	143.4E6	226.3E6	243.340	434.647 #
27)	Chlordane-5	0.000	5.925	0	196.2E6	N.D.	1022.883 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 129915990
Conc: 45.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.770 min
Delta R.T.: -0.002 min
Response: 180960596
Conc: 50.70 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: -0.002 min
Response: 187646882
Conc: 45.19 ng/ml



#2 alpha-BHC


R.T.: 3.271 min
Delta R.T.: -0.003 min
Response: 279638954
Conc: 51.87 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: -0.001 min
Response: 179486584
Conc: 44.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 262654695
Conc: 51.11 ng/ml




#4 Heptachlor

R.T.: 4.913 min
Delta R.T.: -0.001 min
Response: 167263111
Conc: 43.09 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: -0.003 min
Response: 258293490
Conc: 49.02 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: -0.001 min
Response: 157426358
Conc: 42.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.218 min
Delta R.T.: -0.004 min
Response: 242355210
Conc: 49.70 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 82080622
Conc: 44.48 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 113115149
Conc: 50.92 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: -0.001 min
Response: 177221235
Conc: 45.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.130 min
Delta R.T.: -0.003 min
Response: 259506353
Conc: 51.88 ng/ml




#8 Heptachlor epoxide

R.T.: 5.681 min
Delta R.T.: -0.002 min
Response: 143951265
Conc: 43.03 ng/ml



#8 Heptachlor epoxide


R.T.: 4.720 min
Delta R.T.: -0.004 min
Response: 220461277
Conc: 48.15 ng/ml



#9 Endosulfan I


R.T.: 6.066 min
Delta R.T.: -0.003 min
Response: 133578287
Conc: 43.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.090 min
Delta R.T.: -0.004 min
Response: 199102426
Conc: 45.37 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 145428388
Conc: 43.16 ng/ml



#10 gamma-Chlordane


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 230357117
Conc: 47.71 ng/ml



#11 alpha-Chlordane


R.T.: 6.016 min
Delta R.T.: -0.002 min
Response: 143350002
Conc: 43.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: -0.004 min
Response: 226260124
Conc: 47.41 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: -0.003 min
Response: 140044231
Conc: 47.60 ng/ml



#12 4,4'-DDE


R.T.: 5.223 min
Delta R.T.: -0.004 min
Response: 236863041
Conc: 50.95 ng/ml



#13 Dieldrin


R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 140356949
Conc: 43.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: -0.004 min
Response: 237622107
Conc: 48.98 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: -0.002 min
Response: 124048559
Conc: 44.75 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: -0.003 min
Response: 200782248
Conc: 46.01 ng/ml



#15 Endosulfan II


R.T.: 6.792 min
Delta R.T.: -0.001 min
Response: 119348394
Conc: 43.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.925 min
Delta R.T.: -0.004 min
Response: 196225862
Conc: 45.34 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.002 min
Response: 105506559
Conc: 48.71 ng/ml



#16 4,4'-DDD


R.T.: 5.778 min
Delta R.T.: -0.004 min
Response: 175993852
Conc: 48.94 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: -0.002 min
Response: 110884613
Conc: 46.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: -0.003 min
Response: 190841875
Conc: 47.33 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: -0.002 min
Response: 91695440
Conc: 43.44 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 147414500
Conc: 43.80 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.157 min
Delta R.T.: -0.001 min
Response: 107790403
Conc: 44.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.327 min
Delta R.T.: -0.003 min
Response: 182382505
Conc: 44.77 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: -0.001 min
Response: 59023764
Conc: 49.31 ng/ml



#20 Methoxychlor


R.T.: 6.603 min
Delta R.T.: -0.004 min
Response: 100474723
Conc: 47.37 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: -0.002 min
Response: 118024177
Conc: 44.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.833 min
Delta R.T.: -0.003 min
Response: 209186963
Conc: 43.83 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 89014687
Conc: 43.08 ng/ml



#22 Mirex


R.T.: 7.012 min
Delta R.T.: -0.004 min
Response: 159719996
Conc: 42.08 ng/ml



#24 Chlordane-2


R.T.: 5.255 min
Delta R.T.: 0.025 min
Response: 157426358
Conc: 1040.46 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 145428388
Conc: 290.96 ng/ml



#25 Chlordane-3


R.T.: 4.971 min
Delta R.T.: -0.004 min
Response: 230357117
Conc: 433.00 ng/ml



#26 Chlordane-4


R.T.: 6.016 min
Delta R.T.: -0.005 min
Response: 143350002
Conc: 243.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 226260124
Conc: 434.65 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.925 min
Delta R.T.: -0.008 min
Response: 196225862
Conc: 1022.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.003 min
Response: 102750856
Conc: 48.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.902 min
Delta R.T.: -0.004 min
Response: 178125318
Conc: 44.10 ng/ml