

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032625\
 Data File : PL094891.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2025 19:47
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 27 02:08:03 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.769	136.1E6	192.2E6	48.087	53.839
2)	SA Decachlor...	9.051	7.901	103.4E6	185.3E6	49.079	45.864
Target Compounds							
2)	A alpha-BHC	3.991	3.271	199.1E6	295.4E6	47.949	54.784
3)	MA gamma-BHC...	4.324	3.601	191.4E6	278.8E6	47.973	54.243
4)	MA Heptachlor	4.912	3.938	178.1E6	276.3E6	45.875	52.436
5)	MB Aldrin	5.253	4.217	165.5E6	259.5E6	44.820	53.216
6)	B beta-BHC	4.523	3.901	87379424	121.3E6	47.355	54.605
7)	B delta-BHC	4.770	4.129	190.5E6	279.3E6	48.921	55.839
8)	B Heptachlo...	5.680	4.720	148.9E6	242.3E6	44.501	52.927
9)	A Endosulfan I	6.065	5.090	138.1E6	217.2E6	44.977	49.499
10)	B gamma-Chl...	5.936	4.970	150.9E6	255.6E6	44.774	52.928
11)	B alpha-Chl...	6.015	5.033	148.2E6	250.9E6	44.962	52.561
12)	B 4,4'-DDE	6.189	5.222	145.0E6	269.4E6	49.275	57.960
13)	MA Dieldrin	6.340	5.354	146.6E6	268.0E6	45.849	55.230
14)	MA Endrin	6.571	5.629	131.1E6	220.1E6	47.286	50.441
15)	B Endosulfa...	6.791	5.924	124.6E6	212.1E6	45.906	49.009
16)	A 4,4'-DDD	6.706	5.777	112.9E6	191.6E6	52.128	53.287
17)	MA 4,4'-DDT	7.020	6.027	116.6E6	208.0E6	49.011	51.597
18)	B Endrin al...	6.921	6.104	95077389	158.9E6	45.039	47.202
19)	B Endosulfa...	7.155	6.326	112.8E6	201.7E6	46.395	49.510
20)	A Methoxychlor	7.497	6.602	60080071	110.6E6	50.189	52.160
21)	B Endrin ke...	7.641	6.832	122.8E6	232.0E6	46.469	48.603
22)	Mirex	8.113	7.011	89096466	167.9E6	43.119	44.239
24)	Chlordane-2	5.253f	4.357	165.5E6	-2532167	1093.711	N.D. #
25)	Chlordane-3	5.936	4.970	150.9E6	255.6E6	301.826	480.371 #
26)	Chlordane-4	6.015	5.033	148.2E6	250.9E6	251.630	481.909 #
27)	Chlordane-5	0.000	5.924	0	212.1E6	N.D.	1105.766 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032625\
Data File : PL094891.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Mar 2025 19:47
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 27 02:08:03 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: -0.003 min
Response: 136118579
Conc: 48.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.769 min
Delta R.T.: -0.003 min
Response: 192165213
Conc: 53.84 ng/ml




#2 alpha-BHC

R.T.: 3.991 min
Delta R.T.: -0.003 min
Response: 199099896
Conc: 47.95 ng/ml



#2 alpha-BHC


R.T.: 3.271 min
Delta R.T.: -0.003 min
Response: 295361673
Conc: 54.78 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: -0.003 min
Response: 191424619
Conc: 47.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 278779686
Conc: 54.24 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.003 min
Response: 178068460
Conc: 45.87 ng/ml



#4 Heptachlor


R.T.: 3.938 min
Delta R.T.: -0.004 min
Response: 276267325
Conc: 52.44 ng/ml



#5 Aldrin


R.T.: 5.253 min
Delta R.T.: -0.003 min
Response: 165484099
Conc: 44.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.217 min
Delta R.T.: -0.004 min
Response: 259497287
Conc: 53.22 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 87379424
Conc: 47.35 ng/ml



#6 beta-BHC


R.T.: 3.901 min
Delta R.T.: -0.003 min
Response: 121292910
Conc: 54.60 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.003 min
Response: 190513793
Conc: 48.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.129 min
Delta R.T.: -0.004 min
Response: 279307363
Conc: 55.84 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 148864932
Conc: 44.50 ng/ml



#8 Heptachlor epoxide


R.T.: 4.720 min
Delta R.T.: -0.005 min
Response: 242331949
Conc: 52.93 ng/ml



#9 Endosulfan I


R.T.: 6.065 min
Delta R.T.: -0.004 min
Response: 138088712
Conc: 44.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.090 min
Delta R.T.: -0.004 min
Response: 217237291
Conc: 49.50 ng/ml




#10 gamma-Chlordane

R.T.: 5.936 min
Delta R.T.: -0.003 min
Response: 150858982
Conc: 44.77 ng/ml



#10 gamma-Chlordane


R.T.: 4.970 min
Delta R.T.: -0.004 min
Response: 255556593
Conc: 52.93 ng/ml



#11 alpha-Chlordane


R.T.: 6.015 min
Delta R.T.: -0.004 min
Response: 148233443
Conc: 44.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.033 min
Delta R.T.: -0.004 min
Response: 250862641
Conc: 52.56 ng/ml




#12 4,4'-DDE

R.T.: 6.189 min
Delta R.T.: -0.004 min
Response: 144970396
Conc: 49.28 ng/ml



#12 4,4'-DDE


R.T.: 5.222 min
Delta R.T.: -0.004 min
Response: 269430918
Conc: 57.96 ng/ml



#13 Dieldrin


R.T.: 6.340 min
Delta R.T.: -0.004 min
Response: 146630750
Conc: 45.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: -0.005 min
Response: 267964776
Conc: 55.23 ng/ml




#14 Endrin

R.T.: 6.571 min
Delta R.T.: -0.003 min
Response: 131079908
Conc: 47.29 ng/ml



#14 Endrin


R.T.: 5.629 min
Delta R.T.: -0.004 min
Response: 220107204
Conc: 50.44 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: -0.003 min
Response: 124622140
Conc: 45.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.924 min
Delta R.T.: -0.004 min
Response: 212125800
Conc: 49.01 ng/ml




#16 4,4'-DDD

R.T.: 6.706 min
Delta R.T.: -0.004 min
Response: 112912944
Conc: 52.13 ng/ml



#16 4,4'-DDD


R.T.: 5.777 min
Delta R.T.: -0.005 min
Response: 191614067
Conc: 53.29 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.004 min
Response: 116574841
Conc: 49.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.027 min
Delta R.T.: -0.004 min
Response: 208044718
Conc: 51.60 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: -0.003 min
Response: 95077389
Conc: 45.04 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.005 min
Response: 158852258
Conc: 47.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.155 min
Delta R.T.: -0.004 min
Response: 112832401
Conc: 46.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.326 min
Delta R.T.: -0.004 min
Response: 201677217
Conc: 49.51 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: -0.003 min
Response: 60080071
Conc: 50.19 ng/ml



#20 Methoxychlor


R.T.: 6.602 min
Delta R.T.: -0.005 min
Response: 110634261
Conc: 52.16 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: -0.003 min
Response: 122829961
Conc: 46.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.832 min
Delta R.T.: -0.004 min
Response: 231963264
Conc: 48.60 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: -0.004 min
Response: 89096466
Conc: 43.12 ng/ml



#22 Mirex


R.T.: 7.011 min
Delta R.T.: -0.005 min
Response: 167900082
Conc: 44.24 ng/ml



#24 Chlordane-2


R.T.: 5.253 min
Delta R.T.: 0.023 min
Response: 165484099
Conc: 1093.71 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.357 min
Delta R.T.: 0.012 min
Response: -2532167
Conc: N.D.




#25 Chlordane-3

R.T.: 5.936 min
Delta R.T.: -0.003 min
Response: 150858982
Conc: 301.83 ng/ml



#25 Chlordane-3


R.T.: 4.970 min
Delta R.T.: -0.005 min
Response: 255556593
Conc: 480.37 ng/ml



#26 Chlordane-4


R.T.: 6.015 min
Delta R.T.: -0.007 min
Response: 148233443
Conc: 251.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.033 min
Delta R.T.: -0.004 min
Response: 250862641
Conc: 481.91 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.924 min
Delta R.T.: -0.009 min
Response: 212125800
Conc: 1105.77 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.051 min
Delta R.T.: -0.005 min
Response: 103432722
Conc: 49.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.901 min
Delta R.T.: -0.006 min
Response: 185261056
Conc: 45.86 ng/ml