

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032719\
 Data File : PL046558.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Mar 2019 18:45
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 28 01:12:35 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.977	357.7E6	115.0E6	49.170	50.239
28)	SA Decachlor...	8.034	9.028	423.9E6	123.4E6	50.397	53.233
Target Compounds							
2)	A alpha-BHC	3.788	4.366	582.1E6	167.5E6	49.918	52.125
3)	MA gamma-BHC...	4.065	4.651	530.9E6	153.8E6	49.410	51.382
4)	MA Heptachlor	4.352	5.157	546.0E6	159.4E6	49.520	51.816
5)	MB Aldrin	4.592	5.461	514.9E6	149.1E6	49.913	52.048
6)	B beta-BHC	4.318	4.823	216.4E6	68796007	48.062	51.894
7)	B delta-BHC	4.513	5.039	514.6E6	126.5E6	50.833	54.516
8)	B Heptachlor...	5.029	5.847	460.6E6	136.1E6	47.220	51.616
9)	A Endosulfan I	5.360	6.203	461.3E6	135.4E6	49.063	51.861
10)	B gamma-Chl...	5.251	6.080	504.5E6	147.5E6	49.107	51.963
11)	B alpha-Chl...	5.308	6.153	497.8E6	145.8E6	49.095	51.389
12)	B 4,4'-DDE	5.474	6.311	451.9E6	128.8E6	49.080	51.885
13)	MA Dieldrin	5.599	6.459	499.2E6	139.2E6	49.739	51.342
14)	MA Endrin	5.853	6.676	455.3E6	121.6E6	48.335	50.891
15)	B Endosulfa...	6.127	6.887	439.4E6	126.0E6	49.039	52.211
16)	A 4,4'-DDD	5.986	6.800	378.0E6	106.7E6	50.004	53.011
17)	MA 4,4'-DDT	6.220	7.098	385.7E6	110.1E6	50.923	52.485
18)	B Endrin al...	6.294	7.010	362.6E6	108.8E6	48.378	51.204
19)	B Endosulfa...	6.504	7.233	390.0E6	120.9E6	47.493	51.233
20)	A Methoxychlor	6.765	7.557	210.0E6	67168074	49.402	52.690
21)	B Endrin ke...	6.988	7.702	453.0E6	130.4E6	48.991	52.499
22)	Mirex	7.165	8.155	344.6E6	103.0E6	47.303	51.494
24)	Chlordane-2	0.000	5.461f	0	149.1E6	N.D.	1276.585 #
25)	Chlordane-3	5.251	6.080	504.5E6	147.5E6	452.964	386.806
26)	Chlordane-4	5.308	6.153	497.8E6	145.8E6	481.383	315.918 #
27)	Chlordane-5	6.127	0.000	439.4E6	0	1287.468	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032719\
Data File : PL046558.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Mar 2019 18:45
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 28 01:12:35 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 357694711
Conc: 49.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.977 min
Delta R.T.: -0.004 min
Response: 115026580
Conc: 50.24 ng/ml




#2 alpha-BHC

R.T.: 3.788 min
Delta R.T.: -0.003 min
Response: 582148308
Conc: 49.92 ng/ml



#2 alpha-BHC


R.T.: 4.366 min
Delta R.T.: -0.005 min
Response: 167493892
Conc: 52.13 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.065 min
Delta R.T.: -0.003 min
Response: 530882176
Conc: 49.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.651 min
Delta R.T.: -0.005 min
Response: 153787562
Conc: 51.38 ng/ml




#4 Heptachlor

R.T.: 4.352 min
Delta R.T.: -0.004 min
Response: 545966683
Conc: 49.52 ng/ml



#4 Heptachlor


R.T.: 5.157 min
Delta R.T.: -0.006 min
Response: 159378913
Conc: 51.82 ng/ml



#5 Aldrin


R.T.: 4.592 min
Delta R.T.: -0.004 min
Response: 514851208
Conc: 49.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.461 min
Delta R.T.: -0.006 min
Response: 149116870
Conc: 52.05 ng/ml




#6 beta-BHC

R.T.: 4.318 min
Delta R.T.: -0.003 min
Response: 216394977
Conc: 48.06 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.005 min
Response: 68796007
Conc: 51.89 ng/ml



#7 delta-BHC


R.T.: 4.513 min
Delta R.T.: -0.004 min
Response: 514580870
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 126486793
Conc: 54.52 ng/ml




#8 Heptachlor epoxide

R.T.: 5.029 min
Delta R.T.: -0.005 min
Response: 460559664
Conc: 47.22 ng/ml



#8 Heptachlor epoxide


R.T.: 5.847 min
Delta R.T.: -0.007 min
Response: 136122335
Conc: 51.62 ng/ml



#9 Endosulfan I


R.T.: 5.360 min
Delta R.T.: -0.006 min
Response: 461310064
Conc: 49.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.007 min
Response: 135350064
Conc: 51.86 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 504453717
Conc: 49.11 ng/ml



#10 gamma-Chlordane


R.T.: 6.080 min
Delta R.T.: -0.007 min
Response: 147476713
Conc: 51.96 ng/ml



#11 alpha-Chlordane


R.T.: 5.308 min
Delta R.T.: -0.006 min
Response: 497779069
Conc: 49.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.153 min
Delta R.T.: -0.008 min
Response: 145772623
Conc: 51.39 ng/ml




#12 4,4'-DDE

R.T.: 5.474 min
Delta R.T.: -0.006 min
Response: 451881599
Conc: 49.08 ng/ml



#12 4,4'-DDE


R.T.: 6.311 min
Delta R.T.: -0.007 min
Response: 128795212
Conc: 51.88 ng/ml



#13 Dielddrin


R.T.: 5.599 min
Delta R.T.: -0.007 min
Response: 499154526
Conc: 49.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielddrin

R.T.: 6.459 min
Delta R.T.: -0.008 min
Response: 139171635
Conc: 51.34 ng/ml




#14 Endrin

R.T.: 5.853 min
Delta R.T.: -0.007 min
Response: 455280754
Conc: 48.34 ng/ml



#14 Endrin


R.T.: 6.676 min
Delta R.T.: -0.008 min
Response: 121616821
Conc: 50.89 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.007 min
Response: 439370441
Conc: 49.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.887 min
Delta R.T.: -0.008 min
Response: 125979507
Conc: 52.21 ng/ml




#16 4,4'-DDD

R.T.: 5.986 min
Delta R.T.: -0.007 min
Response: 377982868
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.800 min
Delta R.T.: -0.008 min
Response: 106660534
Conc: 53.01 ng/ml



#17 4,4'-DDT


R.T.: 6.220 min
Delta R.T.: -0.007 min
Response: 385708510
Conc: 50.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.098 min
Delta R.T.: -0.009 min
Response: 110059506
Conc: 52.49 ng/ml




#18 Endrin aldehyde

R.T.: 6.294 min
Delta R.T.: -0.008 min
Response: 362603141
Conc: 48.38 ng/ml



#18 Endrin aldehyde


R.T.: 7.010 min
Delta R.T.: -0.008 min
Response: 108757135
Conc: 51.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.504 min
Delta R.T.: -0.008 min
Response: 389974223
Conc: 47.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.233 min
Delta R.T.: -0.009 min
Response: 120858457
Conc: 51.23 ng/ml




#20 Methoxychlor

R.T.: 6.765 min
Delta R.T.: -0.008 min
Response: 209953511
Conc: 49.40 ng/ml



#20 Methoxychlor


R.T.: 7.557 min
Delta R.T.: -0.009 min
Response: 67168074
Conc: 52.69 ng/ml



#21 Endrin ketone


R.T.: 6.988 min
Delta R.T.: -0.008 min
Response: 453011672
Conc: 48.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.702 min
Delta R.T.: -0.010 min
Response: 130437356
Conc: 52.50 ng/ml




#22 Mirex

R.T.: 7.165 min
Delta R.T.: -0.009 min
Response: 344625662
Conc: 47.30 ng/ml



#22 Mirex


R.T.: 8.155 min
Delta R.T.: -0.010 min
Response: 102997674
Conc: 51.49 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.461 min
Delta R.T.: 0.018 min
Response: 149116870
Conc: 1276.58 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.007 min
Response: 504453717
Conc: 452.96 ng/ml



#25 Chlordane-3


R.T.: 6.080 min
Delta R.T.: -0.009 min
Response: 147476713
Conc: 386.81 ng/ml



#26 Chlordane-4


R.T.: 5.308 min
Delta R.T.: -0.006 min
Response: 497779069
Conc: 481.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.153 min
Delta R.T.: -0.011 min
Response: 145772623
Conc: 315.92 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.012 min
Response: 439370441
Conc: 1287.47 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.034 min
Delta R.T.: -0.010 min
Response: 423895625
Conc: 50.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.028 min
Delta R.T.: -0.012 min
Response: 123419699
Conc: 53.23 ng/ml