

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032825\
 Data File : PL094931.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Mar 2025 13:11
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 28 23:14:32 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.769	142.3E6	202.2E6	50.270	56.661
28)	SA Decachlor...	9.053	7.901	105.2E6	212.9E6	49.901	52.697
Target Compounds							
2)	A alpha-BHC	3.993	3.271	209.0E6	309.1E6	50.341	57.335
3)	MA gamma-BHC...	4.326	3.601	198.9E6	279.3E6	49.853	54.345
4)	MA Heptachlor	4.914	3.939	183.5E6	284.3E6	47.268	53.953
5)	MB Aldrin	5.255	4.218	171.6E6	268.4E6	46.477	55.039
6)	B beta-BHC	4.525	3.901	89945770	123.5E6	48.745	55.587
7)	B delta-BHC	4.772	4.130	191.0E6	286.0E6	49.052	57.174
8)	B Heptachlo...	5.682	4.720	156.4E6	245.9E6	46.746	53.711
9)	A Endosulfan I	6.068	5.090	149.6E6	240.4E6	48.726	54.767
10)	B gamma-Chl...	5.938	4.970	160.9E6	264.5E6	47.755	54.780
11)	B alpha-Chl...	6.017	5.034	159.1E6	260.0E6	48.261	54.485
12)	B 4,4'-DDE	6.191	5.222	156.9E6	279.8E6	53.329	60.195
13)	MA Dieldrin	6.343	5.353	155.2E6	281.3E6	48.537	57.968
14)	MA Endrin	6.572	5.629	136.1E6	235.3E6	49.106	53.916
15)	B Endosulfa...	6.793	5.924	136.7E6	226.8E6	50.372	52.404
16)	A 4,4'-DDD	6.709	5.777	117.4E6	207.5E6	54.177	57.714
17)	MA 4,4'-DDT	7.022	6.027	123.9E6	227.2E6	52.111	56.343
18)	B Endrin al...	6.923	6.104	101.6E6	176.6E6	48.116	52.474
19)	B Endosulfa...	7.157	6.326	118.4E6	221.9E6	48.703	54.466
20)	A Methoxychlor	7.499	6.602	62270394	117.9E6	52.019	55.587
21)	B Endrin ke...	7.642	6.832	130.2E6	265.1E6	49.272	55.549
22)	Mirex	8.114	7.011	94619158	190.3E6	45.792	50.144
24)	Chlordane-2	5.255f	0.000	171.6E6	0	1134.150	N.D. #
25)	Chlordane-3	5.938	4.970	160.9E6	264.5E6	321.921	497.184 #
26)	Chlordane-4	6.017	5.034	159.1E6	260.0E6	270.092	499.546 #
27)	Chlordane-5	0.000	5.924	0	226.8E6	N.D.	1182.361 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 142297919
Conc: 50.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.769 min
Delta R.T.: -0.003 min
Response: 202237136
Conc: 56.66 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.000 min
Response: 209031285
Conc: 50.34 ng/ml



#2 alpha-BHC


R.T.: 3.271 min
Delta R.T.: -0.003 min
Response: 309116118
Conc: 57.34 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: -0.001 min
Response: 198926347
Conc: 49.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 279303682
Conc: 54.35 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: 0.000 min
Response: 183478358
Conc: 47.27 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: -0.004 min
Response: 284260618
Conc: 53.95 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: 0.000 min
Response: 171602770
Conc: 46.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.218 min
Delta R.T.: -0.004 min
Response: 268389549
Conc: 55.04 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 89945770
Conc: 48.75 ng/ml



#6 beta-BHC


R.T.: 3.901 min
Delta R.T.: -0.003 min
Response: 123474200
Conc: 55.59 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.000 min
Response: 191022851
Conc: 49.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.130 min
Delta R.T.: -0.004 min
Response: 285981940
Conc: 57.17 ng/ml




#8 Heptachlor epoxide

R.T.: 5.682 min
Delta R.T.: -0.001 min
Response: 156373346
Conc: 46.75 ng/ml



#8 Heptachlor epoxide


R.T.: 4.720 min
Delta R.T.: -0.004 min
Response: 245921697
Conc: 53.71 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.001 min
Response: 149597608
Conc: 48.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.090 min
Delta R.T.: -0.004 min
Response: 240356203
Conc: 54.77 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: -0.001 min
Response: 160902450
Conc: 47.75 ng/ml



#10 gamma-Chlordane


R.T.: 4.970 min
Delta R.T.: -0.004 min
Response: 264501139
Conc: 54.78 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: -0.001 min
Response: 159109070
Conc: 48.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: -0.004 min
Response: 260043642
Conc: 54.48 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.002 min
Response: 156898036
Conc: 53.33 ng/ml



#12 4,4'-DDE


R.T.: 5.222 min
Delta R.T.: -0.005 min
Response: 279819554
Conc: 60.20 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: -0.001 min
Response: 155229333
Conc: 48.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.353 min
Delta R.T.: -0.005 min
Response: 281250932
Conc: 57.97 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: -0.001 min
Response: 136124480
Conc: 49.11 ng/ml



#14 Endrin


R.T.: 5.629 min
Delta R.T.: -0.004 min
Response: 235271560
Conc: 53.92 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: 0.000 min
Response: 136745797
Conc: 50.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.924 min
Delta R.T.: -0.004 min
Response: 226819444
Conc: 52.40 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 117351021
Conc: 54.18 ng/ml



#16 4,4'-DDD


R.T.: 5.777 min
Delta R.T.: -0.005 min
Response: 207535042
Conc: 57.71 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: -0.002 min
Response: 123947263
Conc: 52.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.027 min
Delta R.T.: -0.004 min
Response: 227180034
Conc: 56.34 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 101573123
Conc: 48.12 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 176595866
Conc: 52.47 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.157 min
Delta R.T.: -0.001 min
Response: 118445491
Conc: 48.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.326 min
Delta R.T.: -0.004 min
Response: 221861793
Conc: 54.47 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: -0.001 min
Response: 62270394
Conc: 52.02 ng/ml



#20 Methoxychlor


R.T.: 6.602 min
Delta R.T.: -0.005 min
Response: 117903271
Conc: 55.59 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: -0.001 min
Response: 130238015
Conc: 49.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.832 min
Delta R.T.: -0.004 min
Response: 265113013
Conc: 55.55 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 94619158
Conc: 45.79 ng/ml



#22 Mirex


R.T.: 7.011 min
Delta R.T.: -0.005 min
Response: 190310729
Conc: 50.14 ng/ml



#24 Chlordane-2


R.T.: 5.255 min
Delta R.T.: 0.025 min
Response: 171602770
Conc: 1134.15 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.938 min
Delta R.T.: -0.001 min
Response: 160902450
Conc: 321.92 ng/ml



#25 Chlordane-3


R.T.: 4.970 min
Delta R.T.: -0.005 min
Response: 264501139
Conc: 497.18 ng/ml



#26 Chlordane-4


R.T.: 6.017 min
Delta R.T.: -0.005 min
Response: 159109070
Conc: 270.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.034 min
Delta R.T.: -0.004 min
Response: 260043642
Conc: 499.55 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 5.924 min
Delta R.T.: -0.008 min
Response: 226819444
Conc: 1182.36 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.053 min

Delta R.T.: -0.003 min

Response: 105163927

Conc: 49.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.901 min

Delta R.T.: -0.006 min

Response: 212862528

Conc: 52.70 ng/ml