

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040119\
 Data File : PL046845.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Apr 2019 01:24
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 02 04:14:08 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.977	351.1E6	109.5E6	48.263	47.807
28)	SA Decachlor...	8.033	9.027	427.1E6	125.5E6	50.783	54.143
Target Compounds							
2)	A alpha-BHC	3.787	4.367	572.3E6	157.7E6	49.078	49.078
3)	MA gamma-BHC...	4.064	4.650	527.1E6	147.2E6	49.059	49.176
4)	MA Heptachlor	4.351	5.156	550.8E6	151.6E6	49.962	49.274
5)	MB Aldrin	4.591	5.460	518.2E6	142.9E6	50.237	49.894
6)	B beta-BHC	4.317	4.823	214.3E6	66149832	47.596	49.898
7)	B delta-BHC	4.512	5.039	507.5E6	128.5E6	50.133	55.387
8)	B Heptachlor...	5.028	5.847	489.7E6	134.9E6	50.203	51.144
9)	A Endosulfan I	5.359	6.202	465.4E6	129.6E6	49.497	49.653
10)	B gamma-Chl...	5.251	6.080	506.1E6	140.9E6	49.270	49.640
11)	B alpha-Chl...	5.307	6.153	498.7E6	140.4E6	49.186	49.502
12)	B 4,4'-DDE	5.474	6.311	457.8E6	124.0E6	49.719	49.935
13)	MA Dieldrin	5.599	6.459	498.3E6	133.5E6	49.655	49.237
14)	MA Endrin	5.852	6.676	450.4E6	114.9E6	47.821	48.063
15)	B Endosulfa...	6.127	6.886	439.7E6	120.5E6	49.075	49.935
16)	A 4,4'-DDD	5.985	6.801	376.8E6	102.0E6	49.841	50.680
17)	MA 4,4'-DDT	6.220	7.098	382.3E6	103.6E6	50.473	49.382
18)	B Endrin al...	6.293	7.011	366.0E6	105.3E6	48.826	49.585
19)	B Endosulfa...	6.505	7.233	408.7E6	115.8E6	49.768	49.098
20)	A Methoxychlor	6.765	7.556	204.5E6	63621820	48.110	49.908
21)	B Endrin ke...	6.988	7.702	466.1E6	126.6E6	50.411	50.950
22)	Mirex	7.164	8.154	352.0E6	102.8E6	48.322	51.377
24)	Chlordane-2	0.000	5.460f	0	142.9E6	N.D.	1223.738 #
25)	Chlordane-3	5.251	6.080	506.1E6	140.9E6	454.474	369.512
26)	Chlordane-4	5.307	6.153	498.7E6	140.4E6	482.275	304.321 #
27)	Chlordane-5	6.127	0.000	439.7E6	0	1288.401	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040119\
Data File : PL046845.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Apr 2019 01:24
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 02 04:14:08 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 351093876
Conc: 48.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.977 min
Delta R.T.: -0.004 min
Response: 109458869
Conc: 47.81 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.003 min
Response: 572344749
Conc: 49.08 ng/ml



#2 alpha-BHC


R.T.: 4.367 min
Delta R.T.: -0.004 min
Response: 157703073
Conc: 49.08 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.064 min
Delta R.T.: -0.004 min
Response: 527116330
Conc: 49.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.650 min
Delta R.T.: -0.005 min
Response: 147185894
Conc: 49.18 ng/ml




#4 Heptachlor

R.T.: 4.351 min
Delta R.T.: -0.005 min
Response: 550839482
Conc: 49.96 ng/ml



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: -0.006 min
Response: 151561674
Conc: 49.27 ng/ml



#5 Aldrin


R.T.: 4.591 min
Delta R.T.: -0.005 min
Response: 518196577
Conc: 50.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.460 min
Delta R.T.: -0.006 min
Response: 142943875
Conc: 49.89 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 214296502
Conc: 47.60 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.005 min
Response: 66149832
Conc: 49.90 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 507494268
Conc: 50.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 128508080
Conc: 55.39 ng/ml




#8 Heptachlor epoxide

R.T.: 5.028 min
Delta R.T.: -0.006 min
Response: 489659649
Conc: 50.20 ng/ml



#8 Heptachlor epoxide


R.T.: 5.847 min
Delta R.T.: -0.007 min
Response: 134877584
Conc: 51.14 ng/ml



#9 Endosulfan I


R.T.: 5.359 min
Delta R.T.: -0.007 min
Response: 465386667
Conc: 49.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.202 min
Delta R.T.: -0.008 min
Response: 129588683
Conc: 49.65 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 506135518
Conc: 49.27 ng/ml



#10 gamma-Chlordane


R.T.: 6.080 min
Delta R.T.: -0.007 min
Response: 140882967
Conc: 49.64 ng/ml



#11 alpha-Chlordane


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 498700861
Conc: 49.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.153 min
Delta R.T.: -0.008 min
Response: 140421383
Conc: 49.50 ng/ml




#12 4,4'-DDE

R.T.: 5.474 min
Delta R.T.: -0.006 min
Response: 457764355
Conc: 49.72 ng/ml



#12 4,4'-DDE


R.T.: 6.311 min
Delta R.T.: -0.007 min
Response: 123954367
Conc: 49.93 ng/ml



#13 Dieldrin


R.T.: 5.599 min
Delta R.T.: -0.007 min
Response: 498313125
Conc: 49.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.459 min
Delta R.T.: -0.008 min
Response: 133464601
Conc: 49.24 ng/ml




#14 Endrin

R.T.: 5.852 min
Delta R.T.: -0.007 min
Response: 450434289
Conc: 47.82 ng/ml



#14 Endrin


R.T.: 6.676 min
Delta R.T.: -0.008 min
Response: 114858964
Conc: 48.06 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.007 min
Response: 439688931
Conc: 49.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.886 min
Delta R.T.: -0.008 min
Response: 120487196
Conc: 49.93 ng/ml




#16 4,4'-DDD

R.T.: 5.985 min
Delta R.T.: -0.007 min
Response: 376754166
Conc: 49.84 ng/ml



#16 4,4'-DDD


R.T.: 6.801 min
Delta R.T.: -0.008 min
Response: 101969501
Conc: 50.68 ng/ml



#17 4,4'-DDT


R.T.: 6.220 min
Delta R.T.: -0.007 min
Response: 382298692
Conc: 50.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.098 min
Delta R.T.: -0.009 min
Response: 103551971
Conc: 49.38 ng/ml




#18 Endrin aldehyde

R.T.: 6.293 min
Delta R.T.: -0.008 min
Response: 365955664
Conc: 48.83 ng/ml



#18 Endrin aldehyde


R.T.: 7.011 min
Delta R.T.: -0.008 min
Response: 105317377
Conc: 49.58 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.008 min
Response: 408653699
Conc: 49.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.233 min
Delta R.T.: -0.009 min
Response: 115821637
Conc: 49.10 ng/ml




#20 Methoxychlor

R.T.: 6.765 min
Delta R.T.: -0.008 min
Response: 204460769
Conc: 48.11 ng/ml



#20 Methoxychlor


R.T.: 7.556 min
Delta R.T.: -0.009 min
Response: 63621820
Conc: 49.91 ng/ml



#21 Endrin ketone


R.T.: 6.988 min
Delta R.T.: -0.008 min
Response: 466143995
Conc: 50.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.702 min
Delta R.T.: -0.010 min
Response: 126587285
Conc: 50.95 ng/ml




#22 Mirex

R.T.: 7.164 min
Delta R.T.: -0.009 min
Response: 352048174
Conc: 48.32 ng/ml



#22 Mirex


R.T.: 8.154 min
Delta R.T.: -0.011 min
Response: 102762472
Conc: 51.38 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.460 min
Delta R.T.: 0.018 min
Response: 142943875
Conc: 1223.74 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.007 min
Response: 506135518
Conc: 454.47 ng/ml



#25 Chlordane-3


R.T.: 6.080 min
Delta R.T.: -0.009 min
Response: 140882967
Conc: 369.51 ng/ml



#26 Chlordane-4


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 498700861
Conc: 482.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.153 min
Delta R.T.: -0.011 min
Response: 140421383
Conc: 304.32 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.012 min
Response: 439688931
Conc: 1288.40 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.033 min
Delta R.T.: -0.011 min
Response: 427137848
Conc: 50.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: -0.013 min
Response: 125528440
Conc: 54.14 ng/ml