

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040119\
 Data File : PL046867.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Apr 2019 06:52
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 02 07:50:44 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.976	353.9E6	110.2E6	48.644	48.131
28)	SA Decachlor...	8.034	9.028	402.1E6	117.3E6	47.811	50.582
Target Compounds							
2)	A alpha-BHC	3.787	4.366	575.6E6	158.1E6	49.359	49.212
3)	MA gamma-BHC...	4.065	4.650	528.2E6	147.9E6	49.160	49.409
4)	MA Heptachlor	4.351	5.156	547.6E6	150.5E6	49.671	48.923
5)	MB Aldrin	4.591	5.460	518.2E6	142.5E6	50.241	49.730
6)	B beta-BHC	4.317	4.823	216.6E6	65862552	48.110	49.682
7)	B delta-BHC	4.512	5.039	511.5E6	131.3E6	50.528	56.585
8)	B Heptachlor...	5.028	5.847	490.4E6	136.9E6	50.280	51.912
9)	A Endosulfan I	5.360	6.203	465.4E6	128.6E6	49.493	49.277
10)	B gamma-Chl...	5.251	6.081	507.4E6	140.3E6	49.391	49.452
11)	B alpha-Chl...	5.307	6.152	499.4E6	139.4E6	49.257	49.153
12)	B 4,4'-DDE	5.474	6.311	462.0E6	122.0E6	50.174	49.165
13)	MA Dieldrin	5.599	6.459	498.6E6	131.6E6	49.686	48.559
14)	MA Endrin	5.852	6.677	436.6E6	110.1E6	46.347	46.085
15)	B Endosulfa...	6.127	6.887	436.5E6	118.8E6	48.723	49.247
16)	A 4,4'-DDD	5.985	6.801	378.4E6	101.4E6	50.064	50.405
17)	MA 4,4'-DDT	6.220	7.099	370.3E6	99250114	48.887	47.331
18)	B Endrin al...	6.294	7.011	361.9E6	103.1E6	48.288	48.519
19)	B Endosulfa...	6.505	7.233	397.9E6	113.5E6	48.461	48.128
20)	A Methoxychlor	6.765	7.557	193.0E6	59718297	45.423	46.846
21)	B Endrin ke...	6.988	7.703	444.7E6	123.3E6	48.089	49.616
22)	Mirex	7.164	8.154	331.8E6	99004635	45.549	49.498
24)	Chlordane-2	0.000	5.460f	0	142.5E6	N.D.	1219.711 #
25)	Chlordane-3	5.251	6.081	507.4E6	140.3E6	455.589	368.108
26)	Chlordane-4	5.307	6.152	499.4E6	139.4E6	482.966	302.177 #
27)	Chlordane-5	6.127	0.000	436.5E6	0	1279.184	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040119\
Data File : PL046867.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Apr 2019 06:52
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 02 07:50:44 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 353865143
Conc: 48.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.976 min
Delta R.T.: -0.004 min
Response: 110200481
Conc: 48.13 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.003 min
Response: 575621168
Conc: 49.36 ng/ml



#2 alpha-BHC


R.T.: 4.366 min
Delta R.T.: -0.005 min
Response: 158132638
Conc: 49.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.065 min
Delta R.T.: -0.004 min
Response: 528203184
Conc: 49.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.650 min
Delta R.T.: -0.005 min
Response: 147881118
Conc: 49.41 ng/ml




#4 Heptachlor

R.T.: 4.351 min
Delta R.T.: -0.005 min
Response: 547627520
Conc: 49.67 ng/ml



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: -0.006 min
Response: 150482720
Conc: 48.92 ng/ml



#5 Aldrin


R.T.: 4.591 min
Delta R.T.: -0.005 min
Response: 518235849
Conc: 50.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.460 min
Delta R.T.: -0.006 min
Response: 142473548
Conc: 49.73 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 216612053
Conc: 48.11 ng/ml



#6 beta-BHC


R.T.: 4.823 min
Delta R.T.: -0.005 min
Response: 65862552
Conc: 49.68 ng/ml



#7 delta-BHC


R.T.: 4.512 min
Delta R.T.: -0.005 min
Response: 511496335
Conc: 50.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 131287668
Conc: 56.59 ng/ml




#8 Heptachlor epoxide

R.T.: 5.028 min
Delta R.T.: -0.006 min
Response: 490408553
Conc: 50.28 ng/ml



#8 Heptachlor epoxide


R.T.: 5.847 min
Delta R.T.: -0.007 min
Response: 136901325
Conc: 51.91 ng/ml



#9 Endosulfan I


R.T.: 5.360 min
Delta R.T.: -0.006 min
Response: 465352673
Conc: 49.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.008 min
Response: 128608126
Conc: 49.28 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 507377044
Conc: 49.39 ng/ml



#10 gamma-Chlordane


R.T.: 6.081 min
Delta R.T.: -0.007 min
Response: 140347779
Conc: 49.45 ng/ml



#11 alpha-Chlordane


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 499415641
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.152 min
Delta R.T.: -0.008 min
Response: 139431889
Conc: 49.15 ng/ml




#12 4,4'-DDE

R.T.: 5.474 min
Delta R.T.: -0.006 min
Response: 461950668
Conc: 50.17 ng/ml



#12 4,4'-DDE


R.T.: 6.311 min
Delta R.T.: -0.007 min
Response: 122043731
Conc: 49.16 ng/ml



#13 Dieldrin


R.T.: 5.599 min
Delta R.T.: -0.007 min
Response: 498631071
Conc: 49.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.459 min
Delta R.T.: -0.008 min
Response: 131628446
Conc: 48.56 ng/ml




#14 Endrin

R.T.: 5.852 min
Delta R.T.: -0.007 min
Response: 436556514
Conc: 46.35 ng/ml



#14 Endrin


R.T.: 6.677 min
Delta R.T.: -0.008 min
Response: 110132074
Conc: 46.08 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.008 min
Response: 436543181
Conc: 48.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.887 min
Delta R.T.: -0.007 min
Response: 118827852
Conc: 49.25 ng/ml




#16 4,4'-DDD

R.T.: 5.985 min
Delta R.T.: -0.007 min
Response: 378435249
Conc: 50.06 ng/ml



#16 4,4'-DDD


R.T.: 6.801 min
Delta R.T.: -0.008 min
Response: 101416997
Conc: 50.41 ng/ml



#17 4,4'-DDT


R.T.: 6.220 min
Delta R.T.: -0.007 min
Response: 370284292
Conc: 48.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.099 min
Delta R.T.: -0.008 min
Response: 99250114
Conc: 47.33 ng/ml




#18 Endrin aldehyde

R.T.: 6.294 min
Delta R.T.: -0.008 min
Response: 361928771
Conc: 48.29 ng/ml



#18 Endrin aldehyde


R.T.: 7.011 min
Delta R.T.: -0.008 min
Response: 103054342
Conc: 48.52 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.008 min
Response: 397921260
Conc: 48.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.233 min
Delta R.T.: -0.008 min
Response: 113533381
Conc: 48.13 ng/ml




#20 Methoxychlor

R.T.: 6.765 min
Delta R.T.: -0.008 min
Response: 193043025
Conc: 45.42 ng/ml



#20 Methoxychlor


R.T.: 7.557 min
Delta R.T.: -0.008 min
Response: 59718297
Conc: 46.85 ng/ml



#21 Endrin ketone


R.T.: 6.988 min
Delta R.T.: -0.008 min
Response: 444666886
Conc: 48.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.703 min
Delta R.T.: -0.009 min
Response: 123273947
Conc: 49.62 ng/ml




#22 Mirex

R.T.: 7.164 min
Delta R.T.: -0.009 min
Response: 331845996
Conc: 45.55 ng/ml



#22 Mirex


R.T.: 8.154 min
Delta R.T.: -0.011 min
Response: 99004635
Conc: 49.50 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.460 min
Delta R.T.: 0.018 min
Response: 142473548
Conc: 1219.71 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.008 min
Response: 507377044
Conc: 455.59 ng/ml



#25 Chlordane-3


R.T.: 6.081 min
Delta R.T.: -0.008 min
Response: 140347779
Conc: 368.11 ng/ml



#26 Chlordane-4


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 499415641
Conc: 482.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.152 min
Delta R.T.: -0.011 min
Response: 139431889
Conc: 302.18 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.013 min
Response: 436543181
Conc: 1279.18 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.034 min
Delta R.T.: -0.010 min
Response: 402142913
Conc: 47.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.028 min
Delta R.T.: -0.012 min
Response: 117273574
Conc: 50.58 ng/ml