

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040124\
 Data File : PL088854.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Apr 2024 16:24
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 02 01:16:00 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 13 15:45:55 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.634	2.851	134.5E6	73593051	50.774	55.219
28) SA Decachlor...	9.299	8.076	112.9E6	71399423	45.677	52.658
Target Compounds						
2) A alpha-BHC	4.098	3.365	205.5E6	112.7E6	51.494	56.098
3) MA gamma-BHC...	4.437	3.702	198.4E6	108.6E6	51.156	56.581
4) MA Heptachlor	5.036	4.050	188.7E6	102.6E6	49.695	57.017
5) MB Aldrin	5.383	4.335	186.4E6	103.8E6	50.859	57.421
6) B beta-BHC	4.634	4.003	86323270	46298636	48.676	54.009
7) B delta-BHC	4.886	4.239	191.9E6	105.6E6	47.628	55.198
8) B Heptachlo...	5.815	4.845	171.8E6	92784687	50.006	56.421
9) A Endosulfan I	6.206	5.221	152.6E6	85491695	49.917	56.871
10) B gamma-Chl...	6.074	5.100	170.4E6	94684279	51.147	57.166
11) B alpha-Chl...	6.155	5.165	167.3E6	94740721	50.334	57.075
12) B 4,4'-DDE	6.329	5.357	150.1E6	85901041	50.250	58.893
13) MA Dieldrin	6.484	5.490	163.2E6	93265849	50.316	57.424
14) MA Endrin	6.716	5.769	130.7E6	79149355	47.819	54.910
15) B Endosulfa...	6.937	6.066	139.2E6	79309592	48.595	55.157
16) A 4,4'-DDD	6.851	5.919	124.6E6	73173460	48.919	58.756
17) MA 4,4'-DDT	7.169	6.174	125.6E6	74963511	47.113	55.851
18) B Endrin al...	7.069	6.248	88209337	62575353	42.249	59.712 #
19) B Endosulfa...	7.305	6.474	133.3E6	77381190	48.277	55.773
20) A Methoxychlor	7.650	6.756	67990317	42680537	45.131	53.213
21) B Endrin ke...	7.797	6.986	142.7E6	90802900	48.253	55.009
22) Mirex	8.278	7.172	112.2E6	73732988	47.845	54.681
23) Chlordane-1	0.000	3.878	0	42602	N.D.	0.877 #
24) Chlordane-2	5.383f	4.473	186.4E6	199222	1417.615	3.281 #
25) Chlordane-3	6.074	5.100	170.4E6	94684279	342.620	554.778 #
26) Chlordane-4	6.155	5.165	167.3E6	94740721	278.914	593.837 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040124\
Data File : PL088854.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Apr 2024 16:24
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 02 01:16:00 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031324.M
Quant Title : GC Extractables
QLast Update : Wed Mar 13 15:45:55 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.634 min
Delta R.T.: 0.000 min
Response: 134549217
Conc: 50.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.851 min
Delta R.T.: -0.001 min
Response: 73593051
Conc: 55.22 ng/ml




#2 alpha-BHC

R.T.: 4.098 min
Delta R.T.: -0.001 min
Response: 205548499
Conc: 51.49 ng/ml



#2 alpha-BHC


R.T.: 3.365 min
Delta R.T.: -0.002 min
Response: 112726941
Conc: 56.10 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.437 min
Delta R.T.: -0.001 min
Response: 198393990
Conc: 51.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.702 min
Delta R.T.: -0.002 min
Response: 108586567
Conc: 56.58 ng/ml




#4 Heptachlor

R.T.: 5.036 min
Delta R.T.: -0.002 min
Response: 188712225
Conc: 49.69 ng/ml



#4 Heptachlor


R.T.: 4.050 min
Delta R.T.: -0.003 min
Response: 102614429
Conc: 57.02 ng/ml



#5 Aldrin


R.T.: 5.383 min
Delta R.T.: -0.002 min
Response: 186371554
Conc: 50.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.335 min
Delta R.T.: -0.002 min
Response: 103764668
Conc: 57.42 ng/ml




#6 beta-BHC

R.T.: 4.634 min
Delta R.T.: -0.001 min
Response: 86323270
Conc: 48.68 ng/ml



#6 beta-BHC


R.T.: 4.003 min
Delta R.T.: -0.002 min
Response: 46298636
Conc: 54.01 ng/ml



#7 delta-BHC


R.T.: 4.886 min
Delta R.T.: -0.001 min
Response: 191854275
Conc: 47.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.239 min
Delta R.T.: -0.002 min
Response: 105597309
Conc: 55.20 ng/ml




#8 Heptachlor epoxide

R.T.: 5.815 min
Delta R.T.: -0.002 min
Response: 171769593
Conc: 50.01 ng/ml



#8 Heptachlor epoxide


R.T.: 4.845 min
Delta R.T.: -0.004 min
Response: 92784687
Conc: 56.42 ng/ml



#9 Endosulfan I


R.T.: 6.206 min
Delta R.T.: -0.002 min
Response: 152569884
Conc: 49.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.221 min
Delta R.T.: -0.004 min
Response: 85491695
Conc: 56.87 ng/ml




#10 gamma-Chlordane

R.T.: 6.074 min
Delta R.T.: -0.002 min
Response: 170362885
Conc: 51.15 ng/ml



#10 gamma-Chlordane


R.T.: 5.100 min
Delta R.T.: -0.003 min
Response: 94684279
Conc: 57.17 ng/ml



#11 alpha-Chlordane


R.T.: 6.155 min
Delta R.T.: -0.002 min
Response: 167311425
Conc: 50.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.165 min
Delta R.T.: -0.003 min
Response: 94740721
Conc: 57.08 ng/ml




#12 4,4'-DDE

R.T.: 6.329 min
Delta R.T.: -0.003 min
Response: 150132897
Conc: 50.25 ng/ml



#12 4,4'-DDE


R.T.: 5.357 min
Delta R.T.: -0.004 min
Response: 85901041
Conc: 58.89 ng/ml



#13 Dieldrin


R.T.: 6.484 min
Delta R.T.: -0.003 min
Response: 163158643
Conc: 50.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.490 min
Delta R.T.: -0.003 min
Response: 93265849
Conc: 57.42 ng/ml




#14 Endrin

R.T.: 6.716 min
Delta R.T.: -0.003 min
Response: 130723146
Conc: 47.82 ng/ml



#14 Endrin


R.T.: 5.769 min
Delta R.T.: -0.004 min
Response: 79149355
Conc: 54.91 ng/ml



#15 Endosulfan II


R.T.: 6.937 min
Delta R.T.: -0.003 min
Response: 139186340
Conc: 48.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.066 min
Delta R.T.: -0.004 min
Response: 79309592
Conc: 55.16 ng/ml




#16 4,4'-DDD

R.T.: 6.851 min
Delta R.T.: -0.003 min
Response: 124584186
Conc: 48.92 ng/ml



#16 4,4'-DDD


R.T.: 5.919 min
Delta R.T.: -0.004 min
Response: 73173460
Conc: 58.76 ng/ml



#17 4,4'-DDT


R.T.: 7.169 min
Delta R.T.: -0.004 min
Response: 125579504
Conc: 47.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.174 min
Delta R.T.: -0.004 min
Response: 74963511
Conc: 55.85 ng/ml




#18 Endrin aldehyde

R.T.: 7.069 min
Delta R.T.: -0.002 min
Response: 88209337
Conc: 42.25 ng/ml



#18 Endrin aldehyde


R.T.: 6.248 min
Delta R.T.: -0.004 min
Response: 62575353
Conc: 59.71 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.305 min
Delta R.T.: -0.004 min
Response: 133308292
Conc: 48.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.474 min
Delta R.T.: -0.004 min
Response: 77381190
Conc: 55.77 ng/ml




#20 Methoxychlor

R.T.: 7.650 min
Delta R.T.: -0.003 min
Response: 67990317
Conc: 45.13 ng/ml



#20 Methoxychlor


R.T.: 6.756 min
Delta R.T.: -0.004 min
Response: 42680537
Conc: 53.21 ng/ml



#21 Endrin ketone


R.T.: 7.797 min
Delta R.T.: -0.003 min
Response: 142654042
Conc: 48.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.986 min
Delta R.T.: -0.004 min
Response: 90802900
Conc: 55.01 ng/ml




#22 Mirex

R.T.: 8.278 min
Delta R.T.: -0.003 min
Response: 112171645
Conc: 47.84 ng/ml



#22 Mirex


R.T.: 7.172 min
Delta R.T.: -0.005 min
Response: 73732988
Conc: 54.68 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.819 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.878 min
Delta R.T.: 0.004 min
Response: 42602
Conc: 0.88 ng/ml




#24 Chlordane-2

R.T.: 5.383 min
Delta R.T.: 0.028 min
Response: 186371554
Conc: 1417.62 ng/ml



#24 Chlordane-2


R.T.: 4.473 min
Delta R.T.: 0.011 min
Response: 199222
Conc: 3.28 ng/ml



#25 Chlordane-3


R.T.: 6.074 min
Delta R.T.: -0.002 min
Response: 170362885
Conc: 342.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.100 min
Delta R.T.: -0.002 min
Response: 94684279
Conc: 554.78 ng/ml




#26 Chlordane-4

R.T.: 6.155 min
Delta R.T.: -0.005 min
Response: 167311425
Conc: 278.91 ng/ml



#26 Chlordane-4


R.T.: 5.165 min
Delta R.T.: -0.002 min
Response: 94740721
Conc: 593.84 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.299 min
Delta R.T.: -0.004 min
Response: 112908854
Conc: 45.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.076 min
Delta R.T.: -0.006 min
Response: 71399423
Conc: 52.66 ng/ml