

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040125\
 Data File : PL095006.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Apr 2025 21:00
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 02 01:29:14 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.769	137.0E6	189.7E6	48.398	53.147
28)	SA Decachlor...	9.049	7.900	109.0E6	196.6E6	51.732	48.680
Target Compounds							
2)	A alpha-BHC	3.991	3.271	198.3E6	290.0E6	47.768	53.799
3)	MA gamma-BHC...	4.324	3.601	190.0E6	273.0E6	47.604	53.123
4)	MA Heptachlor	4.912	3.938	175.4E6	264.5E6	45.189	50.207
5)	MB Aldrin	5.252	4.217	170.5E6	252.8E6	46.180	51.850
6)	B beta-BHC	4.523	3.901	86485425	118.8E6	46.870	53.502
7)	B delta-BHC	4.770	4.129	190.4E6	269.3E6	48.904	53.847
8)	B Heptachlo...	5.680	4.720	159.2E6	235.2E6	47.599	51.371
9)	A Endosulfan I	6.065	5.089	145.5E6	222.7E6	47.398	50.752
10)	B gamma-Chl...	5.936	4.969	159.0E6	263.7E6	47.179	54.621
11)	B alpha-Chl...	6.014	5.033	155.8E6	259.8E6	47.270	54.431
12)	B 4,4'-DDE	6.188	5.222	152.4E6	316.1E6	51.817	67.999 #
13)	MA Dieldrin	6.340	5.353	154.5E6	291.7E6	48.296	60.131
14)	MA Endrin	6.570	5.629	156.5E6	219.8E6	56.457	50.380
15)	B Endosulfa...	6.790	5.923	131.4E6	219.3E6	48.416	50.660
16)	A 4,4'-DDD	6.706	5.776	121.2E6	203.5E6	55.933	56.593
17)	MA 4,4'-DDT	7.019	6.026	112.8E6	195.8E6	47.407	48.569
18)	B Endrin al...	6.920	6.103	98789621	162.2E6	46.798	48.186
19)	B Endosulfa...	7.155	6.326	118.1E6	204.0E6	48.578	50.088
20)	A Methoxychlor	7.496	6.602	58443354	101.5E6	48.822	47.851
21)	B Endrin ke...	7.640	6.831	134.4E6	256.3E6	50.829	53.711
22)	Mirex	8.112	7.010	96279554	181.8E6	46.595	47.896
24)	Chlordane-2	5.252f	4.357	170.5E6	-6650038	1126.903	N.D. #
25)	Chlordane-3	5.936	4.969	159.0E6	263.7E6	318.044	495.738 #
26)	Chlordane-4	6.014	5.033	155.8E6	259.8E6	264.543	499.056 #
27)	Chlordane-5	0.000	5.923	0	219.3E6	N.D.	1143.013 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040125\
Data File : PL095006.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Apr 2025 21:00
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 02 01:29:14 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: -0.003 min
Response: 137000039
Conc: 48.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.769 min
Delta R.T.: -0.003 min
Response: 189694360
Conc: 53.15 ng/ml




#2 alpha-BHC

R.T.: 3.991 min
Delta R.T.: -0.003 min
Response: 198349654
Conc: 47.77 ng/ml



#2 alpha-BHC


R.T.: 3.271 min
Delta R.T.: -0.003 min
Response: 290047728
Conc: 53.80 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: -0.003 min
Response: 189951622
Conc: 47.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.004 min
Response: 273023515
Conc: 53.12 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.003 min
Response: 175406083
Conc: 45.19 ng/ml



#4 Heptachlor


R.T.: 3.938 min
Delta R.T.: -0.005 min
Response: 264522793
Conc: 50.21 ng/ml



#5 Aldrin


R.T.: 5.252 min
Delta R.T.: -0.004 min
Response: 170506315
Conc: 46.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.217 min
Delta R.T.: -0.005 min
Response: 252840870
Conc: 51.85 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 86485425
Conc: 46.87 ng/ml



#6 beta-BHC


R.T.: 3.901 min
Delta R.T.: -0.004 min
Response: 118844033
Conc: 53.50 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.003 min
Response: 190446023
Conc: 48.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.129 min
Delta R.T.: -0.004 min
Response: 269340030
Conc: 53.85 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.004 min
Response: 159227991
Conc: 47.60 ng/ml



#8 Heptachlor epoxide


R.T.: 4.720 min
Delta R.T.: -0.005 min
Response: 235205912
Conc: 51.37 ng/ml



#9 Endosulfan I


R.T.: 6.065 min
Delta R.T.: -0.004 min
Response: 145523079
Conc: 47.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.089 min
Delta R.T.: -0.005 min
Response: 222737828
Conc: 50.75 ng/ml




#10 gamma-Chlordane

R.T.: 5.936 min
Delta R.T.: -0.004 min
Response: 158964894
Conc: 47.18 ng/ml



#10 gamma-Chlordane


R.T.: 4.969 min
Delta R.T.: -0.005 min
Response: 263731831
Conc: 54.62 ng/ml



#11 alpha-Chlordane


R.T.: 6.014 min
Delta R.T.: -0.004 min
Response: 155840265
Conc: 47.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.033 min
Delta R.T.: -0.005 min
Response: 259788641
Conc: 54.43 ng/ml




#12 4,4'-DDE

R.T.: 6.188 min
Delta R.T.: -0.005 min
Response: 152448253
Conc: 51.82 ng/ml



#12 4,4'-DDE


R.T.: 5.222 min
Delta R.T.: -0.005 min
Response: 316096965
Conc: 68.00 ng/ml



#13 Dieldrin


R.T.: 6.340 min
Delta R.T.: -0.004 min
Response: 154458513
Conc: 48.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.353 min
Delta R.T.: -0.006 min
Response: 291742328
Conc: 60.13 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: -0.004 min
Response: 156503184
Conc: 56.46 ng/ml



#14 Endrin


R.T.: 5.629 min
Delta R.T.: -0.005 min
Response: 219842344
Conc: 50.38 ng/ml



#15 Endosulfan II


R.T.: 6.790 min
Delta R.T.: -0.004 min
Response: 131436157
Conc: 48.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.923 min
Delta R.T.: -0.005 min
Response: 219271046
Conc: 50.66 ng/ml




#16 4,4'-DDD

R.T.: 6.706 min
Delta R.T.: -0.004 min
Response: 121155109
Conc: 55.93 ng/ml



#16 4,4'-DDD


R.T.: 5.776 min
Delta R.T.: -0.006 min
Response: 203502791
Conc: 56.59 ng/ml



#17 4,4'-DDT


R.T.: 7.019 min
Delta R.T.: -0.004 min
Response: 112759313
Conc: 47.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.026 min
Delta R.T.: -0.005 min
Response: 195835603
Conc: 48.57 ng/ml




#18 Endrin aldehyde

R.T.: 6.920 min
Delta R.T.: -0.004 min
Response: 98789621
Conc: 46.80 ng/ml



#18 Endrin aldehyde


R.T.: 6.103 min
Delta R.T.: -0.005 min
Response: 162164343
Conc: 48.19 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.155 min
Delta R.T.: -0.004 min
Response: 118143664
Conc: 48.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.326 min
Delta R.T.: -0.005 min
Response: 204028301
Conc: 50.09 ng/ml




#20 Methoxychlor

R.T.: 7.496 min
Delta R.T.: -0.004 min
Response: 58443354
Conc: 48.82 ng/ml



#20 Methoxychlor


R.T.: 6.602 min
Delta R.T.: -0.005 min
Response: 101495821
Conc: 47.85 ng/ml



#21 Endrin ketone


R.T.: 7.640 min
Delta R.T.: -0.004 min
Response: 134355868
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.831 min
Delta R.T.: -0.005 min
Response: 256340870
Conc: 53.71 ng/ml




#22 Mirex

R.T.: 8.112 min
Delta R.T.: -0.005 min
Response: 96279554
Conc: 46.60 ng/ml



#22 Mirex


R.T.: 7.010 min
Delta R.T.: -0.006 min
Response: 181778799
Conc: 47.90 ng/ml



#24 Chlordane-2


R.T.: 5.252 min
Delta R.T.: 0.022 min
Response: 170506315
Conc: 1126.90 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.357 min
Delta R.T.: 0.013 min
Response: -6650038
Conc: N.D.




#25 Chlordane-3

R.T.: 5.936 min
Delta R.T.: -0.004 min
Response: 158964894
Conc: 318.04 ng/ml



#25 Chlordane-3


R.T.: 4.969 min
Delta R.T.: -0.005 min
Response: 263731831
Conc: 495.74 ng/ml



#26 Chlordane-4


R.T.: 6.014 min
Delta R.T.: -0.007 min
Response: 155840265
Conc: 264.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.033 min
Delta R.T.: -0.004 min
Response: 259788641
Conc: 499.06 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.923 min
Delta R.T.: -0.010 min
Response: 219271046
Conc: 1143.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.049 min
Delta R.T.: -0.007 min
Response: 109022757
Conc: 51.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.900 min
Delta R.T.: -0.007 min
Response: 196637390
Conc: 48.68 ng/ml