

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040219\
 Data File : PL046916.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Apr 2019 19:47
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 03 01:20:00 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.977	362.0E6	114.3E6	49.759	49.901
28)	SA Decachlor...	8.035	9.030	404.6E6	117.4E6	48.106	50.649
Target Compounds							
2)	A alpha-BHC	3.787	4.367	606.9E6	164.6E6	52.040	51.222
3)	MA gamma-BHC...	4.065	4.651	550.4E6	153.9E6	51.224	51.416
4)	MA Heptachlor	4.351	5.157	576.0E6	158.2E6	52.242	51.421
5)	MB Aldrin	4.592	5.461	537.5E6	148.4E6	52.104	51.794
6)	B beta-BHC	4.317	4.824	222.6E6	68394436	49.437	51.591
7)	B delta-BHC	4.513	5.039	530.1E6	134.3E6	52.367	57.867
8)	B Heptachlor...	5.028	5.847	506.3E6	141.7E6	51.909	53.748
9)	A Endosulfan I	5.360	6.203	482.3E6	133.8E6	51.300	51.258
10)	B gamma-Chl...	5.251	6.082	527.6E6	145.4E6	51.359	51.243
11)	B alpha-Chl...	5.308	6.154	518.2E6	145.1E6	51.110	51.158
12)	B 4,4'-DDE	5.475	6.312	485.6E6	126.7E6	52.738	51.033
13)	MA Dieldrin	5.600	6.460	520.6E6	137.9E6	51.871	50.866
14)	MA Endrin	5.853	6.678	490.3E6	124.2E6	52.050	51.979
15)	B Endosulfa...	6.128	6.888	460.7E6	124.3E6	51.419	51.519
16)	A 4,4'-DDD	5.986	6.802	393.4E6	103.6E6	52.042	51.485
17)	MA 4,4'-DDT	6.221	7.100	416.4E6	109.2E6	54.977	52.060
18)	B Endrin al...	6.294	7.011	380.8E6	107.1E6	50.804	50.434
19)	B Endosulfa...	6.506	7.234	427.0E6	117.4E6	52.005	49.779
20)	A Methoxychlor	6.766	7.558	221.9E6	64805201	52.218	50.837
21)	B Endrin ke...	6.989	7.704	473.0E6	125.8E6	51.156	50.614
22)	Mirex	7.165	8.156	356.0E6	100.6E6	48.868	50.282
24)	Chlordane-2	0.000	5.461f	0	148.4E6	N.D.	1270.356 #
25)	Chlordane-3	5.251	6.082	527.6E6	145.4E6	473.736	381.443
26)	Chlordane-4	5.308	6.154	518.2E6	145.1E6	501.139	314.500 #
27)	Chlordane-5	6.128	0.000	460.7E6	0	1349.946	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040219\
Data File : PL046916.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Apr 2019 19:47
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 01:20:00 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 361978517
Conc: 49.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.977 min
Delta R.T.: -0.004 min
Response: 114253642
Conc: 49.90 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.003 min
Response: 606886104
Conc: 52.04 ng/ml



#2 alpha-BHC


R.T.: 4.367 min
Delta R.T.: -0.004 min
Response: 164590584
Conc: 51.22 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.065 min
Delta R.T.: -0.004 min
Response: 550373426
Conc: 51.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.651 min
Delta R.T.: -0.005 min
Response: 153887901
Conc: 51.42 ng/ml




#4 Heptachlor

R.T.: 4.351 min
Delta R.T.: -0.005 min
Response: 575977580
Conc: 52.24 ng/ml



#4 Heptachlor


R.T.: 5.157 min
Delta R.T.: -0.006 min
Response: 158164560
Conc: 51.42 ng/ml



#5 Aldrin


R.T.: 4.592 min
Delta R.T.: -0.004 min
Response: 537450367
Conc: 52.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.461 min
Delta R.T.: -0.006 min
Response: 148389334
Conc: 51.79 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 222584949
Conc: 49.44 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: -0.004 min
Response: 68394436
Conc: 51.59 ng/ml



#7 delta-BHC


R.T.: 4.513 min
Delta R.T.: -0.004 min
Response: 530110986
Conc: 52.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.039 min
Delta R.T.: -0.005 min
Response: 134261726
Conc: 57.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.028 min
Delta R.T.: -0.005 min
Response: 506292086
Conc: 51.91 ng/ml



#8 Heptachlor epoxide


R.T.: 5.847 min
Delta R.T.: -0.006 min
Response: 141742725
Conc: 53.75 ng/ml



#9 Endosulfan I


R.T.: 5.360 min
Delta R.T.: -0.006 min
Response: 482338940
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.007 min
Response: 133777753
Conc: 51.26 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 527587561
Conc: 51.36 ng/ml



#10 gamma-Chlordane


R.T.: 6.082 min
Delta R.T.: -0.006 min
Response: 145431764
Conc: 51.24 ng/ml



#11 alpha-Chlordane


R.T.: 5.308 min
Delta R.T.: -0.006 min
Response: 518207615
Conc: 51.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.154 min
Delta R.T.: -0.007 min
Response: 145118120
Conc: 51.16 ng/ml




#12 4,4'-DDE

R.T.: 5.475 min
Delta R.T.: -0.006 min
Response: 485554648
Conc: 52.74 ng/ml



#12 4,4'-DDE


R.T.: 6.312 min
Delta R.T.: -0.006 min
Response: 126681580
Conc: 51.03 ng/ml



#13 Dieldrin


R.T.: 5.600 min
Delta R.T.: -0.007 min
Response: 520560000
Conc: 51.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.460 min
Delta R.T.: -0.007 min
Response: 137880509
Conc: 50.87 ng/ml




#14 Endrin

R.T.: 5.853 min
Delta R.T.: -0.007 min
Response: 490272537
Conc: 52.05 ng/ml



#14 Endrin


R.T.: 6.678 min
Delta R.T.: -0.007 min
Response: 124217977
Conc: 51.98 ng/ml



#15 Endosulfan II


R.T.: 6.128 min
Delta R.T.: -0.006 min
Response: 460692052
Conc: 51.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.888 min
Delta R.T.: -0.007 min
Response: 124310843
Conc: 51.52 ng/ml




#16 4,4'-DDD

R.T.: 5.986 min
Delta R.T.: -0.006 min
Response: 393386980
Conc: 52.04 ng/ml



#16 4,4'-DDD


R.T.: 6.802 min
Delta R.T.: -0.007 min
Response: 103589745
Conc: 51.49 ng/ml



#17 4,4'-DDT


R.T.: 6.221 min
Delta R.T.: -0.007 min
Response: 416413052
Conc: 54.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.100 min
Delta R.T.: -0.007 min
Response: 109167184
Conc: 52.06 ng/ml




#18 Endrin aldehyde

R.T.: 6.294 min
Delta R.T.: -0.007 min
Response: 380781601
Conc: 50.80 ng/ml



#18 Endrin aldehyde


R.T.: 7.011 min
Delta R.T.: -0.007 min
Response: 107121713
Conc: 50.43 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.506 min
Delta R.T.: -0.007 min
Response: 427023006
Conc: 52.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.234 min
Delta R.T.: -0.008 min
Response: 117429988
Conc: 49.78 ng/ml




#20 Methoxychlor

R.T.: 6.766 min
Delta R.T.: -0.008 min
Response: 221919068
Conc: 52.22 ng/ml



#20 Methoxychlor


R.T.: 7.558 min
Delta R.T.: -0.007 min
Response: 64805201
Conc: 50.84 ng/ml



#21 Endrin ketone


R.T.: 6.989 min
Delta R.T.: -0.007 min
Response: 473024682
Conc: 51.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.704 min
Delta R.T.: -0.008 min
Response: 125753531
Conc: 50.61 ng/ml




#22 Mirex

R.T.: 7.165 min
Delta R.T.: -0.008 min
Response: 356028454
Conc: 48.87 ng/ml



#22 Mirex


R.T.: 8.156 min
Delta R.T.: -0.009 min
Response: 100572315
Conc: 50.28 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.461 min
Delta R.T.: 0.018 min
Response: 148389334
Conc: 1270.36 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.007 min
Response: 527587561
Conc: 473.74 ng/ml



#25 Chlordane-3


R.T.: 6.082 min
Delta R.T.: -0.007 min
Response: 145431764
Conc: 381.44 ng/ml



#26 Chlordane-4


R.T.: 5.308 min
Delta R.T.: -0.007 min
Response: 518207615
Conc: 501.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.154 min
Delta R.T.: -0.010 min
Response: 145118120
Conc: 314.50 ng/ml




#27 Chlordane-5

R.T.: 6.128 min
Delta R.T.: -0.011 min
Response: 460692052
Conc: 1349.95 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.035 min
Delta R.T.: -0.009 min
Response: 404623529
Conc: 48.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.030 min
Delta R.T.: -0.010 min
Response: 117428478
Conc: 50.65 ng/ml