

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040219\
 Data File : PL046939.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Apr 2019 01:17
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 03 05:52:55 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
 Quant Title : GC Extractables
 QLast Update : Fri Mar 22 13:40:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.358	3.977	373.0E6	118.4E6	51.273	51.711
28)	SA Decachlor...	8.035	9.030	427.8E6	121.3E6	50.856	52.331
Target Compounds							
2)	A alpha-BHC	3.787	4.367	627.6E6	171.9E6	53.816	53.489
3)	MA gamma-BHC...	4.064	4.651	568.4E6	160.0E6	52.902	53.465
4)	MA Heptachlor	4.351	5.157	594.0E6	163.5E6	53.873	53.149
5)	MB Aldrin	4.591	5.461	555.6E6	154.0E6	53.864	53.763
6)	B beta-BHC	4.317	4.824	230.5E6	70912937	51.189	53.491
7)	B delta-BHC	4.513	5.040	550.1E6	140.9E6	54.340	60.720
8)	B Heptachlor...	5.028	5.848	521.4E6	147.2E6	53.461	55.825
9)	A Endosulfan I	5.360	6.203	497.2E6	139.3E6	52.879	53.387
10)	B gamma-Chl...	5.251	6.082	545.8E6	156.3E6	53.136	55.067
11)	B alpha-Chl...	5.307	6.154	534.5E6	151.9E6	52.719	53.542
12)	B 4,4'-DDE	5.475	6.312	503.3E6	131.0E6	54.667	52.762
13)	MA Dieldrin	5.600	6.460	537.5E6	142.5E6	53.561	52.585
14)	MA Endrin	5.853	6.677	505.2E6	128.5E6	53.640	53.758
15)	B Endosulfa...	6.127	6.888	475.2E6	128.8E6	53.040	53.375
16)	A 4,4'-DDD	5.986	6.802	407.6E6	107.3E6	53.926	53.312
17)	MA 4,4'-DDT	6.221	7.100	427.1E6	113.1E6	56.388	53.943
18)	B Endrin al...	6.294	7.012	391.8E6	110.9E6	52.269	52.231
19)	B Endosulfa...	6.505	7.235	439.2E6	123.2E6	53.492	52.214
20)	A Methoxychlor	6.765	7.559	226.7E6	67179029	53.335	52.699
21)	B Endrin ke...	6.989	7.704	491.9E6	131.1E6	53.200	52.751
22)	Mirex	7.165	8.156	375.8E6	104.2E6	51.583	52.089
24)	Chlordane-2	0.000	5.461f	0	154.0E6	N.D.	1318.638 #
25)	Chlordane-3	5.251	6.082	545.8E6	156.3E6	490.130	409.911
26)	Chlordane-4	5.307	6.154	534.5E6	151.9E6	516.911	329.154 #
27)	Chlordane-5	6.127	0.000	475.2E6	0	1392.507	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040219\
Data File : PL046939.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Apr 2019 01:17
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 05:52:55 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL032219.M
Quant Title : GC Extractables
QLast Update : Fri Mar 22 13:40:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.358 min
Delta R.T.: -0.003 min
Response: 372991873
Conc: 51.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.977 min
Delta R.T.: -0.004 min
Response: 118396881
Conc: 51.71 ng/ml




#2 alpha-BHC

R.T.: 3.787 min
Delta R.T.: -0.003 min
Response: 627608150
Conc: 53.82 ng/ml



#2 alpha-BHC


R.T.: 4.367 min
Delta R.T.: -0.004 min
Response: 171876729
Conc: 53.49 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.064 min
Delta R.T.: -0.004 min
Response: 568408431
Conc: 52.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.651 min
Delta R.T.: -0.004 min
Response: 160020707
Conc: 53.46 ng/ml




#4 Heptachlor

R.T.: 4.351 min
Delta R.T.: -0.005 min
Response: 593954580
Conc: 53.87 ng/ml



#4 Heptachlor


R.T.: 5.157 min
Delta R.T.: -0.005 min
Response: 163480638
Conc: 53.15 ng/ml



#5 Aldrin


R.T.: 4.591 min
Delta R.T.: -0.005 min
Response: 555610357
Conc: 53.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.461 min
Delta R.T.: -0.005 min
Response: 154029084
Conc: 53.76 ng/ml




#6 beta-BHC

R.T.: 4.317 min
Delta R.T.: -0.004 min
Response: 230474042
Conc: 51.19 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: -0.004 min
Response: 70912937
Conc: 53.49 ng/ml



#7 delta-BHC


R.T.: 4.513 min
Delta R.T.: -0.004 min
Response: 550085692
Conc: 54.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.040 min
Delta R.T.: -0.004 min
Response: 140880202
Conc: 60.72 ng/ml




#8 Heptachlor epoxide

R.T.: 5.028 min
Delta R.T.: -0.006 min
Response: 521436281
Conc: 53.46 ng/ml



#8 Heptachlor epoxide


R.T.: 5.848 min
Delta R.T.: -0.006 min
Response: 147219859
Conc: 55.82 ng/ml



#9 Endosulfan I


R.T.: 5.360 min
Delta R.T.: -0.006 min
Response: 497190553
Conc: 52.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.203 min
Delta R.T.: -0.007 min
Response: 139332320
Conc: 53.39 ng/ml




#10 gamma-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.006 min
Response: 545844562
Conc: 53.14 ng/ml



#10 gamma-Chlordane


R.T.: 6.082 min
Delta R.T.: -0.006 min
Response: 156285732
Conc: 55.07 ng/ml



#11 alpha-Chlordane


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 534516368
Conc: 52.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.154 min
Delta R.T.: -0.007 min
Response: 151879681
Conc: 53.54 ng/ml




#12 4,4'-DDE

R.T.: 5.475 min
Delta R.T.: -0.006 min
Response: 503315020
Conc: 54.67 ng/ml



#12 4,4'-DDE


R.T.: 6.312 min
Delta R.T.: -0.006 min
Response: 130973292
Conc: 52.76 ng/ml



#13 Dieldrin


R.T.: 5.600 min
Delta R.T.: -0.006 min
Response: 537514916
Conc: 53.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.460 min
Delta R.T.: -0.007 min
Response: 142540454
Conc: 52.58 ng/ml




#14 Endrin

R.T.: 5.853 min
Delta R.T.: -0.006 min
Response: 505248594
Conc: 53.64 ng/ml



#14 Endrin


R.T.: 6.677 min
Delta R.T.: -0.007 min
Response: 128468132
Conc: 53.76 ng/ml



#15 Endosulfan II


R.T.: 6.127 min
Delta R.T.: -0.007 min
Response: 475216683
Conc: 53.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.888 min
Delta R.T.: -0.006 min
Response: 128787134
Conc: 53.37 ng/ml




#16 4,4'-DDD

R.T.: 5.986 min
Delta R.T.: -0.007 min
Response: 407627921
Conc: 53.93 ng/ml



#16 4,4'-DDD


R.T.: 6.802 min
Delta R.T.: -0.007 min
Response: 107266000
Conc: 53.31 ng/ml



#17 4,4'-DDT


R.T.: 6.221 min
Delta R.T.: -0.007 min
Response: 427102488
Conc: 56.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.100 min
Delta R.T.: -0.007 min
Response: 113116328
Conc: 53.94 ng/ml




#18 Endrin aldehyde

R.T.: 6.294 min
Delta R.T.: -0.008 min
Response: 391766622
Conc: 52.27 ng/ml



#18 Endrin aldehyde


R.T.: 7.012 min
Delta R.T.: -0.007 min
Response: 110938110
Conc: 52.23 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.505 min
Delta R.T.: -0.007 min
Response: 439230441
Conc: 53.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.235 min
Delta R.T.: -0.007 min
Response: 123172388
Conc: 52.21 ng/ml




#20 Methoxychlor

R.T.: 6.765 min
Delta R.T.: -0.008 min
Response: 226666764
Conc: 53.33 ng/ml



#20 Methoxychlor


R.T.: 7.559 min
Delta R.T.: -0.007 min
Response: 67179029
Conc: 52.70 ng/ml



#21 Endrin ketone


R.T.: 6.989 min
Delta R.T.: -0.008 min
Response: 491930066
Conc: 53.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.704 min
Delta R.T.: -0.008 min
Response: 131062589
Conc: 52.75 ng/ml




#22 Mirex

R.T.: 7.165 min
Delta R.T.: -0.008 min
Response: 375810259
Conc: 51.58 ng/ml



#22 Mirex


R.T.: 8.156 min
Delta R.T.: -0.009 min
Response: 104187205
Conc: 52.09 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.701 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.461 min
Delta R.T.: 0.019 min
Response: 154029084
Conc: 1318.64 ng/ml




#25 Chlordane-3

R.T.: 5.251 min
Delta R.T.: -0.007 min
Response: 545844562
Conc: 490.13 ng/ml



#25 Chlordane-3


R.T.: 6.082 min
Delta R.T.: -0.008 min
Response: 156285732
Conc: 409.91 ng/ml



#26 Chlordane-4


R.T.: 5.307 min
Delta R.T.: -0.007 min
Response: 534516368
Conc: 516.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.154 min
Delta R.T.: -0.010 min
Response: 151879681
Conc: 329.15 ng/ml




#27 Chlordane-5

R.T.: 6.127 min
Delta R.T.: -0.012 min
Response: 475216683
Conc: 1392.51 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.967 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.035 min
Delta R.T.: -0.009 min
Response: 427750844
Conc: 50.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.030 min
Delta R.T.: -0.010 min
Response: 121329187
Conc: 52.33 ng/ml